

THERMA-TRU[®]
DOORS | Where Home Begins™

2023 Fiberglass & Steel Catalog

Building Professionals' Entry & Patio Door Directory



Therma-Tru. Where home begins.

Choosing a Therma-Tru® door means designing an inspired entrance with the confidence that it will perform for years to come.

Whether it's Classic or Contemporary – or somewhere in between – Therma-Tru offers a wide selection to complement the architecture of a home and a homeowner's sense of style.

But it's more than beauty that makes Therma-Tru the brand building professionals prefer most.* With a complete door system engineered with craftsman precision and backed by more than 60 years of industry experience, you can be confident that it will perform as exceptionally as it looks.

That's where the beauty of choosing Therma-Tru begins.

*Brand Use Study, 2022 *Builder* magazine.

Top: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Door – CCM82806, Finish – Tumbleweed
Right Page: Fiber-Classic Mahogany Collection, Chinchilla Glass with SDLs, Door – FCM4814XJ, Finish – Raven

Table of Contents



Uncompromising quality, inside and out.

Find your favorite doors.

Throughout the catalog you'll find doors organized by glass shape (largest to smallest), followed by glass design, and then texture.

Introduction	2-31
NEW Products	4-13
Therma-Tru® Thrive	14-15
Curb Appeal	16
Door Selections	17-19
Door System Components	20-21
Tru-Defense®	22-23
Safety & Security	24-25
Decorative & Specialty Glass	26-29
Impact-Rated Products	30-31
NEW Veris Collection Preview	32-42
Patio, Storm & Vent	43-49
Hinged Patio Door Systems	44-45
Retractable Screen Doors	46-47
Impressions™ Integrated Storm & Entry Door System	48-49
Classic Craft	50-113
Decorative & Specialty Glass	58-65
Accessories	66-67
Hinged Patio Doors	110-113
Fiber-Classic® & Smooth-Star®	114-217
Decorative & Specialty Glass	120-127
Accessories	128
Hinged Patio Doors	212-217
Steel	218-241
Profiles™	220, 223-235
Traditions	220, 236-240
Decorative & Specialty Glass	221-222
Fire Doors	242-245
Pulse®	246-259
Finish Options	260-266
PrismaGuard® Stain & Paint	260-265
Same-Day® Stain Kit	266
Door System Components	267-281
Special Quote Program	282
3'6" Width Options Chart	283
7'0" & 6'6" Height Options Charts	284-285
Product Details	286-287
Index	288-298
Trade Resources	299

NEW Calix Glass Design


for Fiber-Classic®, Smooth-Star®, Profiles™, Traditions & Pulse®



A clean and delicate classic.

Elevate your entry with this new, on-trend take on a classic style. Featuring clear glass and delicate cameing, Calix is ideal for traditional and casual homes.

Available for Fiber-Classic and Smooth-Star, starting on page 152; Profiles and Traditions, starting on page 224, and Pulse, starting on page 250.



Privacy Rating



WBDR / HVHZ
Options**

*Included in the limited warranty when installed in a Therma-Tru fiberglass or steel door system.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru Impact-rated product approval. Some multi-lite door style configurations are approved for WBDR and HVHZ, see your dealer for details.

Note: See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs, available product sizes and options, and limited warranties and exclusions.

NEW Latitude Glass Design

for Fiber-Classic®, Smooth-Star®, Profiles™, Traditions & Pulse.





Therma-Tru® Doors

Bending tradition.

Create new traditions with the curved elegance of Latitude. This design's seedy glass and curved caming is a great addition to traditional and casual homes.

Available for Fiber-Classic and Smooth-Star, starting on page 152; Profiles and Traditions, starting on page 224, and Pulse, starting on page 252.



Privacy Rating



WBDR / HVHZ
Options**

*Included in the limited warranty when installed in a Therma-Tru fiberglass or steel door system.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru Impact-rated product approval. Some multi-lite door style configurations are approved for WBDR and HVHZ, see your dealer for details.

Note: See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs, available product sizes and options, and limited warranties and exclusions.

Top: Smooth-Star, Latitude Glass, Doors – S4525, Finish – Onyx

NEW Echelon Glass Design

for Fiber-Classic®, Smooth-Star®, Profiles™, Traditions & Pulse®



At the edge of boldness.

Reimagine a daring entryway with the bold edges of Echelon. This modern design features clear glass and eased angles infused with elements of diamonds and triangles.

Available for Fiber-Classic and Smooth-Star, starting on page 153; Profiles and Traditions, starting on page 224, and Pulse, starting on page 250.



Black Nickel



Brass



Brushed Nickel

Privacy Rating

1

Clear

10

Opaque



Fiberglass*



Steel*



WBDR / HVHZ
Options**

*Included in the limited warranty when installed in a Therma-Tru fiberglass or steel door system.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru Impact-rated product approval. Some multi-lite door style configurations are approved for WBDR and HVHZ, see your dealer for details.

Note: See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs, available product sizes and options, and limited warranties and exclusions.

NEW Advanta™ Lite Frame*

for Fiber-Classic®, Smooth-Star®, Profiles™, Traditions & Pulse.

Therma-Tru® Doors



ADVANTA
LITE FRAME™



The Advanta lite frame is a patented design, U.S. Patent No. 10,655,382.

Four-piece design includes two interchangeable frame covers and a two-piece base frame.


A new frame of mind.

Achieve a seamless look with the Advanta lite frame, an innovative, patented solution from Therma-Tru. Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.

Available in scrolled and flat frame options for Fiber-Classic and Smooth-Star, starting on page 143; Profiles and Traditions, starting on page 223, and Pulse, starting on page 250.

Available Lite Frame Sizes

Fiber-Classic® / Smooth-Star® / Profiles™ / Traditions / Pulse.



Available Glass Options

Glass options vary by size.

Decorative Glass

Privacy & Textured

Internal Blinds

Divided Lites

Clear / Low-E



Fiber-Classic,
Smooth-Star,
Pulse Fiberglass

Profiles, Traditions,
Pulse Steel



*See your Therma-Tru seller for details on product availability.

Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, and limited warranties and exclusions.

NEW Craftsman Shaker-Style Entry Door Options

for Fiber-Classic® Mahogany Collection™ & Smooth-Star®



Options for every home.

Explore a complete assortment of on-trend Craftsman Shaker-style entry doors with flush-glazed glass, from the brand builders use most.* Available in wood-grained, stainable and smooth, paintable styles in a wide variety of sizes to fit any project. Complete the look by choosing from a full array of Craftsman-lite and full-lite sidelite options.

Available in Fiber-Classic and Smooth-Star, starting on page 139.

EnLiten™ Flush-Glazed Riders

For Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

For Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.



Residential



Commercial &
Multi-Resident



*Brand Use Study, 2022 *Builder* magazine.

**Available for full-lite sidelites only.

Note: Fiber-Classic and Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders, ENERGY STAR qualified products, product approvals and installation instructions. Please verify that there is a Therma-Tru product approval for the configuration before buying.

Top: Fiber-Classic Mahogany Collection, Saratoga Glass, Door – FCM86240, Sidelites – FCM86201SL, Finish – Acorn

Available Doors & Sidelites



Height	6'8"		7'0"		8'0"	
Widths	2'8", 2'10", 3'0"	12", 14"	2'8", 2'10", 3'0"	12", 14"	2'8", 2'10", 3'0"	12", 14"



Height	6'8"		7'0"		8'0"	
Widths	2'8", 2'10", 3'0"	12", 14"	2'8", 2'10", 3'0"	12", 14"	2'8", 2'10", 3'0"	12", 14"

Flat-Profile SDL Bars

Smooth and grained, flat-profile SDL bars complement the door's Shaker style.




(28.6 mm / 1.125 in.)


Available Glass Shapes & SDL Patterns




Glass Shapes with GBG Patterns



Available Glass Options



Additional Sidelite Glass Options



Reeded (XK)**

NEW 8'0" Smooth-Star® Flush-Glazed Doors

with Internal Blinds & Elevated Bottom Rail



More natural light. No compromises.

A durable, on-trend solution for multi-family dwellings, the 8'0" Smooth-Star flush-glazed full-lite door with internal blinds delivers privacy and convenience. Now with an elevated bottom rail to meet ADA applications*, this door is ideal for the patio and back of the home.

Available in Smooth-Star, starting on page 132.

Available Q3 2023.



Elevated Bottom Rail
U1: 10-1/4"
Book / Hybrid: 10-15/32"

8'0" Flush-Glazed
Full-Lite Door

EnLiten™ Flush-Glazed Riders

for Construction & Installation, and Homeowners



Residential

Commercial &
Multi-Resident

*For ADA compliance, door must be 3'0" wide.

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions. Riders, ENERGY STAR qualified products, product approvals and installation instructions. Please verify that there is a Therma-Tru product approval for the configuration before buying.

Top: Smooth-Star, Internal Blinds, Doors – S82600, Finish – Alpine

NEW Sizes & Configurations

for Impressions™ Storm & Entry Door System



Therma-Tru® Doors

Purposeful design.

Explore first-to-market advanced technology in an integrated storm and entry door solution* from Therma-Tru, in partnership with LARSON. The Impressions integrated storm and entry door system is designed to outperform expectations.

Now available for 8'0" entries and door systems with sidelites, starting on page 48.

THERMA **TRU**
DOORS



Single



Single with 1 Sidelite**



Single with 2 Sidelites**

*Patent pending.

**The Impressions system can be paired with a single sidelite on either side of the door or with two sidelites. Direct set sidelite options are also available.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, and installation instructions.

Top: Impressions Storm & Entry Door System – IM100, Finish – Black; Fiber-Classic Mahogany Collection Door – FCM220; Calix Glass, Sidelites – FCM2389SL, Finish – Raven

NEW PrismaGuard® Premium Finish



Refreshed beauty.

Our expanded offering of PrismaGuard® stains and paints is designed to meet the homeowner demand for the light and refreshing colors that define current trends.

These eight new colors give our customers the option to explore entirely new aesthetics and moods at their entryways – all backed by the premium quality of PrismaGuard®.

See the entire PrismaGuard portfolio starting on page 261.



**10 YEAR
LIMITED
WARRANTY**
TRANSFERABLE

Classic Craft

**10 YEAR
LIMITED
WARRANTY**

Fiber-Classic,
Smooth-Star, Profiles,
Traditions, Pulse



Durable
Topcoat



Professional
Application

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 287 for important product details that may help with your purchase decision. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

Top Left: Smooth-Star, Calix Glass, Door – S4521, Finish – Estuary

Top Right: Pulse Línea, Echelon Glass, Door – S81EC, Finish – Golden Wheat




Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of Yellowstone National Park. Select colors in our PrismaGuard portfolio are inspired by the beauty found in Yellowstone National Park. Look for the (YF) symbol.



Tumbleweed YF



Peregrine YF




Obsidian YF



Elk YF




Estuary YF



Arctic Ice YF



Golden Wheat YF



Canyon YF

Color matches available.

Explore other products from Fortune Brands Outdoors designed to match select colors shown here. Look for the (OF) symbol. See your Therma-Tru seller for details.

NEW Alpine Color-Matched Lite Frames & Simulated Divided Lite Bars

Therma-Tru's unfinished white lite frames and simulated divided lite (SDL) bars are now color-matched to PrismaGuard® Alpine and can be installed directly out of the box, saving you time and money. Available for Smooth-Star®, Profiles™ and Traditions.

Lite Frame Options

Available in Advanta and Standard lite frames.



Scrolled Frame



Flat Frame

SDL Bar Options



Scrolled

Flat



Residential



Commercial & Multi-Resident



TOGETHER, LET'S MAKE A WORLD OF DIFFERENCE.

We're doing our part to build a better world, every chance we get. Therma-Tru Thrive is our commitment to make safe and sustainable products, support the communities where we live and work, and leave a positive, lasting impact on the environment.

THERMA-TRU
THRIVE™

MAKING LIFE BETTER AT HOME.

Our complete door systems are built to help protect against energy loss and break-ins, helping people stay safe and comfortable at home.

More than 80% of our doors are **ENERGY STAR® qualified.***

5+ years on the leading edge of the industry, **reducing harmful chemicals** from our PrismaGuard paints and stains.

Our door systems are **tested for 300 lbs. of forced-entry resistance.** (AAMA 1304)




HELPING TAKE CARE OF OUR PLANET.

Across all our facilities, we're finding innovative ways to reuse waste materials and expand our recycling efforts.

Therma-Tru is proud to be **recognized as the 2022 Brand Leader**** by *Green Builder* magazine for offering durable, well-insulated products.

More than 50% of our fiberglass and steel door end rails are made from **over 90% recycled or scrap material.**

In 2022, we diverted over **15 million pounds** of waste otherwise destined for landfills.



BEING A GOOD NEIGHBOR.

For over 40 years, we've been proud to partner with 100+ local and national organizations to make a positive impact on the places we all call home.

Building homes for those in need with Habitat for Humanity.

Providing entryways for our nation's wounded vets with Jared Allen's Homes for Wounded Warriors.

Hosting blood and donation drives to support the American Red Cross.



*Based on version 6.0 ENERGY STAR product specification for windows, doors and skylights.

**Brand Index, 2022 *Green Builder* magazine.

Make a Smart Investment

Therma-Tru® Doors



Make a great first impression.

A front door is nearly impossible to ignore when walking into a home, and for potential homebuyers, first impressions are critical. How attractive a home is from the exterior tends to set expectations for the interior and beyond.

In fact, in a recent survey, **44% of homeowners said they were more likely to purchase a home with an enhanced entry**, and one in three homeowners said they were willing to pay a premium for one.*



1 in 3

One in three homeowners said they were willing to pay a premium for an enhanced entry.*


*Not a guarantee of investment returns, increase in value or selling price. See 2021 Therma-Tru National Home Valuation Study surveying real estate agents about perceived remodeled home value estimates based on exterior appearance. Not based on actual home sales data. Results may vary based on region, door style and home style. Study was commissioned by Therma-Tru and conducted by the Farnsworth Group, an independent research provider.

**Manufacturer's Test Facility Quality Assurance Validation Program, Architectural Testing, Inc.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, and installation instructions.

The Beauty of Choice

The architectural beauty of a Therma-Tru door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



Door Selections

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 18–19.



Decorative & Specialty Glass

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 26–29.

Finish Options

Complete the desired look with stain or paint. Explore a variety of colors from PrismaGuard® premium finish and Same-Day® stain on pages 260–266.



Door System Components

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 20–25.

Designed for peace of mind.

Lifetime Limited Warranties

We stand behind more parts and for longer than most other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by the industry's most comprehensive lifetime limited warranties.



Classic Craft

Quality Testing

Our doors, glass and components undergo thorough testing to help ensure they will live up to a homeowner's toughest quality and performance expectations.

We even have our own engineering lab – approved to perform specific test methods with a third-party witness** – as part of our ongoing commitment to ensuring that our products live up to our high standards for durability and reliability.

Door Selections

Choose from our many door selections to complement the architectural style of the home from the front entry to the back patio. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.

The Classic Craft® Series

Pages 50-113

Our premier engineered-to-last entryways showcase remarkably authentic wood grains and textures. Explore three curated collections inspired by the latest trends to bring your home design vision to life.



Artissa Collection

Casual | Relaxed | Simple




Founders Collection

Traditional | Time-Honored | Decorative



Visionary Collection

Modern | Confident | Minimal



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

Fiber-Classic® Collections Pages 114–217



The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value.



Mahogany Collection™



Oak Collection™



Smooth-Star® Pages 114–217

A smooth, ready-to-paint fiberglass door that offers excellent performance and value.



Smooth-Star.



Steel Pages 218–241

Bring style and affordability together to create very attractive results with our steel doors.

Profiles™



Door & Glass




Traditions



Door



Glass



Pulse® Pages 246–259


A contemporary series of door styles and glass designs that can be combined to make a bold statement.



Fiberglass



Steel



Ari


Línea

Echo


Engineered to Work Together

Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.







1 **Weatherstrip** is engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the **door** and **frame**. In addition, a rot-free Therma-Tru **composite door frame*** delivers extra protection from the damaging effects of moisture.




2 **Sill** and **bottom sweep** form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. **Sill pan** (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.




3 **Corner seal pads** (inswing only) complete the seal between the **sill cap**, **bottom sweep** and **weatherstrip** to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.




4 **Hinges** position the **door** to properly compress the **weatherstrip** to help form a tight, even seal against air and moisture infiltration when the door closes.



5 **Multi-point locking system** (recommended) engages the door and frame at three points from top to bottom for enhanced security while helping to preserve the **weatherstrip's** seal even under wind pressure.



6 **Lip-lite frame** (shown right) features a **compression seal** against weather on the outside of the **door** and an **adhesive seal** against weather on the outside of the **glass**. **Flush-glazed glass** (shown left) is built directly into the door without a Lip-lite frame, featuring a **high-performance adhesive weather seal** inside and out.



Composite Door Frame* featuring Tru-Guard™ Composite Technology

Therma-Tru® composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.

TRU GUARD™
COMPOSITE TECHNOLOGY

Tru-Defense® Warranty Rider

A Therma-Tru® door system with Tru-Defense system components is a high-performing door system backed by a lifetime limited warranty and a comprehensive Tru-Defense Warranty Rider.



Tru-Defense: The Ultimate Protection

More than beautiful doors and glass, a complete door system includes the components used to assemble it. We manufacture or specify every aspect of a complete door system. The Therma-Tru® genuine components in a Tru-Defense door system are our premium options for long-lasting durability.

Double Your Peace of Mind

When it comes to door systems, we believe that proper installation is just as important as having the best components. A Tru-Defense door system installed by a Therma-Tru Certified Door System Installer doubles your reimbursement eligibility should an issue arise.* Look for the  icon.

**CERTIFIED
DOOR SYSTEM
INSTALLER**

**THERMA-TRU®
DOORS**

*The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, including Therma-Tru Certified Door System Installers, nor any damages caused by improper handling, assembly or installation.

**Latch and deadbolt must meet Therma-Tru specifications.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

Top: Classic Craft Canvas, Provincial Glass, Door – CCV10028, Sidelites – CCV108SL, Transom – CC420T, Finish – Chestnut

Required Components for Tru-Defense Door System

with Therma-Tru Fiberglass Door Slab & Components



Door Frame

Provides a solid structure for the door slab and components.
Recommended: Therma-Tru Composite Door Frame



Corner Seal Pads

(Inswing Only)
Fit securely behind the weatherstrip to help block wind-driven moisture infiltration at the bottom corner of the door system.



Composite Adjustable Sill

Provides a solid stepping surface and forms a tight seal at the bottom of the door system to help channel moisture away from the home.



Weatherstrip

Features a resilient design to help deliver a precise seal between the door and frame.



Bottom Sweep (Inswing Only)

A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.



Astragal (Double Doors)

Covers the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability.



Hinges

Ensure smooth operation and position the door so it creates a tight seal with the weatherstrip when closed.



Rain Guard (Outswing Only)

Creates a barrier at the top of the door to protect against moisture infiltration.

Recommended Components



Multi-Point Locking System

(MPLS)

Engages the door and frame at three points from top to bottom for enhanced security and sealing.



Sill Pan

Adds an extra layer of protection to help keep moisture away from the subfloor; protects flooring by catching and draining water in the event of infiltration.

Levels of Reimbursement

System Components	Reimbursement Eligibility	Reimbursement Eligibility with a Certified Installer
Latch & Deadbolt (No Sill Pan)**	\$250	\$500
Latch & Deadbolt with Sill Pan**	\$500	\$1,000
MPLS (No Sill Pan)	\$1,000	\$2,000
MPLS with Sill Pan	\$1,250	\$2,500

Baseline components required to qualify for the Tru-Defense Warranty Rider.

Fiberglass Door Systems Built for Safety & Security

Protect the home and everything in it, from family and pets to valuables and keepsakes. Therma-Tru products are designed for durability and enhanced security with pieces and parts engineered as a complete system.


Did you know?



On average, a home is burglarized in the U.S. every 45 seconds.¹



More than half of home burglaries occur during the daytime.²



How do burglars enter the home?

34% Front Door³
22% Back Door³


Therma-Tru Composite Door Frame

More reliable and up to 50% stronger on average than standard wood door frames when withstanding a simulated forced entry attempt by kicking in the door.*

- Features full-length jambs with no finger joints for more reliable performance, and a continuous composite material that will not deteriorate over time, like wood.
- Entries with a wooden door frame are more susceptible to being kicked in as compared to a Therma-Tru composite door frame, giving burglars access to your home within seconds.
- Wood jambs typically have finger joints. These areas where two pieces of wood come together are structurally weaker when compared to a single continuous material that runs the entire length of the jamb.



Scan to see our products put to the test.



*Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

**Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit www.thermatru.com for details.

¹Source: FBI Uniform Crime Reporting Program, "2019 Crime in the United States."

²Source: FBI Uniform Crime Reporting Program, "2019 Crime in the United States," Table 7.

³Source: www.asecurerlife.com



Pendulum Impact Test

Therma-Tru Fiberglass Door Slab

Up to 30% more resistant to kick-ins than standard steel doors.**

Features durable construction that can withstand impact by absorbing and deflecting the force.**

- Built with enhanced lock blocks to help ensure proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.


- Will not dent or rust, nor will it warp, split, crack or rot.

Therma-Tru Glass

- Options feature double- or triple-pane construction and include two panes of tempered glass for enhanced safety and performance.

Material Myths: Think steel is stronger? Think again.

- While many people assume steel doors are the most secure against forced entry, Therma-Tru fiberglass doors are up to 30% more resistant to kick-ins than standard steel doors.**
- Standard steel doors can dent and bow, which leads more quickly to product failure. Therma-Tru fiberglass doors feature durable construction that can withstand impact by absorbing and deflecting the force.**
- Wood doors and steel doors may weaken over time with exposure to the elements.




Decorative & Specialty Glass

A Therma-Tru door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Our decorative glass is handcrafted and built with all-glass bevels for premium quality.
- Numerous glass colors, textures, shapes and caming options are available to complement any door.
- All Low-E and clear glass panels are tempered or laminated to provide added safety.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on ENERGY STAR qualified products.



Contributes to an energy-efficient home.

Triple-Pane Construction

All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.

Internal Blinds

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Available options include Low-E glass for energy efficiency, EnLiten™ flush-glazed designs and Impact-rated options.

Available in Fiber-Classic®, Smooth-Star®, Profiles™ and Traditions doors and sidelites.

Privacy & Textured Glass

Therma-Tru® doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in Classic Craft®, Fiber-Classic®, Smooth-Star®, Profiles™, Traditions and Pulse® doors and sidelites.



Low-E Glass

Factory-coated Low-E glass delivers exceptional energy efficiency. Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse. Look for the (★) icon.



Divided Lites

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices.


- Coordinate with the home's window patterns and architectural details for a cohesive look and increased curb appeal.
- Available divided lite options include simulated divided lites (SDLs), grilles between glass (GBGs) and fixed grilles.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.

Available in Classic Craft®, Fiber-Classic®, Smooth-Star®, Profiles™ and Traditions.

EnLiten™ Flush-Glazed Designs

For Classic Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

Simplified beauty. Resilient designs. With clean lines and seamless construction, EnLiten flush-glazed designs are perfect for today's homes. Built for long-term performance, these doors and sidelites feature the sleek looks homeowners want and the stylish around-the-home solutions they need. Look for the (💧) icons.



Strength is built in.

Our doors are durable by design. Flush-glazed glass represents a trouble-free solution that provides a superior barrier against the elements, resulting in performance you can depend on.



*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Impact-rated products not available.

Left Page Top Left: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Doors – CCA82320XE, Finish – Raven

Left Page Bottom Left: Smooth-Star, Chinchilla Glass with SDLs, Door – S2104XJ, Finish – Granite

Left Page Bottom Right: Smooth-Star, Internal Blinds, Doors – S2600

Right Page: Smooth-Star, Low-E Glass, Door – S4814, Sidelites – S6201SL, Finish – Onyx



Durable by design.


Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This delivers a clean seamless look with no lite frame or screw plugs, and reduces the potential for air and water infiltration, among other benefits.



Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.

Tough when you need it. Beautiful always.



2 Use the icons to find available Therma-Tru® product options in this catalog.



WBDR Option

Designed to withstand wind forces up to 167 mph (DP-50). (ASTM E 1886 / ASTM E 1996)

Structural Fiberglass Door + Impact Laminated Glass with Impact Lip-Lite Frame = WBDR Option



HVHZ Option

Designed to withstand wind forces up to 175 mph (DP-55). (TAS 201 / TAS 203)

Impact Steel-Plate Reinforced Fiberglass Door + Impact Laminated Glass with Impact Lip-Lite Frame = HVHZ Option



WBDR / HVHZ Options: Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.

3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.*

4 Make sure the product is installed in compliance with the product approval to meet building codes.

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.


*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.

Note: See your Therma-Tru seller or visit www.thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders.

No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.


Right Page: Smooth-Star Door – S8120; Internal Blinds with Impact Frame, Sidelites – S85928SL

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.*



Impact Doors

Feature a built-in 24-gauge steel plate lining.



Impact Glass

Features special laminated glass construction.

Impact-Rated Internal Blinds

Features laminated glass construction and a durable, paintable aluminum lite frame with a flat profile aesthetic cover for a simple look.



Impact Lip-Lite Frame

Features durable, paintable aluminum construction. An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.



Other Considerations

Fire Doors

See pages 242–245.

Noise Reduction Doors

See page 208.

E Elevated 10" Bottom Rail

Look for the (E) symbol.

Home, unbound.

The feeling of home extends beyond four walls as homeowners focus on connecting with nature. Blur the lines between indoor and outdoor living spaces with entry doors designed as beautiful connection points.









Veris[™]

COLLECTION

Explore an expansive portfolio of glass-forward aluminum door systems from the entry door brand building professionals choose most.* Redefine indoor and outdoor living with the Veris Collection.

Coming soon in 2023.

Open to possibilities.

Introducing the Veris Collection, embodying a reconnection between home and outdoors. Sleek, minimalist designs perfectly frame the view. Expansive glass welcomes an abundance of natural light.

THE VERIS COLLECTION



Folding Doors



Sliding Doors




Hinged Doors




Pivot Doors





These contemporary glass door systems bring together high-end style and unique functionality to create a bright and airy experience. Blending beauty and versatility, the Veris Collection offers a seamless transition from indoors to out.




Expand their horizon.



Blend indoor and outdoor living spaces with wide views, contemporary framing and innovative options designed for convenience and ease.



Contemporary connections.



Create statement-making entrances with sleek and subtle designs perfect for homes with contemporary styling.



Veris™
COLLECTION

Coming soon in 2023.



Open to possibilities.


Find the right fit for your next project.
Visit VerisCollection.com for details.

THERMA-TRU®
DOORS

©2023 Therma-Tru Corp. All rights reserved.

Connect with nature, inside and out.

Patio, Storm & Vent



Outdoor living made easy.

Families can connect with the outdoors through fresh air and sunlight, all from the comfort of home. Explore a variety of entry solutions designed for seamless indoor-outdoor living, including patio and storm doors, retractable screens and vented sidelites.

Hinged Patio Door Systems



Simply beautiful,
any way you see it.

Extend the beauty and quality of a Therma-Tru® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with options to control the level of privacy and light, complement window patterns, and let fresh air into the home.



Note: See page 287 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Clear Glass, Doors – 8000, Finish – Driftwood
Bottom: Smooth-Star, Clear Glass, Doors – S2000

A Therma-Tru® patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.

Interior view of door.



Vented Sidelites

Enjoy the view – and a fresh breeze, too.

- Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Look for the (●) symbol.

Available Configurations



Single Door with Vented Sidelites (Inswing Only)




Double Doors with Vented Sidelites (Inswing Only)

Patio Transoms


Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system.

Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for door systems with a mullion.



19250T




19050T

Classic Craft, starting on page 110.

Fiber-Classic, Smooth-Star, Profiles & Traditions, starting on page 212.

Retractable Screen Doors

Welcome fresh air and natural light into the home while keeping debris and insects out. Therma-Tru retractable screen doors feature a discreet, hidden design that helps provide a seamless transition from indoors to out. Plus, it's been quality tested for compatibility with Therma-Tru® entry door systems.



Face mount installation allows for an easier install while providing a full pass-through space without an intrusive cassette or track.

E-Z Glide System enables smooth screen retraction and extension without slamming.

Fiberglass screen mesh fully retracts when not in use.

One-hand operation with a secure and ergonomic latch / lock handle.

Rust-proof aluminum housing and track for strength and beauty.

Quick-Snap Track adjusts to required length in seconds – no cutting required.*

Universal sill plate designed for simple and secure fit.

*Adjusts quickly for 32"-36" doors. If less than 32", a hacksaw is required for one cut to each track.

**Based on average DIY skills and standard door application, widths 32"-36".

***Retractable screen frame colors are complementary to PrismaGuard, but not an exact match.

Note: Recommended for inswing applications only. Therma-Tru retractable screens are designed to support natural ventilation and protection against airborne insects and other pests. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep pets inside. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.




Available Sizes

(Available for most inswing units.)



Single Door System

Widths: 32"-36"
Heights: 6'6", 6'8", 8'0"



French Door System

Widths: 68"-73"
Heights: 6'6", 6'8", 8'0"



Installation is quick and easy, taking approximately 30 minutes.**

Available Color Options

Coordinates with exterior trim.***



White




Brown



Black

Available Configurations



See your Therma-Tru seller for details on product availability and ordering.

Warranty Coverage

All parts are covered by the Therma-Tru full-system limited warranty, excluding the screen mesh, when purchased and installed with a Therma-Tru door system.



Classic Craft



Fiber-Classic,
Smooth-Star,
Pulse Fiberglass



Profiles, Traditions,
Pulse Steel

When purchased and installed separately all parts are covered by a full-system lifetime limited warranty, excluding the screen mesh.



Impressions™ Integrated Storm & Entry Door System

The first of its kind, the Impressions storm and entry door system* integrates the storm door flush into the brickmould portion of the door frame, creating a cohesive unit that provides a seamless look. With an integrated system engineered to work together, this system takes the guesswork out of ordering the right size storm door for your project and simplifies storm door installation.



① Choose a **Therma-Tru® entry door** to create an entry that complements your home's architectural style.



② The Impressions system comes standard with **composite brickmould** and an aluminum storm door panel. For added protection from rotting and to match the brickmould, choose a **composite frame featuring Tru-Guard™ composite technology**.



③ The storm door features a modern profile with mitered corners for a sleek, on-trend look that emphasizes the beauty of the entry door. The storm door panel fits into Therma-Tru's **flat-profile composite brickmould**.

*Patent pending.

**The Impressions system can be paired with a single sidelite on either side of the door or with two sidelites. Direct set sidelite options are also available.

***Not suitable for use with Therma-Tru grip-style handlesets.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

CLASSIC CRAFT.®



An unrivaled entry experience.

Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft. Because homes with uncompromising style demand uncompromising entryways.

Top: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM82804, Finish – Driftwood

Right Page Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA210SL, Finish – Raven

Right Page Middle: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM8306CAL, CCM8306CAR, Finish – Acorn

Right Page Bottom: Classic Craft Walnut Grain Door – CCW8906R, Low-E Direct Set Sidelite – DRS82131SL, Finish – Lynx

Curated collections inspired by style.

Classic Craft celebrates the best of design for homes with uncompromising style. Three expertly curated collections draw inspiration from the latest trends and bring your home design vision to life with unrivaled beauty, luxe craftsmanship and an attention to detail you won't find anywhere else.


Artíssa Collection

Casual | Relaxed | Simple




Founders Collection

Traditional | Time-Honored | Decorative



Visionary Collection

Modern | Confident | Minimal



Industry-leading warranties for peace of mind.




Uniquely designed by Therma-Tru, Classic Craft complete entryway systems are backed by an industry-leading 1x transferable lifetime limited warranty from the entry door brand building professionals choose most.* This comprehensive lifetime limited warranty can be transferred one time to a new owner, should you ever sell your home.

In addition, Classic Craft entryways with our handcrafted and professionally applied PrismaGuard® premium stain or paint are backed by a transferable 10-year limited finish warranty – Therma-Tru's best. The balance of this finish warranty can transfer to a second owner.

Learn about our industry-leading warranties at thermatru.com/warranty.





Next-level engineering.

Classic Craft complete entryway systems are designed with a full suite of premium-grade components, including ball-bearing hinges, medium-reach weatherstrip, 7-shape corner seal pads and more. Each piece is engineered with craftsman precision to create an unrivaled entry experience built to perform for a lifetime.

Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.



Engineered for Moisture Protection

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.




Designed with Authenticity

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider* to welcome more natural light into the home.



Tested to Withstand Mother Nature

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.



Therma-Tru® Door Frame

Created specifically for Therma-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.



*Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details.

**Comparison of R-Values of fiberglass to wood doors (both without glass).

Right Page Top: Classic Craft Walnut Grain Door – CCW8901L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Acorn

Right Page Middle: Classic Craft Mahogany Grain, Homeward Glass, Door – CCM82801, Finish – Barley

Right Page Bottom: Classic Craft Canvas Door – CCV220; Low-E Glass, Sidelites – CCV100SL, Finish – Indigo



Designed for Long-Term Performance

Features fiberglass skins that are 46% thicker* for added durability and better long-term performance.



Triple-Pane Construction

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



Crafted for a True-to-Wood Appearance

Revolutionary AccuGrain® technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.



Built for Strength and Security

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.*



Constructed for Energy Efficiency

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.**



True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.

AccuGrain
TECHNOLOGY


Bottom: Classic Craft Walnut Grain, Door – CCW900L, Finish – Shale



Fir Grain


Formerly Classic-Craft American Style

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.



Walnut Grain

Crafted to reflect the prized hardwood of the mighty Black Walnut trees, these doors feature a horizontal grain with natural movement accented by delicate arches and cathedrals.



Mahogany Grain

Formerly Classic-Craft Mahogany & Rustic


Derived from the finest African and Honduran Mahogany, blending rustic influences with exotic roots to build upon the rich history of one of the most renowned woods in the world.



Canvas

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.

Unique style.
Unmatched craftsmanship.




Decorative & Specialty Glass Designs

Homeward™

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive ① clear bevels, ② seeded glass and ③ gray artique glass. An ideal complement for a Transitional home design.

Glass Shapes



Glass Privacy Rating



Black Nickel




Brushed Nickel


Arborwatch®

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines ① narrow reeded glass, ② M seeded glass, ③ waterglass and caming in a symmetrical arrangement accented by ④ pale amber glass, ⑤ amber artique glass and ⑥ clear bevels.

Glass Shapes



Glass Privacy Rating



Black Nickel



Brushed Nickel

Note: The use of pale amber and amber artique glass varies based on glass size. Refer to the image on page 66 to see an example on a home.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Augustine®


Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and ① granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

Glass Shapes



Corresponding sidelites feature Granite glass without wrought iron.

Glass Privacy Rating



Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 83 to see an example on a home.

Borrassa®

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with ① hammered glass for the ultimate in privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

Glass Shapes



Corresponding sidelites feature Hammered glass without wrought iron.

Glass Privacy Rating



Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 52 to see an example on a home.

Decorative & Specialty Glass Designs

Provincial™

A unique diamond-based motif features **1** double waterglass, **2** clear bevels and caming surrounded by a **3** gray baroque glass border. Provincial captivates with stunning clarity.

Glass Shapes



Glass Privacy Rating



Black Nickel



Brushed Nickel


Longford™

The traditional design of Longford integrates a hint of a Celtic knot with **1** seeded glass, **2** clear bevels, **3** granite glass and caming. A timeless design ideal for entries where modest privacy is desired.

Glass Shapes



Glass Privacy Rating



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Lucerna.

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of ① curved, ② diamond and ③ rectangular bevels surrounded by smooth, swirling ④ barn wood and heavily textured ⑤ diamond border glass.

Glass Shapes



Glass Privacy Rating



Brushed Nickel

Zaha.

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features ① oceana and ② seedy glass, ③ clear and ④ multifaceted bevels, and cameing to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

Glass Shapes



Glass Privacy Rating



Brushed Nickel

Privacy & Textured Glass



Reeded (XK)

A vertical, linear textured glass that provides modest privacy and an on-trend aesthetic.

Glass Privacy Rating  7 10



Satin Etch (XE)

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.

Glass Privacy Rating  1 10



Chord (XC)

A vertical flowing pattern reminiscent of waves on the water.

Glass Privacy Rating  1 10



Chinchilla (XJ)

A free-flowing configuration, presenting quiet lines and curves.

Glass Privacy Rating  1 10



Right Page: Classic Craft Fir Grain, Low-E Glass, Door – CCA210, Finish – New Earth

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.



Rainglass (XR)

An elegantly fashioned glass, featuring ripples of cascading water.

Glass Privacy Rating



Granite (XN)

A coarse-grained arrangement with surface detail over the entirety of the glass.

Glass Privacy Rating



Also Available:

Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.



In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.

Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the (■) icon.




(40.64 mm / 1.6 in.)
Look for the (■) icon.

4-1/4" and 5-1/2" flat profile bars are also used on solid-panel doors as door divider bars (DDBs). Look for the (■) icon.

(107.95 mm / 4.25 in.)
Look for the (■) and (■) icons.

(139.70 mm / 5.5 in.)
Look for the (■) and (■) icons.



Note: Some door styles use a combination of 4-1/4" and 5-1/2" divider bars. Look for the (■) and (■) icons.



(40.64 mm / 1.6 in.)
Look for the (■) icon.

Mahogany Grain



(40.64 mm / 1.6 in.)
Look for the (■) icon.

Fir Grain

Canvas





Flush-Glazed Sticking Profiles

EnLiten™ flush-glazed designs feature a seamless look with simple profile around the glass.
Look for the (⚠) and (💧) icons.



Detailed Sticking
Look for the (⚠) icon.



Square Sticking
Look for the (💧) icon.

EnLiten™ Flush-Glazed Warranty Riders

for Construction & Installation,
and Homeowners. See page
129 for details.

Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic Craft. Fir Grain 4-Block Dentil Shelf



Classic Craft. Fir Grain 4-Block Dentil Shelf*



Classic Craft. Fir Grain 16-Block Dentil Shelf



Classic Craft. Canvas 4-Block Dentil Shelf



4-Block Dentil Shelf

Shown on 3'6" x 8'0" door.



4-Block Dentil Shelf

Shown on 3'0" x 8'0" door.

*Pairs with 3'6" wide doors.

Bottom: Classic Craft Fir Grain, Arborwatch Glass, Door – CCA9100, Sidelites – CCA1423SL, Finish – Autumn Harvest; Dentil Shelf Right Page, Left: Classic Craft Mahogany Grain Door – CCR205; Smooth-Star, Clear Glass with GBGs, Sidelites – S1170SL, Transom – 19220T; Clavos Right Page, Right: Classic Craft Mahogany Grain Door – CCR100R, Finish – Lynx; Strap Hinges



Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.



Full Lites

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Homeward™



Artissa Collection
Mahogany*

CCR9925
3'0" x 6'8"



Mahogany

CCR9925SL
12" x 6'8"
14" x 6'8"



Artissa Collection
Canvas

CCV9925
3'0" x 6'8"



Canvas

CCV911SL
12" x 6'8"
14" x 6'8"

Key

- ◆ Flush-Glazed Glass with Square Sticking (FG)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Wrought Iron (1W)

Arborwatch®



Artissa Collection
Mahogany*

CCR1423
3'0" x 6'8"



Mahogany

CCR1423SL
12" x 6'8"
14" x 6'8"



Artissa Collection
Canvas

CCV1423
3'0" x 6'8"



Canvas

CCV1423SL
12" x 6'8"
14" x 6'8"

Augustine®



Founders Collection
Mahogany*

CCR30027
3'0" x 6'8"



Mahogany

CCR3400XNSL
12" x 6'8"
14" x 6'8"



Founders Collection
Canvas

CCV10027
3'0" x 6'8"



Canvas

CCV100XNSL
12" x 6'8"
14" x 6'8"

For transoms, see page 108.

Note: Product images show exterior side of door.

Borrassa®

Founders Collection
Mahogany*CCR1528
3'0" x 6'8"

Mahogany

CCR3400XHSL
12" x 6'8"
14" x 6'8"Founders Collection
CanvasCCV1528
3'0" x 6'8"

Canvas

CCV100XHSL
12" x 6'8"
14" x 6'8"

Provincial™

Founders Collection
Mahogany*CCR30028
3'0" x 6'8"

Mahogany

CCR3408SL
12" x 6'8"
14" x 6'8"Founders Collection
CanvasCCV10028
3'0" x 6'8"


Canvas

CCV108SL
12" x 6'8"
14" x 6'8"

Longford™

Founders Collection
Mahogany*CCR30023
3'0" x 6'8"

Mahogany

CCR3407SL
12" x 6'8"
14" x 6'8"Founders Collection
CanvasCCV10023
3'0" x 6'8"

Canvas

CCV103SL
12" x 6'8"
14" x 6'8"

Lucerna®

Founders Collection
Mahogany*CCR10022
3'0" x 6'8"

Mahogany

CCR3412SL
12" x 6'8"
14" x 6'8"Founders Collection
CanvasCCV10022
3'0" x 6'8"

Canvas

CCV3412SL
12" x 6'8"
14" x 6'8"

Full Lites

continued

Fir Grain

Formerly Classic-Craft
American Style

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

- ◆ Flush-Glazed Glass with Square Sticking (FG)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Simulated Divided Lites (SDLF3)
- ◆ Simulated Divided Lites (SDLF4)
- ◆ Simulated Divided Lites (SDLF5)
- ◆ Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

XK = Reeded XJ = Chinchilla
XE = Satin Etch XR = Rainglass
XC = Chord XN = Granite

Zaha®



Visionary Collection
Mahogany*

CCR1851
3'0" x 6'8"




Mahogany

CCR1851SL
12" x 6'8"
14" x 6'8"



Visionary Collection
Canvas


CCV1851
3'0" x 6'8"



Canvas


CCV1851SL
12" x 6'8"
14" x 6'8"

Privacy & Textured




Visionary Collection
Fir**

CCA2300____
◆ 4 3'0" x 6'8"




Visionary Collection
Fir**

CCA2310____
◆ 4 3'0" x 6'8"




Visionary Collection
Fir**

CCA2320____
◆ 4 3'0" x 6'8"




Visionary Collection
Fir**

CCA2330____
◆ 3 3'0" x 6'8"



Visionary Collection
Fir**

CCA2340____
◆ 3 3'0" x 6'8"



Visionary Collection
Fir**

CCA2380____
◆ 5 3'0" x 6'8"

For transoms, see page 108.









Note: Product images show exterior side of door.

*Formerly Classic-Craft Rustic.

**Formerly Classic-Craft American Style.

***Not available with Reeded (XK) glass.

Note: See page 287 for important product details that may help with your purchase decision.

Artíssa Collection
Fir**CCA2350_*** | CCA82350_***
3'0" x 6'8" | 3'0" x 8'0"Artíssa Collection
Fir**CCA2360_*** | CCA82360_***
3'0" x 6'8" | 3'0" x 8'0"Artíssa Collection
Fir**CCA2370_*** | CCA82370_***
3'0" x 6'8" | 3'0" x 8'0"Artíssa Collection
Fir**CCA4900_*** | CCA84900_***
3'0" x 6'8" | 3'0" x 8'0"Artíssa Collection
Fir**CCA4910L_*** | CCA4910R_***
3'0" x 6'8" | 3'0" x 6'8"Artíssa Collection
Fir**CCA84910L_*** | CCA84910R_***
3'0" x 8'0" | 3'0" x 8'0"Artíssa Collection
Fir**CCA4920L_*** | CCA4920R_***
3'0" x 6'8" | 3'0" x 6'8"Artíssa Collection
Fir**CCA84920L_*** | CCA84920R_***
3'0" x 8'0" | 3'0" x 8'0"Artíssa Collection
Fir**CCA4930_*** | CCA84930_***
3'0" x 6'8" | 3'0" x 8'0"Artíssa Collection
Fir**CCA4940_*** | CCA84940_***
3'0" x 6'8" | 3'0" x 8'0"Visionary Collection
Fir**CCA2400_ | CCA82400_***
3'0" x 6'8" | 3'0" x 8'0"

Full Lites

continued

Fir Grain

Formerly Classic-Craft
American Style

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

XK = Reeded XJ = Chinchilla
XE = Satin Etch XR = Rainglass
XC = Chord XN = Granite

Privacy & Textured



Fir*

CCA2300_SL | CCA82300_SL
● 4
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Fir*

CCA2310_SL | CCA82310_SL
● 4
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Fir*

CCA2320_SL | CCA82320_SL
● 3
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Fir*

CCA2330_SL | CCA82330_SL
● 3
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Fir*


CCA2340_SL | CCA82340_SL
● 3
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Fir*

CCA2400_SL | CCA82400_SL
●
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Low-E



Visionary Collection

Fir*
CCA2300 | CCA82300
● 4
3'0" x 6'8" | 3'0" x 8'0"



Visionary Collection

Fir*
CCA2310 | CCA82310
● 4
3'0" x 6'8" | 3'0" x 8'0"




Visionary Collection

Fir*
CCA2320 | CCA82320
● 3
3'0" x 6'8" | 3'0" x 8'0"

For transoms, see page 108.


Note: Product images show exterior side of door.



Visionary Collection
Fir*

CCA2330
3'0" x 6'8"


CCA82330
3'0" x 8'0"



Visionary Collection
Fir*

CCA2340
3'0" x 6'8"

CCA82340
3'0" x 8'0"



Visionary Collection
Fir*

CCA2380
3'0" x 6'8"

CCA82380
3'0" x 8'0"



Artissa Collection
Fir*

CCA2350
3'0" x 6'8"

CCA82350
3'0" x 8'0"



Artissa Collection
Fir*

CCA2360
3'0" x 6'8"


CCA82360
3'0" x 8'0"



Artissa Collection
Fir*

CCA2370
3'0" x 6'8"

CCA82370
3'0" x 8'0"



Artissa Collection
Fir*

CCA4900
3'0" x 6'8"

CCA84900
3'0" x 8'0"



Artissa Collection
Fir*

CCA4910L
3'0" x 6'8"

CCA4910R
3'0" x 6'8"




Artissa Collection
Fir*

CCA84910L
3'0" x 8'0"



Artissa Collection
Fir*

CCA84910R
3'0" x 8'0"



Artissa Collection
Fir*

CCA4920L
3'0" x 6'8"

CCA4920R
3'0" x 6'8"

Full Lites

continued

Fir Grain

Formerly Classic-Craft
American Style

Mahogany Grain


Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- Simulated Divided Lites (SDLF6)
- Elevated 10" Bottom Rail Options

Low-E



Artissa Collection
Fir*

CCA84920L | CCA84920R
● ● E | ● ● E
3'0" x 8'0" | 3'0" x 8'0"



Artissa Collection
Fir*

CCA4930 | CCA84930
● ● E | ● ● E
3'0" x 6'8" | 3'0" x 8'0"



Artissa Collection
Fir*

CCA4940 | CCA84940
● ● 3 | ● ● E
3'0" x 6'8" | 3'0" x 8'0"



Visionary Collection
Fir*

CCA2400 | CCA82400
● ● | ● ● E
3'0" x 6'8" | 3'0" x 8'0"



Fir*

CCA2300SL | CCA82300SL
● ● 4 | ● ● 4
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Fir*

CCA2310SL | CCA82310SL
● ● 4 | ● ● 4
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Fir*

CCA2320SL | CCA82320SL
● ● 3 | ● ● 3
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Fir*

CCA2330SL | CCA82330SL
● ● 3 | ● ● 3
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

For transoms, see page 108.

Note: Product images show exterior side of door.

*Formerly Classic-Craft American Style.

**Formerly Classic-Craft Rustic.

Note: See page 287 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2340, Sidelites – CCA2400SL, Finish – Rustic Clay



Fir*

CCA2340SL CCA82340SL
◆ ◆ ◆
 12"x 6'8" 12"x 8'0"
 14"x 6'8" 14"x 8'0"



Fir*

CCA2400SL CCA82400SL
◆ ◆
 12"x 6'8" 12"x 8'0"
 14"x 6'8" 14"x 8'0"

Founders Collection
Mahogany**

CCR30020
◆
 3'0"x 6'8"



Mahogany

CCR2025SL
◆ ◆ ◆
 12"x 6'8" 14"x 6'8"



Mahogany

CCR3400SL
◆ ◆
 12"x 6'8" 14"x 6'8"

Founders Collection
Canvas

CCV10020
◆
 3'0"x 6'8"



Canvas

CCV950SL
◆ ◆ ◆
 12"x 6'8" 14"x 6'8"



Canvas

CCV100SL
◆ ◆
 12"x 6'8" 14"x 6'8"



3/4 Lites

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

- ◆ Flush-Glazed Glass with Square Sticking (FG)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Wrought Iron (1W)

Homeward™



Artissa Collection
Mahogany

CCM2801 | CCM82801
3'0"x 6'8" | 3'0"x 8'0"

Mahogany


CCR9925SL | CCR89925SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Artissa Collection
Canvas


CCV9922 | CCV89922
3'0"x 6'8" | 3'0"x 8'0"

Arborwatch®



Canvas

CCV911SL | CCV8111SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Artissa Collection
Mahogany

CCM81418
3'0"x 8'0"




Mahogany

CCR1423SL | CCR81423SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Artissa Collection
Canvas

CCV1418
3'0"x 6'8" | CCV81418
3'0"x 8'0"



Canvas

CCV1423SL | CCV81423SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Augustine®



Founders Collection
Mahogany

CCM805027
3'0"x 8'0"

For transoms, see page 108.

Note: Product images show exterior side of door.

Founders Collection
MahoganyCCM1495
3'0"x 6'8"

Mahogany

CCR3400XNSL | CCR8000XNSL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"Founders Collection
CanvasCCV05027 | CCV805027
3'0"x 6'8" | 3'0"x 8'0"

Canvas

CCV100XNSL | CCV8100XNSL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Borrassa®

Founders Collection
MahoganyCCM81519
3'0"x 8'0"Founders Collection
MahoganyCCM1465
3'0"x 6'8"

Mahogany

CCR3400XHSL | CCR8000XHSL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"Founders Collection
CanvasCCV1519 | CCV81519
3'0"x 6'8" | 3'0"x 8'0"


Canvas

CCV100XHSL | CCV8100XHSL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Longford™

Founders Collection
MahoganyCCM892
3'0"x 8'0"Founders Collection
MahoganyCCM303
3'0"x 6'8"

Mahogany

CCR3407SL | CCR8007SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"Founders Collection
CanvasCCV05023 | CCV805023
3'0"x 6'8" | 3'0"x 8'0"

Canvas

CCV103SL | CCV8103SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

3/4 Lites

continued

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Lucerna®



Founders Collection
Mahogany

CCM2802 | CCM82802
3'0" x 6'8" | 3'0" x 8'0"



Founders Collection
Mahogany

CCM302
3'0" x 6'8"



Mahogany

CCR3412SL | CCR8102SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"


Key

- ◆ Flush-Glazed Glass with Square Sticking (FG)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

XK = Reeded XJ = Chinchilla
XE = Satin Etch XR = Rainglass
XC = Chord XN = Granite



Founders Collection
Canvas

CCV05022 | CCV805022
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV3412SL | CCV8102SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Mahogany

CCR3408SL | CCR8008SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Founders Collection
Canvas

CCV05028 | CCV805028
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV108SL | CCV8108SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Visionary Collection
Mahogany

CCM2803 | CCM82803
3'0" x 6'8" | 3'0" x 8'0"

For transoms, see page 108.

Note: Product images show exterior side of door.

Visionary Collection
MahoganyCCM1842
3'0"x 6'8"

Mahogany

CCR1851SL
12"x 6'8"
14"x 6'8"

Mahogany

Visionary Collection
CanvasCCV1843
3'0"x 6'8"
14"x 8'0"

Canvas

CCV1851SL
12"x 6'8"
14"x 6'8"

Canvas

CCV81843
3'0"x 8'0"
14"x 8'0"

Privacy & Textured

Artissa Collection
MahoganyCCM2804_*
3'0"x 6'8"
CCR82804_*
3'0"x 8'0"Artissa Collection
MahoganyCCM2806_*
3'0"x 6'8"
CCR82806_*
3'0"x 8'0"Artissa Collection
MahoganyCCM2812_*
3'0"x 6'8"
CCR82815_*
3'0"x 8'0"Artissa Collection
MahoganyCCM2800_*
3'0"x 6'8"
CCR82800_*
3'0"x 8'0"Founders Collection
MahoganyCCM300XC
CCM300XN
3'0"x 6'8"

Mahogany

CCR2025__SL
12"x 6'8"
14"x 6'8"
CCR82035__SL
12"x 8'0"
14"x 8'0"

Mahogany

CCR3400__SL
12"x 6'8"
14"x 6'8"
CCR8000__SL
12"x 8'0"
14"x 8'0"Artissa Collection
CanvasCCV05020XC
CCV05020XN
3'0"x 6'8"

3/4 Lites

continued

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Privacy & Textured



Canvas

CCV950_SL | CCV8950_SL*
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Canvas

CCV100_SL | CCV8100_SL*
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Low-E



Artissa Collection
Mahogany

CCM2804 | CCM82804
3'0"x 6'8" | 3'0"x 8'0"



Artissa Collection
Mahogany

CCM2806 | CCM82806
3'0"x 6'8" | 3'0"x 8'0"



Artissa Collection
Mahogany

CCM2812 | CCM82815
3'0"x 6'8" | 3'0"x 8'0"



Artissa Collection
Mahogany

CCM2800 | CCM82800
3'0"x 6'8" | 3'0"x 8'0"



Founders Collection
Mahogany

CCM300
3'0"x 6'8"



Mahogany

CCR2025SL | CCR82035SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Mahogany

CCR3400SL | CCR8000SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

XE = Satin Etch XR = Rainglass
XC = Chord XN = Granite
XJ = Chinchilla

For transoms, see page 108.

Note: Product images show exterior side of door.

*Not available with Satin Etch (XE) glass.


Note: See page 287 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Satin Etch Glass with SDLs, Door – CCM2812XE, Finish – Acorn



Artíssa Collection
Canvas

CCV805020
3'0" x 6'8"



Canvas

CCV950SL
12" x 6'8"
14" x 6'8"



Canvas

CCV8950SL
12" x 8'0"
14" x 8'0"



Canvas

CCV100SL
12" x 6'8"
14" x 6'8"



Canvas

CCV8100SL
12" x 8'0"
14" x 8'0"



2/3 Lites

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✗ Wrought Iron (1W)

Optional Accessories



Homeward™



Artissa Collection
Mahogany*

CCR9921
3'0" x 6'8"
CCR89921
3'0" x 8'0"
3'6" x 8'0"



Artissa Collection
Mahogany*

CCR9919
3'0" x 6'8"
CCR89919
3'0" x 8'0"
3'6" x 8'0"



Artissa Collection
Mahogany*

CCR9918
3'0" x 6'8"
CCR89918
3'0" x 8'0"



Artissa Collection
Mahogany*

CCR822218
3'0" x 8'0"
3'6" x 8'0"



Artissa Collection
Canvas

CCV9919
3'0" x 6'8"
CCV89919
3'0" x 8'0"



Artissa Collection
Canvas

CCV9918
3'0" x 6'8"
CCV89918
3'0" x 8'0"

Arborwatch®



Artissa Collection
Mahogany*

CCR1417
3'0" x 6'8"
CCR81417
3'0" x 8'0"
3'6" x 8'0"



Artissa Collection
Mahogany*

CCR1415
3'0" x 6'8"
CCR81415
3'0" x 8'0"
3'6" x 8'0"



Artissa Collection
Mahogany*

CCR1414
3'0" x 6'8"
CCR81414
3'0" x 8'0"

For transoms, see page 108.

Note: Product images show exterior side of door.

*Formerly Classic-Craft Rustic.

Note: See page 287 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Augustine Glass, Door – CCR20527, Finish – New Earth



Artissa Collection
Mahogany*

CCR822214
3'0"x 8'0"
3'6"x 8'0"



Artissa Collection
Canvas

CCV1415
3'0"x 6'8"

CCV81415
3'0"x 8'0"



Artissa Collection
Canvas

CCV1414
3'0"x 6'8"


CCV81414
3'0"x 8'0"

Augustine®



Founders Collection
Mahogany*

CCR04027
3'0"x 6'8"
3'6"x 8'0"



Founders Collection
Mahogany*

CCR04037
3'0"x 6'8"
3'6"x 8'0"



Founders Collection
Mahogany*

CCR20527
3'0"x 6'8"
3'6"x 8'0"



Founders Collection
Mahogany*

CCR20027
3'0"x 6'8"
3'0"x 8'0"



Founders Collection
Mahogany*

CCR822227
3'0"x 8'0"
3'6"x 8'0"

Augustine Continues on next page.



2/3 Lites

continued

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✗ Wrought Iron (W)

Optional Accessories



For transoms, see page 108.

Note: Product images show exterior side of door.

Augustine®



Founders Collection
Mahogany*

CCR20537 | CCR820537
3'0"x 6'8" | 3'0"x 8'0"
3'6"x 8'0"



Founders Collection
Mahogany*

CCR20037 | CCR820037
3'0"x 6'8" | 3'0"x 8'0"



Founders Collection
Mahogany*

CCR20537A | CCR820537A
3'0"x 6'8" | 3'0"x 8'0"
3'6"x 8'0"



Founders Collection
Mahogany*

CCR20037A | CCR820037A
3'0"x 6'8" | 3'0"x 8'0"



Founders Collection
Canvas

CCV20527 | CCV820527
3'0"x 6'8" | 3'0"x 8'0"



Founders Collection
Canvas

CCV22027 | CCV822027
3'0"x 6'8" | 3'0"x 8'0"

Borrassa®



Founders Collection
Canvas

CCV20537 | CCV820537
3'0"x 6'8" | 3'0"x 8'0"



Founders Collection
Mahogany*

CCR1518 | CCR81518
3'0"x 6'8" | 3'0"x 8'0"
3'6"x 8'0"



Founders Collection
Mahogany*



CCR1516 | CCR81516
3'0"x 6'8" | 3'0"x 8'0"
3'6"x 8'0"

*Formerly Classic-Craft Rustic.

Note: See page 287 for important product details that may help with your purchase decision.

Founders Collection
Mahogany*CCR1515 | CCR81515
3'0"x 6'8" | 3'0"x 8'0"Founders Collection
Mahogany*CCR822215
3'0"x 8'0"
3'6"x 8'0"Founders Collection
Mahogany*CCR1514 | CCR81514
3'0"x 6'8" | 3'0"x 8'0"
3'6"x 8'0"Founders Collection
Mahogany*CCR1512 | CCR81512
3'0"x 6'8" | 3'0"x 8'0"
3'6"x 8'0"Founders Collection
Mahogany*CCR1511 | CCR81511
3'0"x 6'8" | 3'0"x 8'0"Founders Collection
Mahogany*CCR1512A | CCR81512A
3'0"x 6'8" | 3'0"x 8'0"
3'6"x 8'0"Founders Collection
Mahogany*CCR1511A | CCR81511A
3'0"x 6'8" | 3'0"x 8'0"Founders Collection
CanvasCCV1516 | CCV81516
3'0"x 6'8" | 3'0"x 8'0"Founders Collection
CanvasCCV1515 | CCV81515
3'0"x 6'8" | 3'0"x 8'0"Founders Collection
CanvasCCV1512 | CCV81512
3'0"x 6'8" | 3'0"x 8'0"

Provincial™

Founders Collection
Mahogany*CCR804028
3'0"x 8'0"Founders Collection
Mahogany*CCR820528
3'0"x 8'0"

2/3 Lites

continued

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

ProvincialTM



Founders Collection
Mahogany*

CCR820028
3'0" x 8'0"



Founders Collection
Mahogany*

CCR822228
3'0" x 8'0"



Founders Collection
Canvas

CCV820528
3'0" x 8'0"



Founders Collection
Canvas

CCV822028
3'0" x 8'0"

Key

◆ Black Nickel Caming (1D)
■ Brushed Nickel Caming (1C)

Optional Accessories



Clavos



Strap Hinge

LongfordTM



Founders Collection
Mahogany*

CCR04023 | CCR804023
3'0" x 6'8" | 3'0" x 8'0"



Founders Collection
Mahogany*

CCR20523 | CCR820523
3'0" x 6'8" | 3'0" x 8'0"



Founders Collection
Mahogany*

CCR20023 | CCR820023
3'0" x 6'8" | 3'0" x 8'0"



Founders Collection
Mahogany*

CCR822223
3'0" x 8'0"



Founders Collection
Canvas

CCV20523 | CCV820523
3'0" x 6'8" | 3'0" x 8'0"



Founders Collection
Canvas

CCV22023 | CCV822023
3'0" x 6'8" | 3'0" x 8'0"


For transoms, see page 108.

Note: Product images show exterior side of door.



Founders Collection
Mahogany*

CCR04022
3'0"x 6'8"
3'0"x 8'0"
3'6"x 8'0"



Founders Collection
Mahogany*

CCR20522
3'0"x 6'8"
3'0"x 8'0"
3'6"x 8'0"



Founders Collection
Mahogany*

CCR20022
3'0"x 6'8"
3'0"x 8'0"



Founders Collection
Mahogany*

CCR822222
3'0"x 8'0"
3'6"x 8'0"



Founders Collection
Mahogany*

CCR804032
3'0"x 8'0"



Founders Collection
Mahogany*

CCR820532
3'0"x 8'0"



Founders Collection
Mahogany*

CCR820032
3'0"x 8'0"



Founders Collection
Mahogany*

CCR820532A
3'0"x 8'0"



Founders Collection
Mahogany*

CCR820032A
3'0"x 8'0"



Founders Collection
Canvas

CCV20522
3'0"x 6'8"
3'0"x 8'0"



Founders Collection
Canvas

CCV22022
3'0"x 6'8"
3'0"x 8'0"



Founders Collection
Canvas

CCV820532
3'0"x 8'0"



Visionary Collection
Mahogany*

CCR1841
3'0"x 6'8"
3'0"x 8'0"

2/3 Lites

continued

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Zaha®



Visionary Collection
Mahogany*

CCR1839
3'0" x 6'8" | CCR81839
3'0" x 8'0"

Visionary Collection
Mahogany*

CCR1838
3'0" x 6'8" | CCR81838
3'0" x 8'0"

Visionary Collection
Mahogany*

CCR822238
3'0" x 8'0"

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

XE = Satin Etch XR = Rainglass
XC = Chord XN = Granite

Optional Accessories



Clavos



Strap Hinge



Visionary Collection
Mahogany*

CCR81847
3'0" x 8'0"

Visionary Collection
Mahogany*

CCR81846
3'0" x 8'0"

Visionary Collection
Mahogany*

CCR81845
3'0" x 8'0"

Visionary Collection
Mahogany*

CCR81846A
3'0" x 8'0"



Visionary Collection
Mahogany*

CCR81845A
3'0" x 8'0"

Visionary Collection
Canvas

CCV1839
3'0" x 6'8" | CCV81839
3'0" x 8'0"

Visionary Collection
Canvas

CCV1838
3'0" x 6'8" | CCV81838
3'0" x 8'0"

Visionary Collection
Canvas

CCV81846
3'0" x 8'0"

For transoms, see page 108.

Note: Product images show exterior side of door.

*Formerly Classic-Craft Rustic.

**Not available with Satin Etch (XE) or Rainglass (XR) glass.

Note: See page 287 for important product details that may help with your purchase decision.

Privacy & Textured

Founders Collection
Mahogany*CCR04020_** | CCR804020_**
3'0"x 6'8" | 3'0"x 8'0"Artissa Collection
Mahogany*CCR20520_** | CCR820520_**
3'0"x 6'8" | 3'0"x 8'0"Founders Collection
Mahogany*CCR20020_** | CCR820020_**
3'0"x 6'8" | 3'0"x 8'0"Artissa Collection
Mahogany*CCR822220_**
3'0"x 8'0"Founders Collection
Mahogany*CCR804030_**
3'0"x 8'0"Founders Collection
Mahogany*CCR820530_**
3'0"x 8'0"Founders Collection
Mahogany*CCR820030_**
3'0"x 8'0"Founders Collection
Mahogany*CCR820530A_**
3'0"x 8'0"Artissa Collection
CanvasCCV20520_** | CCV820520_**
3'0"x 6'8" | 3'0"x 8'0"Founders Collection
CanvasCCV22020_** | CCV822020_**
3'0"x 6'8" | 3'0"x 8'0"Founders Collection
CanvasCCV820530_**
3'0"x 8'0"Founders Collection
MahoganyCCM302L_** | CCM302R_**
3'0"x 6'8" | 3'0"x 6'8"Founders Collection
MahoganyCCM8302L_** | CCM8302R_**
3'0"x 8'0" | 3'0"x 8'0"

2/3 Lites

continued

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

XE = Satin Etch XR = Rainglass
XC = Chord XN = Granite

Optional Accessories



Clavos



Strap Hinge

Privacy & Textured



Founders Collection
Mahogany

CCM304L_ 3'0" x 6'8" CCM304R_ 3'0" x 6'8"



Founders Collection
Mahogany

CCM8304L_ 3'0" x 8'0" CCM8304R_ 3'0" x 8'0"



Founders Collection
Mahogany

CCM303L_ 3'0" x 6'8" CCM303R_ 3'0" x 6'8"



Founders Collection
Mahogany

CCM8303L_ 3'0" x 8'0" CCM8303R_ 3'0" x 8'0"



Founders Collection
Mahogany

CCM301CAL_ 3'0" x 6'8" CCM301CAR_ 3'0" x 6'8"



Founders Collection
Mahogany

CCM8301CAL_ 3'0" x 8'0" CCM8301CAR_ 3'0" x 8'0"

For transoms, see page 108.

Note: Product images show exterior side of door.

Founders Collection
MahoganyCCM305CAL_
3'0" x 6'8"
6CCM305CAR_
3'0" x 6'8"
6Founders Collection
MahoganyCCM8305CAL_
3'0" x 8'0"
6CCM8305CAR_
3'0" x 8'0"
6Founders Collection
MahoganyCCM306CAL_
3'0" x 6'8"
6CCM306CAR_
3'0" x 6'8"
6Founders Collection
MahoganyCCM8306CAL_
3'0" x 8'0"
6CCM8306CAR_
3'0" x 8'0"
6

LOW-E

Founders Collection
Mahogany*CCR04020
3'0" x 6'8"
6CCR804020
3'0" x 8'0"
6Artissa Collection
Mahogany*CCR20520
3'0" x 6'8"
6CCR820520
3'0" x 8'0"
6Founders Collection
Mahogany*CCR20020
3'0" x 6'8"
6CCR820020
3'0" x 8'0"
6Founders Collection
Mahogany*CCR822220
3'0" x 8'0"
6Founders Collection
Mahogany*CCR804030
3'0" x 8'0"
6Founders Collection
Mahogany*CCR820530
3'0" x 8'0"
6Founders Collection
Mahogany*CCR820030
3'0" x 8'0"
6

2/3 Lites

continued

Mahogany Grain

Formerly Classic-Craft Mahogany & Rustic

Canvas

Low-E



Founders Collection
Mahogany*

CCR820530A
3'0" x 8'0"



Founders Collection
Mahogany*

CCR820030A
3'0" x 8'0"



Artissa Collection
Canvas

CCV20520
3'0" x 6'8"

CCV820520
3'0" x 8'0"



Founders Collection
Canvas

CCV22020
3'0" x 6'8"



Founders Collection
Canvas

CCV820530
3'0" x 8'0"



Founders Collection
Mahogany

CCM302L
3'0" x 6'8"

CCM302R
3'0" x 6'8"



Founders Collection
Mahogany

CCM8302L
3'0" x 8'0"

CCM8302R
3'0" x 8'0"



Founders Collection
Mahogany

CCM304L
3'0" x 6'8"

CCM304R
3'0" x 6'8"

Key

Flush-Glazed Glass with Square Sticking (FG)

Low-E Glass (LE)

Simulated Divided Lites (SDLF6)

Optional Accessories



Clavos



Strap Hinge

For transoms, see page 108.

Note: Product images show exterior side of door.

*Formerly Classic-Craft Rustic.

Note: See page 287 for important product details that may help with your purchase decision.



Founders Collection
Mahogany

CCM8304L CCM8304R
6 6
3'0" x 8'0" 3'0" x 8'0"



Founders Collection
Mahogany

CCM303L CCM303R
6 6
3'0" x 6'8" 3'0" x 6'8"



Founders Collection
Mahogany

CCM8303L CCM8303R
6 6
3'0" x 8'0" 3'0" x 8'0"



Founders Collection
Mahogany

CCM301CAL CCM301CAR
6 6
3'0" x 6'8" 3'0" x 6'8"



Founders Collection
Mahogany

CCM8301CAL CCM8301CAR
6 6
3'0" x 8'0" 3'0" x 8'0"



Founders Collection
Mahogany

CCM305CAL CCM305CAR
6 6
3'0" x 6'8" 3'0" x 6'8"



Founders Collection
Mahogany

CCM8305CAL CCM8305CAR
6 6
3'0" x 8'0" 3'0" x 8'0"



Founders Collection
Mahogany

CCM306CAL CCM306CAR
6 6
3'0" x 6'8" 3'0" x 6'8"



Founders Collection
Mahogany

CCM8306CAL CCM8306CAR
6 6
3'0" x 8'0" 3'0" x 8'0"

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Homeward™



Artissa Collection
Mahogany

CCM9926
3'0" x 6'8"



Artissa Collection
Canvas

CCV9926
3'0" x 6'8"

Arborwatch®



Artissa Collection
Mahogany

CCM1424
3'0" x 6'8"



Artissa Collection
Canvas

CCV1424
3'0" x 6'8"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

XE = Satin Etch

Provincial™



Founders Collection
Canvas

CCV06028
3'0" x 6'8"

Longford™



Founders Collection
Mahogany

CCM603
3'0" x 6'8"



Founders Collection
Canvas

CCV06023
3'0" x 6'8"

Lucerna®



Founders Collection
Mahogany

CCM612
3'0" x 6'8"



Founders Collection
Canvas

CCV06022
3'0" x 6'8"

Privacy & Textured



Founders Collection
Mahogany

CCM600XE
3'0" x 6'8"



Founders Collection
Canvas

CCV06020XE
3'0" x 6'8"

For transoms, see page 108.

Note: Product images show exterior side of door.

LOW-E

Founders Collection
Mahogany

CCM600

*3'0" x 6'8"

Founders Collection
Canvas

CCV06020

*3'0" x 6'8"



Craftsman Lites

Fir Grain

Formerly Classic-Craft
American Style

Canvas

Homeward™



Artissa Collection
Fir*

CCA231
3'0" x 6'8"

CCA8231
3'0" x 8'0"



Artissa Collection
Fir*

CCA87132
3'6" x 8'0"



Artissa Collection
Fir*

CCA211
3'0" x 6'8"

CCA8211
3'0" x 8'0"

Key

- ◆ Flush-Glazed Glass with Detailed Sticking (FG)
- ◆ Flush-Glazed Glass with Square Sticking (FG)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

XC = Chord XR = Rainglass
XJ = Chinchilla XN = Granite

Optional Dentil Shelves

Available for all Classic Craft Craftsman Lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf
Pairs with 3'6" wide doors.



4-Block Dentil Shelf


For transoms, see page 108.

Note: Product images show exterior side of door.



Artissa Collection
Fir*

CCA87112
3'6" x 8'0"



Fir*

CCA3401SL
12" x 6'8"
14" x 6'8"



Fir*

CCA211SL
12" x 6'8"
14" x 6'8"



Artissa Collection
Canvas

CCV931
3'0" x 6'8"



Artissa Collection
Canvas

CCV911
3'0" x 6'8"



Canvas

CCV911SL
12" x 6'8"
14" x 6'8"



Canvas

CCV9011SL
12" x 6'8"
14" x 6'8"

Arborwatch®



Artissa Collection
Fir*

CCA9300
3'0" x 6'8"
CCA89300
3'0" x 8'0"



Artissa Collection
Fir*

CCA87131
3'6" x 8'0"

*Formerly Classic-Craft American Style.

Note: See page 287 for important product details that may help with your purchase decision.



Artíssa Collection
Fir*

CCA9100
3'0" x 6'8"

CCA89100
3'0" x 8'0"



Artíssa Collection
Fir*

CCA87111
3'6" x 8'0"



Fir*

CCA1423SL
12" x 6'8"
14" x 6'8"



Fir*

CCA9100SL
12" x 6'8"
14" x 6'8"




Artíssa Collection
Canvas

CCV4300
3'0" x 6'8"



Artíssa Collection
Canvas

CCV4100
3'0" x 6'8"



Canvas

CCA1423SL
12" x 6'8"
14" x 6'8"

Canvas

CCV4100SL
12" x 6'8"
14" x 6'8"

Privacy & Textured



Artíssa Collection
Fir*

CCA220__
3'0" x 6'8"



Artíssa Collection
Fir*

CCA87200XR
3'6" x 8'0"



Artíssa Collection
Fir*

CCA230__
3'0" x 6'8"



Artíssa Collection
Fir*

CCA87300XR
3'6" x 8'0"



Artíssa Collection
Fir*

CCA240__
3'0" x 6'8"



Artíssa Collection
Fir*

CCA87400XR
3'6" x 8'0"



Artíssa Collection
Fir*

CCA260__
3'0" x 6'8"

CCA8260__
3'0" x 8'0"

Craftsman Lites

continued

Fir Grain

Formerly Classic-Craft
American Style

Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

XE = Satin Etch XR = Raiglass
XC = Chord XN = Granite
XJ = Chinchilla

Optional Dentil Shelves

Available for all Classic Craft Craftsman Lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf
Pairs with 3'6" wide doors.



4-Block Dentil Shelf

For transoms, see page 108.

Note: Product images show exterior side of door.

Privacy & Textured



Artissa Collection
Fir*

CCA87600XR
3'6" x 8'0"



Artissa Collection
Fir*

CCA210_**
3'0" x 6'8"
CCA8210_**
3'0" x 8'0"



Artissa Collection
Fir*

CCA87100XR
3'6" x 8'0"



Fir*

CCA3450_SL**
12" x 6'8"
14" x 6'8"



Fir*

CCA3400_SL**
12" x 6'8"
14" x 6'8"



Fir*

CCA220_SL**
12" x 6'8"
14" x 6'8"



Fir*

CCA210_SL**
12" x 6'8"
14" x 6'8"



Artissa Collection
Canvas

CCV920_**
3'0" x 6'8"



Artissa Collection
Canvas

CCV930_**
3'0" x 6'8"



Artissa Collection
Canvas

CCV940_**
3'0" x 6'8"



Artissa Collection
Canvas

CCV960_**
3'0" x 6'8"

*Formerly Classic-Craft American Style.

**Not available with Satin Etch (XE) glass.

Note: See page 287 for important product details that may help with your purchase decision.

Artissa Collection
CanvasCCV910_**
3'0" x 6'8"

Canvas

CCV950_SL
12" x 6'8"
14" x 6'8"

Canvas

CCV100_SL
12" x 6'8"
14" x 6'8"

Canvas

CCV8100_SL**
12" x 6'8"
14" x 6'8"

Canvas

CCV920_SL**
12" x 6'8"
14" x 6'8"

LOW-E

Artissa Collection
Fir*CCA220
3'0" x 6'8"Artissa Collection
Fir*CCA8220
3'0" x 8'0"Artissa Collection
Fir*CCA230
3'0" x 6'8"
CCA8230
3'0" x 8'0"Artissa Collection
Fir*CCA87300
3'6" x 8'0"Artissa Collection
Fir*CCA240
3'0" x 6'8"
CCA8240
3'0" x 8'0"Artissa Collection
Fir*CCA87400
3'6" x 8'0"Artissa Collection
Fir*CCA260
3'0" x 6'8"
CCA8260
3'0" x 8'0"Artissa Collection
Fir*CCA87600
3'6" x 8'0"

Craftsman Lites

continued

Fir Grain

Formerly Classic-Craft
American Style

Canvas

Low-E



Artissa Collection
Fir*

CCA210
3'0" x 6'8"

CCA8210
3'0" x 8'0"



Artissa Collection
Fir*

CCA87100
3'6" x 8'0"



Fir*

CCA3450SL
12" x 6'8"
14" x 6'8"

CCA3560SL
12" x 8'0"
14" x 8'0"

Key

- ◆ Flush-Glazed Glass with Detailed Sticking (FG)
- ◆ Flush-Glazed Glass with Square Sticking (FG)
- ◆ Low-E Glass (LE)
- ◆ Simulated Divided Lites (SDL)

Optional Dentil Shelves

Available for all Classic Craft Craftsman Lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf
Pairs with 3'6" wide doors.



4-Block Dentil Shelf



Fir*

CCA3400SL
12" x 6'8"
14" x 6'8"



Fir*

CCA220SL
12" x 6'8"
14" x 6'8"



Fir*

CCA210SL
12" x 6'8"
14" x 6'8"



Artissa Collection
Canvas

CCV920
3'0" x 6'8"



Artissa Collection
Canvas

CCV930
3'0" x 6'8"



Artissa Collection
Canvas

CCV940
3'0" x 6'8"



Artissa Collection
Canvas

CCV960
3'0" x 6'8"



Artissa Collection
Canvas

CCV910
3'0" x 6'8"

For transoms, see page 108.

Note: Product images show exterior side of door.

*Formerly Classic-Craft American Style.

Note: See page 287 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA3400SL, Finish – Raven



Solid Panels

Fir Grain

Formerly Classic-Craft
American Style

Key

- Flush-Glazed Glass with Square Sticking (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- 3 Door Divider Bars (DDBF3)
- 4 Door Divider Bars (DDBF4)
- 5 Door Divider Bars (DDBF5)
- 6 WBDR Options
- E Elevated 10" Bottom Rail Options



Artissa Collection
Fir*

CCA1125
5 9
3'0" x 6'8"

CCA81125
5 9 E
3'0" x 8'0"



Artissa Collection
Fir*

CCA1149
5 9
3'0" x 6'8"

CCA81149
5 9 E
3'0" x 8'0"



Artissa Collection
Fir*

CCA1127
4 9
3'0" x 6'8"

CCA81127
4 9 E
3'0" x 8'0"



Artissa Collection
Fir*

CCA4905
3 9
3'0" x 6'8"


CCA84905
3 9 E
3'0" x 8'0"



Artissa Collection
Fir*

CCA4915L
3 9
3'0" x 6'8"

CCA4915R
3 9
3'0" x 6'8"



Artissa Collection
Fir*

CCA84915L
3 9 E
3'0" x 8'0"

CCA84915R
3 9 E
3'0" x 8'0"



Artissa Collection
Fir*

CCA4925L
3 9
3'0" x 6'8"


CCA4925R
3 9
3'0" x 6'8"

For transoms, see page 108.

Note: Product images show exterior side of door.

Artissa Collection
Fir*CCA84925L | CCA84925R
5 9 E
3'0" x 8'0"Artissa Collection
Fir*CCA4935 | CCA84935
5 9 E
3'0" x 6'8" | 3'0" x 8'0"Artissa Collection
Fir*CCA4945 | CCA84945
5 9 E
3'0" x 6'8" | 3'0" x 8'0"Artissa Collection
Fir*CCA1166 | CCA81166
5 9 E
3'0" x 6'8" | 3'0" x 8'0"Artissa Collection
Fir*CCA1158 | CCA81158
3 9 E
3'0" x 6'8" | 3'0" x 8'0"Artissa Collection
Fir*CCA1147 | CCA81147
5 9 E
3'0" x 6'8" | 3'0" x 8'0"

Homeward™

Fir*
CCA2420SL | CCA82420SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Arborwatch®

Fir*
CCA2410SL | CCA82410SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Pair full-lite Shaker flush-glazed sidelites, also available in privacy and textured and Low-E glass, with solid-panel doors for natural light in the entry.

Artissa Collection
Fir*CCA1100 | CCA81100
9 E
3'0" x 6'8" | 3'0" x 8'0"Artissa Collection
Fir*CCA1133 | CCA81133
5 9 E
3'0" x 6'8" | 3'0" x 8'0"Artissa Collection
Fir*CCA1145 | CCA81145
5 9 E
3'0" x 6'8" | 3'0" x 8'0"Artissa Collection
Fir*CCA1150 | CCA81150
5 9 E
3'0" x 6'8" | 3'0" x 8'0"

Solid Panels

Walnut Grain

Key

- Low-E Glass (LE)
- WBDR Options
- E Elevated 10" Bottom Rail Options



Visionary Collection
Walnut

CCW1000 9E	CCW81000 9E
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Visionary Collection
Walnut

CCW900L 9	CCW8900L 9
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Visionary Collection
Walnut

CCW900R 9	CCW8900R 9
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary Collection
Walnut

CCW901L 9	CCW8901L 9
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary Collection
Walnut

CCW901R 9	CCW8901R 9
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary Collection
Walnut

CCW902L 9	CCW8902L 9
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



For transoms, see page 108.

Note: Product images show exterior side of door.

Note: See page 287 for important product details that may help with your purchase decision.
 Bottom: Classic Craft Walnut Grain Door – CCW902R; Low-E Glass Direct Set Sidelites – DRS2131SL,
 Transoms – 19200T, 19210T, Finish – Shale
 Right Page: Classic Craft Walnut Grain Door – CCW903, Finish – Ashburn

Visionary Collection
Walnut

CCW902R 9	CCW8902R 9
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Visionary Collection
Walnut


CCW903 9	CCW8903 9
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Visionary Collection
Walnut

CCW904L 9	CCW8904L 9
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Visionary Collection
Walnut

CCW904R 9	CCW8904R 9
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Visionary Collection
Walnut

CCW905 9E	CCW8905 9E
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Visionary Collection
Walnut

CCW906L 9	CCW8906L 9
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Visionary Collection
Walnut

CCW906R 9	CCW8906R 9
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Visionary Collection
Walnut

CCW907L 9	CCW8907L 9
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Visionary Collection
Walnut

CCW907R 9	CCW8907R 9
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Direct Set

DRS2131SL *	DRS82131SL *
12"x 6'8" (7'0")	12"x 8'0"
14"x 6'8" (7'0")	14"x 8'0"

Solid Panels

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas



Artissa Collection
Mahogany*

CCR100 | CCR8100
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 6'8" | 3'6" x 8'0"



Artissa Collection
Mahogany*

CCM890
3'0" x 8'0"
3'6" x 8'0"



Artissa Collection
Mahogany*

CCR8222
3'0" x 8'0"
3'6" x 8'0"

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF6)
- WBDR Options
- WBDR / HVHZ Options

Optional Accessories



Clavos



Strap Hinge



Founders Collection
Mahogany*

CCR100R | CCR8100R
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 6'8" | 3'6" x 8'0"



Founders Collection
Mahogany*

CCR040R | CCR8040R
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 6'8" | 3'6" x 8'0"



Founders Collection
Mahogany*

CCR8225R
3'0" x 8'0"
3'6" x 8'0"



Founders Collection
Mahogany*

CCR8005A
3'0" x 8'0"



Founders Collection
Mahogany*

CCR205A | CCR8205A
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 6'8" | 3'6" x 8'0"



Founders Collection
Mahogany*

CCR200A | CCR8200A
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 6'8" | 3'6" x 8'0"

For transoms, see page 108.

Note: Product images show exterior side of door.

Founders Collection
Mahogany*CCR8225
6
3'0"x 8'0"
3'6"x 8'0"Founders Collection
Mahogany*CCR8005
6
3'0"x 8'0"Founders Collection
Mahogany*CCR040
6
3'0"x 6'8"
CCR8040
6
3'0"x 8'0"
3'6"x 8'0"Founders Collection
Mahogany*CCR205
6
3'0"x 6'8"
CCR8205
6
3'0"x 8'0"
3'6"x 8'0"Founders Collection
Mahogany*CCR200
6
3'0"x 6'8"
CCR8200
6
3'0"x 8'0"


Hammered

Founders Collection
Mahogany*CCM60
6
3'0"x 6'8"

Mahogany

CCR2025XHSL
6
12"x 6'8"
14"x 6'8" | CCR82035XHSL
6
12"x 8'0"
14"x 8'0"Artissa Collection
CanvasCCV200
6
3'0"x 6'8"Founders Collection
CanvasCCV205
6
3'0"x 6'8"
CCR8205
6
3'0"x 8'0"

Hammered

Founders Collection
CanvasCCV220
6
3'0"x 6'8" | CCV8220
6
3'0"x 8'0"Founders Collection
CanvasCCV831
6
3'0"x 8'0"Founders Collection
CanvasCCV060
6
3'0"x 6'8"Founders Collection
CanvasCCV050
6
3'0"x 6'8"

Canvas

CCV950XHSL
6
12"x 6'8"
14"x 6'8" | CCV8950XHSL
6
12"x 8'0"
14"x 8'0"

Transoms

Transoms can be stained or painted to match Classic Craft door systems.

Homeward™◆■



HWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



HW30T
3'0" Door Only

Arborwatch®◆■



ABRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



AB30T
3'0" Door Only

Longford™◆■



LFET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LF30T
3'0" Door Only

Provincial™◆■



CC040T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC420T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Zaha®◆■



ZHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Lucerna®◆■



LCET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LC30T
3'0" Door Only

Low-E



Grille Sticks Applied



Grille Sticks Applied




Grille Sticks Applied



19020T
* 3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19220T
* 3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19200T
* 3'0" Door Only



19210T
* 12" & 14"
Sidelite Only

Key

◆ Low-E Glass (LE)

◆ Black Nickel Caming (1D)

■ Brushed Nickel Caming (1C)

Note: See page 287 for important product details that may help with your purchase decision.

Right Page: Classic Craft Canvas, Homeward Glass, Door – CCV9925, Sidelites – CCV911SL, Transom – HWRT



Classic Craft® Hinged Patio Doors




A premium entrance to outdoor living.

The unmatched craftsmanship of Classic Craft premium entryways extends to the patio as an uncompromising entrance to the outdoors. Select from remarkably authentic wood grains and premium smooth surfaces to create a seamless indoor-outdoor connection.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Classic Craft Mahogany Grain, Low-E Glass, Doors – CCM82800, Sidelites – CCR8000SL, Finish – Lynx

Grain & Texture Options



Glass Options



Low-E Glass




Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

EnLiten™ Flush-Glazed Warranty Riders

See page 129 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.

Available Configurations



■ = Available		Classic Craft.
Door Selections		
Material		Fiberglass
Warranty		1x Transferable Lifetime
Finish Options		Stain or Paint
Flush-Glazed Glass Selections		
Low-E Glass with and without Divided Lites 🔥	■	
Privacy & Textured Glass with and without Divided Lites 🔥	■	
Lip-Lite Glass Selections		
Low-E Glass with and without Divided Lites	■	
Privacy & Textured Glass with and without Divided Lites	■	
Available Sizes		
Heights		6'8", 8'0"
Single Widths		3'0"
Double Widths		6'0"
Triple Widths		9'0"
Retrofit Openings		
Additional Options		
Screens & Screen Accessories Available Colors: Bronze, White		2" Frame, 3" Frame
Impact-Rated Options		
Tru-Defense Eligible	■	




EnLiten™ Flush-Glazed Low-E Glass




Available Collections

- Classic Craft® Fir Grain
- Classic Craft® Mahogany Grain

Available Door Styles



Available Configurations




EnLiten™ Flush-Glazed Low-E Glass with Divided Lites




Available Collections

- Classic Craft® Mahogany Grain

Available Door Styles



Available Configurations



Note: See page 287 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass, Doors – CCA82400, Finish – Acorn, Retractable Screens – White


Low-E Glass




Available Collections

- Classic Craft. Mahogany Grain
- Classic Craft. Canvas

Available Door Styles



Available Configurations



Fiber-Classic® & Smooth-Star® Fiberglass Doors

Fiber-Classic® & Smooth-Star®




Great style for any home.

With many door styles in common and glass families that cross over between door collections, Fiber-Classic and Smooth-Star offers flexible options to fit virtually every entrance from front entry to patio to utility doors at an excellent value.

Top: Fiber-Classic Mahogany Collection Door – FCM31; Latitude Glass, Sidelites – FCM4525SL, Transom – LTRT, Finish – Raven

Bottom: Fiber-Classic Oak Collection, Internal Blinds, Door – FC678, Finish – Barley

Right Page: Smooth-Star, Crystalline Glass, Door – S888, Sidelite – S888SL, Finish – Cypress





Fiber-Classic® Mahogany Collection™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



Fiber-Classic® Oak Collection™

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



Smooth-Star®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



See the difference color can make.

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuard® premium finish and Same-Day® Stain color options on pages 260–266.

Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options starting on page 120.
- Lite frame options include Advanta lite frame with no screw plugs and a standard Lip-lite frame, starting on page 142. Both feature 22" wide glass and are suitable for use with a storm door.
- Welcome even more light into the home with EnLiten™ flush-glazed designs with 25–27" wide glass, starting on page 129.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



Door Construction

Fiber-Classic® and Smooth-Star® doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



1 Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 Security

Our fiberglass door slabs are up to 30% more resistant to kick-ins than standard steel doors.* Our Fiber-Classic and Smooth-Star doors feature an enhanced lock block combined with a 1-1/4" engineered lumber lock stile which increases rigidity and stability.

3 Durability

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

4 R-Values

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood**, Therma-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency.



More than 80% of our doors are ENERGY STAR® qualified.***



*Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit www.thermatru.com for details.

**Comparison of fiberglass to wood doors (both without glass).

***Based on version 6.0 ENERGY STAR product specification for windows, doors and skylights.

Additional Options

- WBDR Options: Look for this icon to find door styles that can be configured for WBDR.*
- WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*
- Fire-Rated Options: Available on solid-panel doors. See pages 242–245.

Flush-Glazed Options: Look for these icons (💧) to find doors styles with flush-glazed glass. See pages 129–141.

Warranties



Fiber-Classic® and Smooth-Star® products are backed by a lifetime limited warranty. See page 287 for more information.

- fiber-Classic® and Smooth-Star® products with flush-glazed glass are also backed by the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners. See page 129 for more information.
- Fiber-Classic® and Smooth-Star® door systems are eligible for the Tru-Defense® Warranty Rider when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider. See page 22–23 for details.



	Fiber-Classic® Mahogany Collection™	Fiber-Classic® Oak Collection™	Smooth-Star®
■ = Available			
● = Not Applicable			
S = Stain			
P = Paint			
Door Widths			
2'0"	■	■	■
2'4"	■	■	■
2'6"	■	■	■
2'8"	■	■	■
2'10"	■	■	■
3'0"	■	■	■
3'6"	●	●	■
Door Heights			
6'6"	●	■	■
6'8"	■	■	■
7'0"	■	■	■
8'0"	■	■	■
Glass Options			
Decorative	16	16	16
Privacy & Textured	6	6	6
Internal Blinds	■	■	■
Flush-Glazed	■	■	■
Screen Vented	●	●	■
Simulated Divided Lites	■	■	■
Grilles Between Glass	■	■	■
Low-E	■	■	■
Clear	■	■	■
Additional Options			
Finish	S / P	S / P	P
Vented Sidelites	■	■	■

Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 212–217.

5'0" Patio Opening = (2) 2'4" Doors

6'0" Patio Opening = (2) 2'10" Doors

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.

Right: Smooth-Star, Clear Glass, Door – S8140



Vented Sidelites

More than a sidelite. Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. In fact, only Therma-Tru offers vented sidelites with decorative glass. Look for the (●) icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens – available in bronze and white – are designed for worry-free use.

Available Sizes:


Height	Width	
	12"	14"
6'6"	■	■
6'8"	■	■
8'0"		■



Available Configurations:



Single Door with
Vented Sidelites
(Inswing Only)



Double Doors with
Vented Sidelites (Inswing Only)

Note: No Impact-rated options available for vented sidelites.

Top: Smooth-Star, Granite Glass with SDLs, Door – S2103XN, Sidelites – S2000XNSL


Decorative & Specialty Glass Designs

Blackstone™

Traditional English design meets ① clear curved bevels, ② rainglass and caming to create the distinctive styling of Blackstone. Entries get the best of both privacy and simple refinement.



Glass Privacy Rating



Black Nickel




Brushed Nickel

Crystalline™

This time-honored design features geometric styling brought to life with ① glue chip glass, ② glue chip bevels, ③ clear bevels and caming. Offering modest privacy, Crystalline is a shining example of traditional decorative glass with lasting beauty.



Glass Privacy Rating



Black Nickel




Brushed Nickel

Sedona

Art meets glass in Sedona where Arts and Crafts simplicity is designed with ① slump glass, ② clear bevels, ③ clear antique glass and caming.



Glass Privacy Rating



Black Nickel




Brushed Nickel

Salinas®

① Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.



Glass Privacy Rating



Maple Park®

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with ① waterglass, ② clear bevels, ③ granite glass and caming. The curved design adds unique appeal.



Glass Privacy Rating

Black Nickel



Brushed Nickel


Saratoga™

Saratoga evokes a certain urban sophistication while offering modest privacy with its ① clear bevels, ② diamond glass, ③ reeded glass and caming. The geometric pattern bridges both modern and traditional designs.



Glass Privacy Rating

Black Nickel



Brushed Nickel

Texas Star

Beautifully crafted with **1** clear bevels, **2** curved bevels, **3** clear waterglass, **4** granite glass, **5** glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.



Glass Privacy Rating

Black Nickel



Brushed Nickel


Wellesley™

Simple yet charming, Wellesley's Victorian-inspired design uses **1** clear baroque glass, **2** clear curved bevels, **3** waterglass, **4** granite glass and caming to add beauty to any entry.




Glass Privacy Rating

Black Nickel



Brushed Nickel



Brass


Riserva®

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features **1** oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.



Glass Privacy Rating

Wrought Iron



*Brass caming not available for Impact-rated products.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Concorde™

There's just something friendly about Concorde's cheery four-leaf design. ① Glue chip glass, ② clear curved bevels, ③ clear glass and caming make up its Old World charm.




Glass Privacy Rating

Black Nickel



Brushed Nickel



Brass


Kensington™

Kensington speaks European elegance while offering modest privacy with its ① clear bevels, ② glue chip glass, ③ granite glass and caming.



Glass Privacy Rating

Black Nickel



Brushed Nickel


Pembridge™

Simplistic in its design, Pembridge features a field of ① hammered glass framed by ② gray baroque glass and ③ multifaceted bevels. A central diamond shape adds a decorative touch.



Glass Privacy Rating

Black Nickel



Brushed Nickel



Brass*


Note: The use of gray baroque glass varies based on glass size.

Axis®

Simple and smart, Axis combines **1** narrow reeded glass in horizontal and vertical arrangements to create contrast and modest privacy. A vertical band of **2** clear glass bevels completes this linear design, ideal for Modern home styles.



Glass Privacy Rating



Black Nickel

NEW Calix

Calix includes an on-trend “x” design and a delicate diamond pattern with **1** clear glass, providing fine-lined geometric appeal.

Available with Advanta™ lite frame* or Impact-rated lite frame only.



Glass Privacy Rating



Black Nickel



Brushed Nickel



Brass

NEW Latitude

Latitude showcases **1** seedy glass and simple curved details in a half-moon geometric design.

Available with Advanta™ lite frame* or Impact-rated lite frame only.



Glass Privacy Rating



Black Nickel



Brushed Nickel



Brass

*See your Therma-Tru seller for details on product availability.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.


NEW Echelon

Echelon provides ① clear glass accented with eased angles and clean edges infused with elements of diamonds and triangles.

Available with Advanta™ lite frame* or Impact-rated lite frame only.




Glass Privacy Rating



Internal Blinds

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.

- ① Single-Hand Operator
- ② Privacy Bar



Screen Vented

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



Privacy & Textured Glass



Reeded



Glass Privacy Rating



Satin Etch



Glass Privacy Rating



Chord



Glass Privacy Rating



Chinchilla



Glass Privacy Rating



Rainglass



Glass Privacy Rating



Granite



Glass Privacy Rating

Also Available: **Low-E & Clear Glass**

Divided Lites

Additional grid patterns can be created through our simulated divided lite (SDL) lineal program. See your Therma-Tru seller for details.

Simulated Divided Lites (SDLs) with Grilles Between Glass (GBGs)

Choose wood-grained or smooth-textured SDL bars layered over flat bronze GBG bars to achieve the most authentic divided lite look.

Look for the (   ) icons.



Shown with flat bronze GBGs (recommended).

Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars are adhered to the interior and exterior panes of tempered glass. Can be stained or painted any color to complement the door and home.

Look for the (  ) icons.



*Almond and Bronze GBGs available in flat bars only.

**Available in Special Quote Program.

Note: See page 287 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Clear Glass with SDLs, Door – S82103, Sidelites – S8000SL

Grilles Between Glass (GBGs)

Contour or flat GBG bars are thermally sealed between two panes of tempered glass for the convenience of a smooth, easy-to-clean glass surface.

Look for the (♦♦♦) icons.




Fixed Grilles

Fixed grilles are molded as part of the lite frame on the interior and exterior panes of tempered glass. Can be stained or painted to complement the home décor.


Look for the (♦) icon.



SDL Bar Options




(28.6 mm / 1.125 in.)
Look for the (1) icon.




Smooth SDL bars are color matched to PrismaGuard Alpine.

(28.6 mm / 1.125 in.)
Look for the (1) icon.



(88.9 mm / 3.5 in.)
Look for the (2) icon.

GBG Bar Options



GBG Color Options





Key

- 1 Simulated Divided Lites (SDL)
- 1 Simulated Divided Lites (SDLF1)
- 2 Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles (FXG)

♦ Fixed Grilles (FXG)

Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic. 4-Block Dentil Shelf*



Smooth-Star. 4-Block Dentil Shelf*



*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Bottom: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM4816, Clear Glass with Grille Sticks, Transom – 19200T, Finish – Acorn; Dentil Shelf



EnLiten™ Flush-Glazed Designs

EnLiten flush-glazed designs feature double- or triple-pane glass built directly into the door with a high-performance dual adhesive weather seal. This creates a seamless look with a simple profile around the glass and no lite frame or screw plugs. In addition, EnLiten flush-glazed designs offer up to a 16% increase in visible glass area than conventional lite frames to welcome more natural light into the home.



Flush-Glazed Glass




Lip-Lite Frame

See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass with Detailed Sticking
Look for the (⚠) symbol



Flush-Glazed Glass with Square Sticking
Look for the (💧) symbol

Warranty riders for peace of mind.

EnLiten™ Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

EnLiten™ Flush-Glazed Rider for Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.



Lip-Lite Frame

EnLiten™ Flush-Glazed Full Lites



Transoms

For transoms, see page 211.



Privacy & Textured Glass with Divided Lites



Oak

FC1205_ 2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Oak

FC1207_ 2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Oak

2010_ 2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Oak

2050_ 2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Oak

2050_SL 12" x 6'8"
14" x 6'8"



Oak

FC5700_ 2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"
FC85700_ 2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"




Oak

FC5710_ 2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Oak

FC85710_ 2'6" x 8'0"
2'8" x 8'0"
3'0" x 8'0"




Oak

FC5720_ 2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"
FC85720_ 2'6" x 8'0"
2'8" x 8'0"
3'0" x 8'0"



Oak

FC691_ 2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"
FC8691_ 2'6" x 8'0"
2'8" x 8'0"
3'0" x 8'0"



Oak

FC685L_ 2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"
FC8685L_ 2'6" x 8'0"
2'8" x 8'0"
3'0" x 8'0"
FC685R_ 2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"
FC8685R_ 2'6" x 8'0"
2'8" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Not available with Reeded (XK) glass.

Note: See page 287 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Clear Glass with SDLs, Door – FC5700, Sidelite – FC5700SL, Finish – Wildflower Honey



Oak	Oak	Oak	Smooth	Smooth	Smooth	Smooth
FC5700_SL 12"x 6'8" 14"x 6'8"	FC5710_SL 12"x 6'8" 14"x 6'8"	FC5720_SL 12"x 6'8" 14"x 6'8"	S1205 2'6"x 6'8" Δ 2'8"x 6'8" Δ 2'10"x 6'8" Δ 3'0"x 6'8" Δ	S1207 2'6"x 6'8" Δ 2'8"x 6'8" Δ 2'10"x 6'8" Δ 3'0"x 6'8" Δ	S2010 2'6"x 6'8" Δ 2'8"x 6'8" Δ 2'10"x 6'8" Δ 3'0"x 6'8" Δ	S2050 2'6"x 6'8" Δ 2'8"x 6'8" Δ 2'10"x 6'8" Δ 3'0"x 6'8" Δ



Smooth	Smooth	Smooth	Smooth	Smooth
S5705 2'6"x 6'8" Δ 2'8"x 6'8" Δ 2'10"x 6'8" Δ 3'0"x 6'8" Δ	S85705 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	S5715 2'6"x 6'8" Δ 2'8"x 6'8" Δ 2'10"x 6'8" Δ 3'0"x 6'8" Δ	S85715 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	S5725 2'6"x 6'8" Δ 2'8"x 6'8" Δ 2'10"x 6'8" Δ 3'0"x 6'8" Δ
S85725 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	S2010_SL 10"x 6'8" Δ 12"x 6'8" Δ (7'0") 14"x 6'8" Δ (7'0")	S84886_SL 12"x 8'0" Δ 14"x 8'0" Δ	S2000_SL-2C* 10"x 6'8" Δ 12"x 6'8" Δ 14"x 6'8" Δ	



Smooth	Smooth	Smooth	Smooth	Smooth
S2000_SL-4C* 10"x 6'8" Δ 12"x 6'8" Δ 14"x 6'8" Δ	S5700 2'6"x 6'8" Δ 2'8"x 6'8" Δ 2'10"x 6'8" Δ 3'0"x 6'8" Δ	S85700 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	S5710 2'6"x 6'8" Δ 2'8"x 6'8" Δ 2'10"x 6'8" Δ 3'0"x 6'8" Δ	S85710 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"
S5720 2'6"x 6'8" Δ 2'8"x 6'8" Δ 2'10"x 6'8" Δ 3'0"x 6'8" Δ	S85720 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	S691 2'6"x 6'8" Δ 2'8"x 6'8" Δ 2'10"x 6'8" Δ 3'0"x 6'8" Δ	S8691 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	



Privacy & Textured Glass with Divided Lites Continues on next page.

Key


- Flush-Glazed Glass with Detailed Sticking (FG)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)

- Simulated Divided Lites (SDLF2)
- Vented Sidelite Options
- Elevated 10" Bottom Rail Options
- 6'6" Height Available

Privacy & Textured Glass with Divided Lites *Continued* 

									
Smooth	Smooth	Smooth	Smooth	Smooth					
S685L_   E 2'6"x 6'8"  2'8"x 6'8"   2'10"x 6'8"   3'0"x 6'8"  	S8685L_   E 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	S685R_   E 2'6"x 6'8"  2'8"x 6'8"   2'10"x 6'8"   3'0"x 6'8"  	S8685R_   E 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	S5700_SL    10"x 6'8"  12"x 6'8"   14"x 6'8"   14"x 6'8"  	S85700_SL    12"x 8'0" 14"x 8'0" 14"x 8'0"  14"x 8'0" 	S5710_SL    10"x 6'8"  12"x 6'8"   14"x 8'0"   14"x 8'0"  	S85710_SL    12"x 8'0" 14"x 8'0" 14"x 8'0"  14"x 8'0" 	S5720_SL    10"x 6'8"  12"x 6'8"   14"x 8'0"   14"x 8'0"  	S85720_SL   12"x 8'0" 14"x 8'0"

Privacy & Textured Glass 

								
Oak	Oak	Smooth	Smooth	Smooth				
2000_   2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"	8000_   2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	2000_SL   12"x 6'8" 14"x 6'8"	S2000_   2'6"x 6'8"  2'8"x 6'8"  2'10"x 6'8"   3'0"x 6'8"  	S8000_   2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	S2000_SL    10"x 6'8"  12"x 6'8"   14"x 6'8"   14"x 6'8"  	S8000_SL    12"x 8'0" 14"x 8'0" 14"x 8'0"  14"x 8'0" 	Smooth	Smooth
S2600   2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	S82600   2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"							

Clear Glass with Divided Lites 

						
Mahogany	Mahogany	Mahogany	Mahogany	Oak		
FCM1205SL    12"x 6'8" 14"x 6'8"	FCM1206SL    12"x 6'8" 14"x 6'8"	FCM1204SL    12"x 6'8" 14"x 6'8"	FCM2009SL    12"x 6'8" 14"x 6'8"	FC1205    2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"	FC1206    2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"	FC1207    2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"


Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass options. For details on glass options, see page 125.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite



Clear Glass with Divided Lites Continues on next page.

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)

- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDL1)
- Simulated Divided Lites (SDL2)


- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)

- Flat Bronze Grilles Between Glass (GBGF)
- Vented Sidelite Options
- Elevated 10" Bottom Rail Options

6'6" Height Available

Clear Glass with Divided Lites *Continued* 

						
Oak	Oak	Oak	Smooth	Smooth	Smooth	Smooth
FC5700SL ③* 2 12"x 6'8" 14"x 6'8"	FC5710SL ③* 2 12"x 6'8" 14"x 6'8"	FC5720SL ③* 2 12"x 6'8" 14"x 6'8"	S1205 ③* ④ ⑤ ⑥ ⑦ E 2'6"x 6'8" Δ 2'8"x 6'8" Δ 2'10"x 6'8" Δ 3'0"x 6'8" Δ	S1206 ③* ④ ⑤ ⑥ ⑦ E 2'6"x 6'8" Δ 2'8"x 6'8" Δ 2'10"x 6'8" Δ 3'0"x 6'8" Δ	S1207 ③* ④ ⑤ ⑥ ⑦ E 2'6"x 6'8" Δ 2'8"x 6'8" Δ 2'10"x 6'8" Δ 3'0"x 6'8" Δ	S2010 ③* ④ ⑤ ⑥ ⑦ E 2'6"x 6'8" Δ 2'8"x 6'8" Δ 2'10"x 6'8" Δ 3'0"x 6'8" Δ

							
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth		
S1204 ③* ④ ⑤ ⑥ ⑦ E 2'6"x 6'8" Δ 2'8"x 6'8" Δ 2'10"x 6'8" Δ 3'0"x 6'8" Δ	S2050 ③* ④ ⑤ ⑥ ⑦ E 2'6"x 6'8" Δ 2'8"x 6'8" Δ 2'10"x 6'8" Δ 3'0"x 6'8" Δ	S8000-12 ③* ④ ⑤ ⑥ ⑦ E 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	S8000-18 ③* ④ ⑤ ⑥ ⑦ E 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	S5705 ③* ④ E 2'6"x 6'8" Δ 2'8"x 6'8" Δ 2'10"x 6'8" Δ 3'0"x 6'8" Δ	S85705 ③* ④ E 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	S5715 ③* ④ E 2'6"x 6'8" Δ 2'8"x 6'8" Δ 2'10"x 6'8" Δ 3'0"x 6'8" Δ	S85715 ③* ④ E 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

								
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth		
S5725 ③* ④ E 2'6"x 6'8" Δ 2'8"x 6'8" Δ 2'10"x 6'8" Δ 3'0"x 6'8" Δ	S85725 ③* ④ E 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	S1205SL ③* ④ ⑤ ⑥ ⑦ 10"x 6'8" Δ 12"x 6'8" Δ (7'0") 14"x 6'8" Δ (7'0")	S1206SL ③* ④ ⑤ ⑥ ⑦ 10"x 6'8" Δ 12"x 6'8" Δ (7'0") 14"x 6'8" Δ (7'0")	S1204SL ③* ④ ⑤ ⑥ ⑦ 10"x 6'8" Δ 12"x 6'8" Δ (7'0") 14"x 6'8" Δ (7'0")	S2010SL ③* ④ ⑤ ⑥ ⑦ 10"x 6'8" Δ 12"x 6'8" Δ (7'0") 14"x 6'8" Δ (7'0")	S84886SL ③* ④ E 12"x 8'0" 14"x 8'0"	S2000SL-2C ③* ④ ⑤ 10"x 6'8" Δ 12"x 6'8" Δ (7'0") 14"x 6'8" Δ (7'0")	S2000SL-4C ③* ④ ⑤ 10"x 6'8" Δ 12"x 6'8" Δ (7'0") 14"x 6'8" Δ (7'0")



Smooth

S2009	S8000-9
2'0" x 6'8"	2'0" x 8'0"
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

Smooth

S2009SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Smooth



S5700	S85700
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

Smooth

S5710	S85710
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

Smooth

S5720	S85720
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S691	S8691
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

Smooth

S685L	S8685L
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

Smooth

S685R	S8685R
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

Smooth

S5700SL	S85700SL
10"x 6'8"	12"x 8'0"
12"x 6'8"	14"x 8'0"
14"x 6'8"	14"x 8'0"

Smooth

S5710SL	S85710SL
10"x 6'8"	12"x 8'0"
12"x 6'8"	14"x 8'0"
14"x 6'8"	14"x 8'0"

Clear Glass



Oak

2000	8000
2'0" x 6'8"	2'0" x 8'0"
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
3'0" x 6'8"	2'10" x 8'0"
	3'0" x 8'0"

Smooth

S2000	S8000
2'0" x 6'8"	2'0" x 8'0"
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

Smooth

S2000SL	S8000SL
10"x 6'8"	12"x 8'0"
12"x 6'8"	14"x 8'0"
14"x 6'8"	14"x 8'0"

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)

- Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Vented Sidelite Options

- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Vented Sidelite Options


- Elevated 10" Bottom Rail Options
- 6'6" Height Available

EnLiten™ Flush-Glazed 3/4 Lites



Transoms

For transoms,
see page 211.



Privacy & Textured Glass with Divided Lites

Smooth						
S2103_	S82103_	S2104_	S82105_	S82106_	S2250_	S82107_
2'6"x 6'8"	2'6"x 8'0"	2'6"x 6'8"	2'6"x 8'0"	2'6"x 8'0"	2'6"x 6'8"	2'6"x 8'0"
2'8"x 6'8"	2'8"x 8'0"	2'8"x 6'8"	2'8"x 8'0"	2'8"x 8'0"	2'8"x 6'8"	2'8"x 8'0"
2'10"x 6'8"	2'10"x 8'0"	2'10"x 6'8"	2'10"x 8'0"	2'10"x 8'0"	2'10"x 6'8"	2'10"x 8'0"
3'0"x 6'8"	3'0"x 8'0"	3'0"x 6'8"	3'0"x 8'0"	3'0"x 8'0"	3'0"x 6'8"	3'0"x 8'0"

Privacy & Textured Glass

Smooth	Smooth	Smooth	Smooth	Smooth
S2104_SL	S2250_SL	S2200_	S82200_	S2200_SL
12"x 6'8"	12"x 6'8"	2'6"x 6'8"	2'6"x 8'0"	12"x 6'8"
14"x 6'8"	14"x 6'8"	2'8"x 6'8"	2'8"x 8'0"	14"x 6'8"
		2'10"x 6'8"	2'10"x 8'0"	
		3'0"x 6'8"	3'0"x 8'0"	

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

Note: See page 287 for important product details that may help with your purchase decision.

Top Left: Smooth-Star, Chinchilla Glass with SDLs, Door – S2104XJ, Finish – Granite

Bottom Left: Smooth-Star, Chord Glass, Door – S2200XC, Sidelite – S2200XCSL, Finish – Cypress

Bottom Right: Smooth-Star, Clear Glass, Doors – S82200, Finish – Granite

Clear Glass with Divided Lites



Smooth
S2103 | S82103
2'6" x 6'8" | 2'6" x 8'0"
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"

Smooth
S2104 | S82104
2'6" x 6'8" | 2'6" x 8'0"
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"

Smooth
S2105 | S82105
2'6" x 6'8" | 2'6" x 8'0"
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"

Smooth
S2250 | S82250
2'6" x 6'8" | 2'6" x 8'0"
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"

Smooth
S82106
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth
S82107
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Clear Glass



Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)




EnLiten™ Flush-Glazed 1/2 Lites

Fiber-Classic® & Smooth-Star®



Transoms

For transoms, see page 211.



Clear Glass with Divided Lites



Smooth



Smooth



Smooth

S1350
▲★◆◆

2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

S2150
▲★◆◆◆◆◆◆

2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

S1409
▲★◆◆◆◆◆◆

2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

Clear Glass



Smooth

S2100
▲★

2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

*Not available with Reeded (XK) glass.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 287 for important product details that may help with your purchase decision.

Top: Impressions Storm & Entry Door System – IM100, Finish – Brown; Smooth-Star, Clear Glass with SDLs, Door – S2150, Finish – Elk

Right Page: Fiber-Classic Mahogany Collection, Saratoga Glass, Door – FCM6240, Sidelites – FCM6201SL, Transom – 19750T, Finish – Sweet Date

EnLiten™ Flush-Glazed Craftsman Lites



Transoms

For transoms, see page 211.

Optional Dental Shelves**



4-Block Dental Shelf

Available for all Craftsman-style Fiber-Classic Mahogany Collection doors.



4-Block Dental Shelf

Available for all Craftsman-style Smooth-Star doors.

Saratoga™

Mahogany		Mahogany		Mahogany		Smooth		Smooth		Smooth	
FCM6240	FCM86240	FCM6201SL	FCM86201SL	FCM6240SL	FCM86240SL	S6240	S86240	S6201SL	S86201SL	S6240SL	S86240SL
▲ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	▲ E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	▲ E 12" x 6'8" (7'0") 14" x 6'8" (7'0")	▲ E 12" x 8'0" 14" x 8'0"	▲ E 12" x 6'8" (7'0") 14" x 6'8" (7'0")	▲ E 12" x 8'0" 14" x 8'0"	▲ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	▲ E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	▲ E 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	▲ E 12" x 8'0" 14" x 8'0"	▲ E 12" x 6'8" (7'0") 14" x 6'8" (7'0")	▲ E 12" x 8'0" 14" x 8'0"

Privacy & Textured Glass with Divided Lites

Mahogany		Mahogany		Mahogany		Mahogany		Mahogany		Mahogany	
FCM4812_* ▲ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM84812_* ▲ E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM4813_* ▲ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM84813_* ▲ E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM4814_* ▲ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM84814_* ▲ E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM4816_* ▲ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM84816_* ▲ E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM2050_SL ▲ E 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM84886_SL ▲ E 12" x 8'0" 14" x 8'0"		

Privacy & Textured Glass with Divided Lites Continues on next page.

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)


- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)

- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options
- Elevated 10" Bottom Rail Options

Privacy & Textured Glass with Divided Lites *Continued* 

				
Mahogany	Smooth	Smooth	Smooth	Smooth
FCM4812_SL*  	FCM84812_SL*  	S4812_*  	S84812_*  	S4813_*  
12"x 6'8" (7'0") 14"x 6'8" (7'0")	12"x 8'0" 14"x 8'0"	2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")	2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")
FCM4812_*  	FCM84812_*  	S4813_*  	S84813_*  	S4814_*  
12"x 6'8" (7'0") 14"x 6'8" (7'0")	12"x 8'0" 14"x 8'0"	2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")	2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")
FCM4814_*  	FCM84814_*  	S4814_*  	S84814_*  	S4816_*  
12"x 6'8" (7'0") 14"x 6'8" (7'0")	12"x 8'0" 14"x 8'0"	2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")	2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")
FCM4816_*  	FCM84816_*  	S4816_*  	S84816_*  	2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Privacy & Textured Glass 

				
Smooth	Smooth	Mahogany	Mahogany	Mahogany
S2010_SL  	S84886_SL  	S4812_SL*  	S84812_SL*  	FCM4810_*  
10"x 6'8"  (7'0") 12"x 6'8"  (7'0") 14"x 6'8"  (7'0")	12"x 8'0" 14"x 8'0"	12"x 6'8" (7'0") 14"x 6'8" (7'0")	12"x 8'0" 14"x 8'0"	2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")
FCM4810_*  	FCM84810_*  	FCM2000_SL  	FCM8000_SL  	S4810_SL*  
12"x 6'8" (7'0") 14"x 6'8" (7'0")	12"x 8'0" 14"x 8'0"	12"x 6'8" (7'0") 14"x 8'0"	12"x 8'0" 14"x 8'0"	12"x 6'8" (7'0") 14"x 8'0"
FCM4810_SL*  	FCM84810_SL*  	FCM4810_SL*  	FCM84810_SL*  	12"x 8'0" 14"x 8'0"

Clear Glass with Divided Lites 

				
Smooth	Smooth	Smooth	Mahogany	Mahogany
S4810_*  	S84810_*  	S2000_SL  	S8000_SL  	S4810_SL*  
2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")	2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	10"x 6'8"  (7'0") 12"x 6'8"  (7'0") 14"x 6'8"  (7'0")	12"x 8'0" 14"x 8'0"	12"x 6'8" (7'0") 12"x 8'0" 14"x 8'0"
FCM4812  	FCM84812  	FCM4813  	FCM84813  	2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")
2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")	2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"
FCM4813  	FCM84813  	FCM4813  	FCM84813  	2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Not available with Reeded (XK) glass.

Note: See page 287 for important product details that may help with your purchase decision.



Mahogany

FCM4814 | FCM84814
 E
 2'8"x 6'8" (7'0") | 2'8"x 8'0"
 2'10"x 6'8" (7'0") | 2'10"x 8'0"
 3'0"x 6'8" (7'0") | 3'0"x 8'0"



Mahogany

FCM4816 | FCM84816
 E
 2'8"x 6'8" (7'0") | 2'8"x 8'0"
 2'10"x 6'8" (7'0") | 2'10"x 8'0"
 3'0"x 6'8" (7'0") | 3'0"x 8'0"




Mahogany

FCM2050SL | FCM84886SL
 E
 12"x 6'8" (7'0") | 12"x 8'0"
 14"x 6'8" (7'0") | 14"x 8'0"



Mahogany

FCM4812SL | FCM84812SL
 E
 12"x 6'8" (7'0") | 12"x 8'0"
 14"x 6'8" (7'0") | 14"x 8'0"



Smooth

S4812 | S84812
 E
 2'8"x 6'8" (7'0") | 2'8"x 8'0"
 2'10"x 6'8" (7'0") | 2'10"x 8'0"
 3'0"x 6'8" (7'0") | 3'0"x 8'0"



Smooth

S4813 | S84813
 E
 2'8"x 6'8" (7'0") | 2'8"x 8'0"
 2'10"x 6'8" (7'0") | 2'10"x 8'0"
 3'0"x 6'8" (7'0") | 3'0"x 8'0"



Smooth

S4814 | S84814
 E
 2'8"x 6'8" (7'0") | 2'8"x 8'0"
 2'10"x 6'8" (7'0") | 2'10"x 8'0"
 3'0"x 6'8" (7'0") | 3'0"x 8'0"




Smooth

S4816 | S84816
 E
 2'8"x 6'8" (7'0") | 2'8"x 8'0"
 2'10"x 6'8" (7'0") | 2'10"x 8'0"
 3'0"x 6'8" (7'0") | 3'0"x 8'0"



Smooth

S2010SL | S84886SL
 E
 10"x 6'8" Δ | 12"x 8'0"
 12"x 6'8" Δ (7'0") | 14"x 8'0"
 14"x 6'8" Δ (7'0") |



Smooth

S4812SL | S84812SL
 E
 12"x 6'8" (7'0") | 12"x 8'0"
 14"x 6'8" (7'0") | 14"x 8'0"

Clear Glass



Mahogany

FCM4810 | FCM84810
 E
 2'8"x 6'8" (7'0") | 2'8"x 8'0"
 2'10"x 6'8" (7'0") | 2'10"x 8'0"
 3'0"x 6'8" (7'0") | 3'0"x 8'0"



Mahogany

FCM2000SL | FCM8000SL
 E
 12"x 6'8" (7'0") | 12"x 8'0"
 14"x 6'8" (7'0") | 14"x 8'0"



Mahogany

FCM4810SL | FCM84810SL
 E
 12"x 6'8" (7'0") | 12"x 8'0"
 14"x 6'8" (7'0") | 14"x 8'0"



Smooth

S4810 | S84810
 E
 2'8"x 6'8" (7'0") | 2'8"x 8'0"
 2'10"x 6'8" (7'0") | 2'10"x 8'0"
 3'0"x 6'8" (7'0") | 3'0"x 8'0"



Smooth

S2000SL | S8000SL
 E
 10"x 6'8" Δ | 12"x 8'0"
 12"x 6'8" Δ (7'0") | 14"x 8'0"
 14"x 6'8" Δ (7'0") |



Smooth

S4810SL | S84810SL
 E
 12"x 6'8" (7'0") | 12"x 8'0"
 14"x 6'8" (7'0") | 14"x 8'0"

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)

- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Vented Sidelite Options

- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- 6'6" Height Available

- Elevated 10" Bottom Rail Options
- 6'6" Height Available

Lite Frames

Therma-Tru doors and sidelites are available with select lite frame options to complement the door's overall aesthetic.



For Impact-rated lite frame,
see page 31.



NEW Advanta™ Lite Frame*

With a patented design, Advanta lite frames deliver a clean look with no unsightly screw plugs to detract from the entry's overall aesthetic.

Look for the () symbols.

Standard Lite Frame

With a variety of sizes and shapes to choose from, our standard lite frame features a weather-resistant material and plugs designed to cover the screws.

	Advanta™ Lite Frame	Standard Lite Frame
Flat Option		
Scrolled Option		
Plugless Design	■	
Buff Option	■	■
White Option (Alpine Color-Matched)	■	■
Durable Weather-Resistant Material	■	■


*See your Therma-Tru seller for details on product availability.

Note: See page 287 for important product details that may help with your purchase decision.



Transoms

For transoms,
see page 211.



Blackstone. ◆◆

Mahogany	Mahogany	Mahogany	Mahogany	Oak	Oak
FCM108 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM871 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM310 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM816 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM871SL 12" x 8'0" 14" x 8'0"	FCM808SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")
FCM81918SL 2'8" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC108 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81918P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC310 2'6" x 6'8" Δ (7'0") 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	FC816 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	

Oak	Oak	Smooth	Smooth	Smooth	Smooth
FC108SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	81918PSL 12" x 8'0" 14" x 8'0"	FC808SL 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	81918SL 12" x 8'0" 14" x 8'0"	S6002 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S85892 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
S310 2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	S816 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6002SL 12" x 6'8" 14" x 6'8"	S85892SL 12" x 8'0" 14" x 8'0"	S4570SL 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S85927SL 12" x 8'0" 14" x 8'0"

Key



- No Stile Lines
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

- NEW Scrolled & Flat Advanta Lite Frame
- Flat Lite Frame

- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options

- E Elevated 10" Bottom Rail Options
- 6'6" Height Available

Crystalline™ ◆ ◇ ◇ ◇





Sedona ◆ ◇ ◇ ◇





Salinas® X



Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

- ✗ Wrought Iron (1W)
- NEW Scrolled & Flat Advanta Lite Frame



- Flat Lite Frame
- Vented Sidelite Options
- WBDR Options

- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

- Δ 6'6" Height Available



Saratoga™ 



Texas Star ♦ ::



Smooth

S602SL
10"x 6'8"
12"x 6'8" Δ (7'0")
14"x 6'8" Δ (7'0")

S8593SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM142
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM1029
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Mahogany

FCM817SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



Oak

FC142
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Oak

FC1029
2'8"x 6'8" Δ (7'0")
2'10"x 6'8" Δ (7'0")
3'0"x 6'8" Δ (7'0")



Oak

FC142SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

Wellesley™ ♦ :: ♦



Oak

FC817SL
12"x 6'8" Δ (7'0")
14"x 6'8" Δ (7'0")



Smooth

S6070
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S1029
2'8"x 6'8" Δ (7'0")
2'10"x 6'8" Δ (7'0")
3'0"x 6'8" Δ (7'0")



Smooth

S6070SL
12"x 6'8"
14"x 6'8"



Smooth

S6135SL
10"x 6'8"
12"x 6'8" Δ (7'0")
14"x 6'8" Δ (7'0")



Mahogany

FCM104
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM874
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6094
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FCM821
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM818SL
10"x 8'0"
12"x 6'8" Δ (7'0")
14"x 8'0"
14"x 6'8" Δ (7'0")



Mahogany

FCM81921SL
12"x 8'0"
14"x 8'0"



Oak

FC104
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

81921P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC6094
2'6"x 6'8" Δ (7'0")
2'8"x 6'8" Δ (7'0")
2'10"x 6'8" Δ (7'0")
3'0"x 6'8" Δ (7'0")

FC821
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Wellesley Continues on next page.




Key


- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

- Flat Lite Frame
- NEW Scrolled & Flat Advanta Lite Frame
- Vented Sidelite Options

- WBDR Options
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

- ▲ 6'6" Height Available

**Riserva® x**



Pembridge™ ◆ ■





Smooth

S6550 2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")


S86550 2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"
3'6"x 6'8"



Smooth

S6500 2'8"x 6'8" Δ (7'0")
2'10"x 6'8" Δ (7'0")
3'0"x 6'8" Δ (7'0")


S86500 2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"
3'6"x 8'0"



Smooth

S6550SL 12"x 6'8"
14"x 6'8"

S86550SL 12"x 8'0"
14"x 8'0"



Smooth

S6500SL 10"x 6'8"
12"x 6'8" Δ (7'0")
14"x 6'8" Δ (7'0")

S86500SL 12"x 8'0"
14"x 8'0"



Mahogany

FCM1652 2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM81652 2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM1651 2'4"x 6'8"
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
2'10"x 6'8" (7'0")

FCM81651 2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM1651SL 10"x 6'8"
12"x 6'8" Δ (7'0")
14"x 6'8" Δ (7'0")

FCM81651SL 12"x 8'0"
14"x 8'0"



Mahogany

FCM1652SL 12"x 8'0"
14"x 8'0"



Oak

FC1652 2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FC81652 2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC1651 2'4"x 6'8" Δ
2'6"x 6'8" Δ (7'0")
2'8"x 6'8" Δ (7'0")
2'10"x 6'8" Δ (7'0")
3'0"x 6'8" Δ (7'0")

FC81651 2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC1651SL 12"x 6'8" Δ (7'0")
14"x 6'8" Δ (7'0")

FC81651SL 12"x 8'0"
14"x 8'0"



Smooth

S1652 2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S81652 2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"
3'6"x 6'8"



Smooth

S1651 2'4"x 6'8" Δ
2'6"x 6'8"
2'8"x 6'8" Δ (7'0")
2'10"x 6'8" Δ (7'0")
3'0"x 6'8" Δ (7'0")
3'6"x 6'8"

S81651 2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"
3'6"x 8'0"



Smooth

S1652SL 12"x 6'8"
14"x 6'8"

S81652SL 12"x 8'0"
14"x 8'0"



Smooth

S1651SL 10"x 6'8"
12"x 6'8" Δ (7'0")
14"x 6'8" Δ (7'0")

S81651SL 12"x 8'0"
14"x 8'0"

Key



- No Stile Lines
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)

- Flat Lite Frame
- NEW Scrolled & Flat Advanta Lite Frame
- Vented Sidelite Options


- WBDR Options
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

▲ 6'6" Height Available

NEW Calix ◇ ■ ◇





NEW Latitude ◇ ■ ◇





NEW Echelon ◆ ■ ♦




Echelon Continues on next page.



Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ♦ Brass Caming (1A)
- NEW Scrolled & Flat Advanta Lite Frame
- Vented Side Lite Options
- Elevated 10" Bottom Rail Options

- WBDR Options
- WBDR / HVHZ Options
- 6'6" Height Available



Privacy & Textured Glass with Divided Lites



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak
FC18_SL	12102_SL	FC06188_SL*	FC06184_SL*	FC06189_SL*	FC06185_SL*	FC06190_SL*	FC06186_SL*
10"x 6'8" 12"x 6'8" 14"x 6'8"	12"x 6'8" Δ (7'0") 14"x 6'8" Δ (7'0")	10"x 6'8" 12"x 6'8" 14"x 6'8"	12"x 6'8" Δ (7'0") 14"x 6'8" Δ (7'0")	10"x 6'8" 12"x 6'8" 14"x 6'8"	12"x 6'8" Δ (7'0") 14"x 6'8" Δ (7'0")	10"x 6'8" 12"x 6'8" 14"x 6'8"	12"x 6'8" Δ (7'0") 14"x 6'8" Δ (7'0")
10"x 6'8"	12"x 6'8" Δ (7'0")						
12"x 6'8"	14"x 6'8" Δ (7'0")						
14"x 6'8"		14"x 6'8"		14"x 6'8"		14"x 6'8"	

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S128_SL	S141_SL	S108_SL	S6063_SL	S308_SL	S1170_SL	S605_SL*	
2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'6"x 6'8"	2'8"x 6'8" Δ (7'0") 2'10"x 6'8" Δ (7'0") 3'0"x 6'8" Δ (7'0") 3'6"x 6'8"	2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'6"x 6'8"	2'8"x 6'8" Δ (7'0") 2'10"x 6'8" Δ (7'0") 3'0"x 6'8" Δ (7'0") 3'6"x 6'8"	12"x 6'8" 14"x 6'8"	10"x 6'8" 12"x 6'8" Δ (7'0") 14"x 6'8" Δ (7'0")	12"x 6'8" 14"x 6'8" Δ (7'0") 14"x 6'8" Δ (7'0")	
2'8"x 6'8" (7'0")	2'8"x 6'8" Δ (7'0")	2'8"x 6'8" (7'0")	2'8"x 6'8" Δ (7'0")	12"x 6'8"	10"x 6'8"	12"x 6'8"	
2'10"x 6'8" (7'0")	2'10"x 6'8" Δ (7'0")	2'10"x 6'8" (7'0")	2'10"x 6'8" Δ (7'0")	14"x 6'8"	12"x 6'8" Δ (7'0")	14"x 6'8" Δ (7'0")	
3'0"x 6'8" (7'0")	3'0"x 6'8" Δ (7'0")	3'0"x 6'8" (7'0")	3'0"x 6'8" Δ (7'0")	3'6"x 6'8"	14"x 6'8" Δ (7'0")		
3'6"x 6'8"							

Privacy & Textured Glass

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Mahogany	Mahogany
S6124_SL*	S606_SL*	S6125_SL*	S607_SL*	S6126_SL*	FCM10_	FCM870_	FCM1283_
10"x 6'8" 12"x 6'8" Δ (7'0") 14"x 6'8" Δ (7'0")	12"x 6'8" 14"x 6'8"	10"x 6'8" 12"x 6'8" Δ (7'0") 14"x 6'8" Δ (7'0")	12"x 6'8" 14"x 6'8"	10"x 6'8" 12"x 6'8" Δ (7'0") 14"x 6'8" Δ (7'0")	2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")
10"x 6'8"	12"x 6'8"	10"x 6'8"	12"x 6'8"	10"x 6'8"	2'8"x 6'8"	2'8"x 8'0"	2'8"x 6'8" (7'0")
12"x 6'8" Δ (7'0")	14"x 6'8"	12"x 6'8" Δ (7'0")	14"x 6'8"	12"x 6'8" Δ (7'0")	2'10"x 6'8"	2'10"x 8'0"	2'10"x 6'8" (7'0")
14"x 6'8" Δ (7'0")		14"x 6'8" Δ (7'0")		14"x 6'8" Δ (7'0")	3'0"x 6'8"	3'0"x 8'0"	3'0"x 6'8" (7'0")

Privacy & Textured Glass Continues on next page.

Key

- No Stile Lines
- Simulated Divided Lites (SDL)
- NEW Scrolled & Flat Advanta Lite Frame
- Vented Sidelite Options
- NEW Scrolled & Flat Advanta Lite Frame
- Elevated 10" Bottom Rail Options

NEW Scrolled Advanta Lite Frame


Vented Sidelite Options

Elevated 10" Bottom Rail Options

WBDR Options

WBDR / HVHZ Options

6'6" Height Available

Privacy & Textured Glass *Continued*

Internal Blinds






Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite



Clear Glass with Divided Lites Continues on next page.

Key

- No Stile Lines
- ★ Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)

- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Vented Sidelite Options
- ◆ WBDR Options
- ◆ NEW Scrolled & Flat Advanta Lite Frame
- ◆ Flat Lite Frame
- ◆ WBDR / HVHZ Options

- Elevated 10" Bottom Rail Options
- ▲ 6'6" Height Available

Clear Glass with Divided Lites *Continued*



Mahogany

FCM1284
■ * ♦ ♪ ♪ ♪ 6 E
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM828
■ * ♦ ♪ ♪ ♪ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM1828
■ * ♦ ♪ ♪ ♪ 6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM1208P
■ * ♦ ♪ ♪ ♪ 6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM81829
■ * ♦ ♪ ♪ ♪ 6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM1201SL
■ * ♦ ♪ ♪ ♪ 6
10" x 6'8"
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")



Mahogany

FCM1202SL
■ * ♦ ♪ ♪ ♪ 6
10" x 6'8"
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")



Mahogany

FCM1200SL
■ * ♦ ♪ ♪ ♪ 6
10" x 6'8"
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")



Mahogany

FCM12102SL
■ * ♦ ♪ ♪ ♪ 6
10" x 6'8"
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")



Mahogany

FCM1208PSL
■ * ♦ ♪ ♪ ♪ 6
12" x 8'0"
14" x 8'0"



Mahogany

FCM81208SL
■ * ♦ ♪ ♪ ♪ 6
12" x 8'0"
14" x 8'0"



Mahogany

FCM6124SL
■ * ♦ ♪ ♪ ♪ 6
10" x 6'8"
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")



Mahogany

FCM6125SL
■ * ♦ ♪ ♪ ♪ 6
10" x 6'8"
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")



Mahogany

FCM6126SL
■ * ♦ ♪ ♪ ♪ 6
10" x 6'8"
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")



Mahogany

FCM198
■ * ♦ ♪ ♪ ♪ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1289
■ * ♦ ♪ ♪ ♪ 6 E
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM1289SL
■ * ♦ ♪ ♪ ♪ 6 E
10" x 6'8"
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")



Oak

FC1209
■ * ♦ ♪ ♪ ♪ E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")




Oak

FC1201
■ * ♦ ♪ ♪ ♪ E
2'6" x 6'8" Δ (7'0")
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")




Oak


FC1211
■ * ♦ ♪ ♪ ♪ E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



FC1212 Oak 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")	FC1203 Oak 2'6"x 6'8" Δ (7'0") 2'8"x 6'8" Δ (7'0") 2'10"x 6'8" Δ (7'0") 3'0"x 6'8" Δ (7'0")	FC138 Oak 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")	1285 Oak 2'6"x 6'8" Δ (7'0") 2'8"x 6'8" Δ (7'0") 2'10"x 6'8" Δ (7'0") 3'0"x 6'8" Δ (7'0")	FC1208 Oak 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")	FC1200 Oak 2'6"x 6'8" Δ (7'0") 2'8"x 6'8" Δ (7'0") 2'10"x 6'8" Δ (7'0") 3'0"x 6'8" Δ (7'0")	FC18 Oak 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")
---	--	--	--	---	--	---



1284 Oak 2'6"x 6'8" Δ (7'0") 2'8"x 6'8" Δ (7'0") 2'10"x 6'8" Δ (7'0") 3'0"x 6'8" Δ (7'0")	FC828 Oak 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	81828 Oak 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	81208P Oak 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	81208 Oak 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	FC1209SL Oak 10"x 6'8" 12"x 6'8" 14"x 6'8"	FC1201SL Oak 12"x 6'8" Δ (7'0") 14"x 6'8" Δ (7'0")
--	---	---	--	---	--	---



FC1211SL Oak 10"x 6'8" 12"x 6'8" 14"x 6'8"	FC1202SL Oak 12"x 6'8" Δ (7'0") 14"x 6'8" Δ (7'0")	FC1208SL Oak 10"x 6'8" 12"x 6'8" 14"x 6'8"	FC1200SL Oak 12"x 6'8" Δ (7'0") 14"x 6'8" Δ (7'0")	FC18SL Oak 10"x 6'8" 12"x 6'8" 14"x 6'8"	12102SL Oak 12"x 6'8" Δ (7'0") 14"x 6'8" Δ (7'0")	81208PSL Oak 12"x 8'0" 14"x 8'0"	81208SL Oak 12"x 8'0" 14"x 8'0"
--	---	--	---	--	--	---	--

Clear Glass with Divided Lites *Continues on next page.*

Key



- No Stile Lines
- ★ Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)


- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- NEW Scrolled Advanta Lite Frame
- Vented Sidelite Options
- WBDR Options
- NEW Scrolled & Flat Advanta Lite Frame
- WBDR / HVHZ Options

- NEW Scrolled Advanta Lite Frame
- Vented Sidelite Options
- WBDR Options
- NEW Scrolled & Flat Advanta Lite Frame
- WBDR / HVHZ Options

- Elevated 10" Bottom Rail Options
- 6'6" Height Available

Clear Glass with Divided Lites *Continued*





Clear Glass with Divided Lites *Continues on next page.*




Key

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)

- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- 6'6" Height Available
- E Elevated 10" Bottom Rail Options

Clear Glass with Divided Lites *Continued*

Clear Glass



*Not recommended for use behind storm doors to be painted dark colors, if exposed to direct sunlight.


Note: See page 287 for important product details that may help with your purchase decision.

3/4 Lites



Transoms

For transoms,
see page 211.



Blackstone™ ◆◆

Mahogany	Mahogany	Oak	Oak	Oak	Smooth
FCM765	FCM765SL	FCM882SL	FC765	FC770	81952P
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
FC765	FC765SL	FC765PSL	81952PSL	S975	
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	12" x 8'0" 14" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	

Crystalline™ ◆◆

Smooth	Smooth	Mahogany	Mahogany	Oak	Oak
S979	S894	S975SL	S894SL	FCM38	FCM38SL
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	12" x 6'8" 14" x 8'0"
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	12" x 8'0" 14" x 8'0"
FC38	FCM8105SL	FC772	81953P		
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	12" x 6'8" 14" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		

Crystalline Continues on next page.

Key

- No Stile Lines
- Low-E Glass (LE)
- Turtle Glass
- ◆ Black Nickel Caming (1C)

- ◆ Brushed Nickel Caming (1C)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Lite Frame
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Vented Sidelite Options
- ◆ WBDR Options
- ◆ WBDR / HVHZ Options
- ◆ Elevated 10" Bottom Rail Options
- ◆ 6'6" Height Available
- ◆ PVC Doorlite Frame*

Crystalline ◆ ■ Continued

Sedona ◆ ■



Oak

FC38SL | 81953PSL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Smooth

S977
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S981 | S888
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"

Smooth


S758SL | S888SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Mahogany

FCM131
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM131SL | FCM883SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Oak

FC131
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC773 | 81954P
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



Oak

FC131SL | 81954PSL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Smooth

S95
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S91 | S887
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



Smooth

S91SL | S887SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Salinas® X



Mahogany

FCM115
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM115SL | FCM884SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Oak

FC115
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC775 | 81955P
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



Oak

FC115SL | 81955PSL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Smooth

S6009
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6010 | S895
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



Smooth

S6009SL | S895SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Mahogany

FCM902 | FCM902SL
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8"



Mahogany

FCM887SL | FCM902
12" x 6'8" | 2'8" x 6'8"
14" x 6'8" | 2'10" x 6'8"
14" x 8'0"



Oak

FC902 | FC777
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8"



Oak

81957P | FC777
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8"

Saratoga™



Oak

FC902SL | 81957PSL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Smooth

S6102 | S6103
12" x 6'8" | 2'8" x 6'8"
14" x 6'8" | 2'10" x 6'8"
3'0" x 6'8"



Smooth

S6103 | S85898
12" x 6'8" | 2'8" x 8'0"
14" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



Smooth

S6102SL | S85898SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Mahogany

FCM907 | FCM907SL
2'8" x 6'8" | 12" x 6'8"
2'10" x 6'8" | 12" x 8'0"
3'0" x 6'8"



Mahogany

FCM889SL | FCM889SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Oak

FC907 | FC776
2'8" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 2'10" x 6'8"
3'0" x 6'8"



Oak

81956P | FC907SL
2'8" x 6'8" | 12" x 6'8"
2'10" x 6'8" | 12" x 8'0"
3'0" x 6'8" | 14" x 6'8"



Oak

81956PSL | S6092
12" x 6'8" | 2'8" x 6'8"
14" x 6'8" | 2'10" x 6'8"
3'0" x 6'8"



Smooth

S6092 | S982
2'8" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 2'10" x 6'8"
3'0" x 6'8"



Smooth

S891 | S982
2'8" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 2'10" x 6'8"
3'0" x 6'8"



Smooth

S6092SL | S891SL
12" x 6'8" | 12" x 6'8"
14" x 6'8" | 14" x 8'0"

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (1W)
- Flat Lite Frame

- NEW Scrolled & Flat Advanta Lite Frame
- WBDR Options
- WBDR / HVHZ Options

Texas Star ◆◆


Fiber-Classic® & Smooth-Star®



Wellesley™ ◆◆◆



Riserva. ✕






Concorde™



Kensington™



Kensington Continues on next page.

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)
- ✗ Wrought Iron (1W)
- ▲ Flat Lite Frame
- NEW Scrolled & Flat Advanta Lite Frame
- ❖ WBDR Options
- ✗ WBDR Options

❖ WBDR / HVHZ Options



Oak
FC1442SL | 81961PSL
 16
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth
S20042 | S902
 16
2'8"x 6'8" | 2'8"x 8'0"
2'10"x 6'8" | 2'10"x 8'0"
3'0"x 6'8" | 3'0"x 8'0"



Smooth
S156
 16
2'8"x 6'8" | 2'10"x 8'0"
2'10"x 6'8" | 3'0"x 6'8"




Smooth
S1442SL | S902SL
 16
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Mahogany
FCM6582
 16
2'8"x 6'8" | 2'10"x 6'8"
2'10"x 6'8" | 3'0"x 6'8"



Mahogany
FCM6580SL | FCM86580SL
 16
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak
FC6582
 16
2'8"x 6'8" | 2'10"x 6'8"
3'0"x 6'8"




Oak
FC6580 | FC86580
 16
2'8"x 6'8" | 2'10"x 6'8"
3'0"x 6'8" | 3'0"x 8'0"



Oak
FC6580SL | FC86580SL
 16
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth
S6582
 16
2'8"x 6'8" | 2'10"x 6'8"
3'0"x 6'8"



Smooth
S6580 | S86580
 16
2'8"x 6'8" | 2'10"x 6'8"
3'0"x 6'8" | 3'0"x 8'0"



Smooth
S6580SL | S86580SL
 16
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Axis®



Mahogany
FCM1647
 16
2'8"x 6'8" | 2'10"x 6'8"
3'0"x 6'8"



Mahogany
FCM1646SL | FCM81646SL
 16
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak
FC1647
 16
2'8"x 6'8" | 2'10"x 6'8"
3'0"x 6'8"



Oak
FC1646 | FC81646
 16
2'8"x 6'8" | 2'10"x 8'0"
2'10"x 6'8" | 3'0"x 8'0"



Oak
FC1646SL | FC81646SL
 16
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth
S1647
 16
2'8"x 6'8" | 2'10"x 6'8"
3'0"x 6'8"

NEW Calix ◇ :: ◇



Smooth

S1646
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1646SL
12" x 6'8"
14" x 6'8"



Mahogany

FCM389
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM4521SL
12" x 6'8"
14" x 6'8"



Oak

FC389
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC4521
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC4521SL
12" x 6'8"
14" x 6'8"



Smooth

S389
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S4521
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S4521SL
12" x 6'8"
14" x 6'8"



Mahogany

FCM476
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM4525SL
12" x 6'8"
14" x 6'8"




Oak

FC476
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC4525
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC4525SL
12" x 6'8"
14" x 6'8"




Smooth

S476
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S4525
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S4525SL
12" x 6'8"
14" x 6'8"

Key


- ◇ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)
- ▲ Flat Lite Frame

- NEW Scrolled & Flat Advanta Lite Frame
- ❖ WBDR Options
- ▲ WBDR / HVHZ Options

NEW Echelon ◆◆◆



Privacy & Textured Glass with Divided Lites



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

Privacy & Textured Glass

					
Smooth	Smooth	Mahogany	Mahogany	Oak	Oak
S82_SL 12"x 6'8" 14"x 6'8"	S881_SL 12"x 8'0" 14"x 8'0"	FCM32_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	FCM32_SL 12"x 6'8" 14"x 6'8" 3'0"x 6'8"	FCM881_SL 12"x 8'0" 14"x 8'0"	FC766_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"
FCM881_SL 12"x 8'0" 14"x 8'0"	FC32_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	81943P_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	81943P_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"		

Internal Blinds

					
Oak	Smooth	Smooth	Smooth	Mahogany	Mahogany
FC32_SL 12"x 6'8" 14"x 6'8"	81943P_SL 12"x 8'0" 14"x 8'0"	S80_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	S90_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	S880_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	S751_SL 12"x 6'8" 14"x 6'8" 3'0"x 6'8"
				S880_SL 12"x 8'0" 14"x 8'0" 3'0"x 8'0"	FCM5425 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"
					FCM5425SL 12"x 8'0" 14"x 8'0" 3'0"x 8'0"
					FCM8110SL 12"x 8'0" 14"x 8'0"

					
Oak	Oak	Oak	Smooth	Smooth	Smooth
FC5425 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	1964P 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	81964P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	FC5425SL 12"x 6'8" 14"x 6'8" 3'0"x 6'8"	81964PSL 12"x 8'0" 14"x 8'0" 3'0"x 8'0"	S5425 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"
					S682 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"
					S8682 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"
					S5425SL S8682SL 12"x 6'8" 14"x 6'8" 12"x 8'0" 14"x 8'0"

Key

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat Lite Frame

- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame
- WBDR Options

- WBDR / HVHZ Options

Clear Glass with Divided Lites



Mahogany



Mahogany



Mahogany



Mahogany



Mahogany



Mahogany

FCM2106
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM2107
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM2108
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM82
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM1089SL
12"x 6'8"
14"x 6'8"

FCM8311SL
12"x 8'0"
14"x 8'0"

FCM2101SL
12"x 6'8"
14"x 6'8"

FCM8313SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM92SL
12"x 6'8"
14"x 6'8"



Mahogany

FCM8310SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM8101SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM81900SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM81947SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM81949SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM1402
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM1400SL
12"x 6'8"
14"x 6'8"

FCM81944SL
12"x 8'0"
14"x 8'0"



Oak

FC2106
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC2107
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC2108
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC82
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC1089
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC2101
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FC8313
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak
FC2102 | FC8316
2'8"x 6'8" | 2'8"x 8'0"
2'10"x 6'8" | 2'10"x 8'0"
3'0"x 6'8" | 3'0"x 8'0"



Oak
81945P | FC8310
2'8"x 8'0" | 2'8"x 8'0"
2'10"x 8'0" | 2'10"x 8'0"
3'0"x 8'0" | 3'0"x 8'0"



Oak
FC92 | FC8310
2'8"x 6'8" | 2'8"x 8'0"
2'10"x 6'8" | 2'10"x 8'0"
3'0"x 6'8" | 3'0"x 8'0"



Oak
81946P | FC8311SL
2'8"x 8'0" | 12"x 6'8"
2'10"x 8'0" | 12"x 8'0"
3'0"x 8'0" | 14"x 6'8"



Oak
FC1089SL | FC2101SL
12"x 6'8" | 12"x 6'8"
14"x 6'8" | 14"x 6'8"



Oak
FC2101SL | FC8313SL
12"x 6'8" | 12"x 6'8"
14"x 8'0" | 14"x 8'0"



Oak
FC92SL | FC8310SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak
81946PSL | 81900PSL
12"x 8'0" | 12"x 8'0"
14"x 8'0" | 14"x 8'0"



Oak
81947PSL
12"x 8'0"
14"x 8'0"



Oak
81947PSL
12"x 8'0"
14"x 8'0"



Oak
81949PSL | FC1402
12"x 8'0" | 2'8"x 6'8"
14"x 8'0" | 2'10"x 6'8"
3'0"x 6'8" | 3'0"x 8'0"



Oak
FC1400 | 81944P
2'8"x 6'8" | 2'8"x 8'0"
2'10"x 6'8" | 2'10"x 8'0"
3'0"x 6'8" | 3'0"x 8'0"



Oak
FC1400PSL | 81944PSL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth
S2106
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth
S2107
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth
S2108
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth
S82
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth
S1089 | S8311
2'8"x 6'8" | 2'8"x 8'0"
2'10"x 6'8" | 2'10"x 8'0"
3'0"x 6'8" | 3'0"x 8'0"

Key


- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)

- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)

- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- NEW Scrolled & Flat Advanta Lite Frame

- NEW Scrolled Advanta Lite Frame
- WBDR Options
- WBDR / HVHZ Options

Clear Glass with Divided Lites Continues on next page.

Clear Glass with Divided Lites *Continued*

Clear Glass



Note: See page 287 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, Clear Glass with GBGs, Doors – S82103, Finish – Onyx

					
Oak	Oak	Oak	Smooth	Smooth	Smooth
FC32 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC766 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81943P * 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC32SL * 6 12" x 6'8" 14" x 6'8"	81943PSL * 6 12" x 8'0" 14" x 8'0"	S80 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
S90 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S880 * 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S751SL * 6 12" x 6'8" 14" x 6'8"	S880SL * 6 12" x 8'0" 14" x 8'0"		



Key

-  Low-E Glass (LE)
-  Turtle Glass
-  Simulated Divided Lites (SDL)

-  Flat or Contour White Grilles Between Glass (GBGF / GBGC)
-  Flat Almond Grilles Between Glass (GBGF)
-  Flat Bronze Grilles Between Glass (GBGF)
-  Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
-  Fixed Grilles (FXG)

-  Flat Lite Frame
-  NEW Scrolled & Flat Advanta Lite Frame
-  NEW Scrolled Advanta Lite Frame


-  WBDR Options
-  WBDR / HVHZ Options

Oval Lites



Transoms

For transoms, see page 211.



Blackstone® ◆◆◆



Mahogany



Mahogany



Oak



Oak



Oak



Smooth



Smooth

FCM110
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM164
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC714
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC164
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC794
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S771
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S6085
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Wellesley™ ◆◆◆◆



Smooth

S997
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM106
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM163
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC713
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC163
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC796
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Note: See page 287 for important product details that may help with your purchase decision.

Top: Fiber-Classic Mahogany Collection, Concorde Glass, Door – FCM916, Sidelites – FCM809SL, Finish – Rustic Clay

Concorde™



Smooth

S774
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6082
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S999
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM916
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM915
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC916
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC915
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Fiber-Classic® & Smooth-Star®



Oak

FC797
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S773
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6084
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S1000
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM151
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM789
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC709
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC151
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC798
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S709
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S163
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S1001
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM6577
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM6575
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


Pembroke Continues on next page.

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)



Clear Glass



Note: See page 287 for important product details that may help with your purchase decision.


Bottom: Smooth-Star, Pembridge Glass, Door S6576

Right Page: Fiber-Classic Mahogany Collection, Salinas Glass, Door – FCM114, Sidelites – FCM814SL, Transom – SART, Finish – Raven



Transoms

For transoms, see page 211.



Blackstone[®]



Mahogany

FCM109 | FCM863
2'8"x 6'8" | 2'8"x 8'0"
2'10"x 6'8" | 2'10"x 8'0"
3'0"x 6'8" | 3'0"x 8'0"



Mahogany

FCM6032 | FCM6052
2'8"x 6'8" | 2'8"x 6'8"
2'10"x 6'8" | 2'10"x 6'8"
3'0"x 6'8" | 3'0"x 6'8"



Mahogany

FCM6052 | FCM109SL | FCM863SL
2'8"x 6'8" | 12"x 6'8" | 12"x 8'0"
2'10"x 6'8" | 14"x 6'8" | 14"x 8'0"
3'0"x 6'8" | 3'0"x 6'8" | 3'0"x 8'0"



Mahogany

FC109 | 81933P | 81975P
2'6"x 6'8" | 2'8"x 8'0" | 2'8"x 8'0"
2'8"x 6'8" (7'0") | 2'10"x 8'0" | 2'10"x 8'0"
2'10"x 6'8" (7'0") | 3'0"x 8'0" | 3'0"x 8'0"
3'0"x 6'8" (7'0") | 3'0"x 8'0" | 3'0"x 8'0"



Oak

FC109SL | 81933PSL | 81975PSL
12"x 6'8" | 12"x 8'0" | 12"x 8'0"
14"x 6'8" | 14"x 8'0" | 14"x 8'0"



Oak

FC109SL | 81933PSL | 81975PSL
12"x 6'8" | 12"x 8'0" | 12"x 8'0"
14"x 6'8" | 14"x 8'0" | 14"x 8'0"



Smooth

S6000 | S81933P
2'6"x 6'8" | 2'8"x 8'0"
2'8"x 6'8" (7'0") | 2'10"x 8'0"
2'10"x 6'8" (7'0") | 3'0"x 8'0"
3'0"x 6'8" (7'0") | 3'0"x 8'0"



Smooth

S6032 | S86032
2'8"x 6'8" (7'0") | 2'8"x 8'0"
2'10"x 6'8" (7'0") | 2'10"x 8'0"
3'0"x 6'8" (7'0") | 3'0"x 8'0"



Smooth

S6052 | S972 | S85905
2'8"x 6'8" | 2'8"x 6'8" | 2'8"x 6'8"
2'10"x 6'8" | 2'10"x 6'8" | 2'10"x 6'8"
3'0"x 6'8" | 3'0"x 6'8" | 3'0"x 6'8"



Smooth

S972 | S85905
2'8"x 6'8" | 2'8"x 6'8"
2'10"x 6'8" | 2'10"x 6'8"
3'0"x 6'8" | 3'0"x 6'8"



Smooth

S6000SL | S85912SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Key

- ★ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

- NEW Scrolled & Flat Advanta Lite Frame
- ◆ WBDR Options
- ◆ WBDR / HVHZ Options

- Elevated 10" Bottom Rail Options

Crystalline™ ◆◆

Mahogany



Mahogany



Oak



Oak



Oak



Smooth



Smooth

FCM898
6
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"FCM898SL
6
12"x 8'0"
14"x 8'0"81935P
6
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"81977P
6
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"81935PSL
6
12"x 8'0"
14"x 8'0"S81935P
6
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"S86027
6E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"**Sedona** ◆◆

Smooth



Smooth



Mahogany



Mahogany



Mahogany



Mahogany

S85907
6
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"S85914SL
6
12"x 8'0"
14"x 8'0"FCM101
6
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"FCM864
6
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"FCM6025
6
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"FCM6045
6
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"FCM101SL
6
12"x 6'8"
14"x 6'8"
FCM864SL
6
12"x 8'0"
14"x 8'0"

Oak



Oak



Oak



Smooth



Smooth



Smooth

FC101
6E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")81936P
6
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"81978P
6
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"FC101SL
6
12"x 6'8"
14"x 6'8"
3'0"x 8'0"81936PSL
6
12"x 8'0"
14"x 8'0"S211
6E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")S81936P
6
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"S6025
6E
2'8"x 6'8" (7'0")
2'10"x 8'0"
3'0"x 6'8" (7'0")
3'0"x 8'0"S86025
6
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"S6045
6
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



S35 | S833
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"

S294SL | S85915SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Salinas®



FCM114 | FCM865
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"

FCM6031
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


FCM6051
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM114SL | FCM865SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



FC114 | 81937P
2'6" x 6'8" | 2'8" x 8'0"
2'8" x 6'8" (7'0") | 2'10" x 8'0"
2'10" x 6'8" (7'0") | 3'0" x 8'0"
3'0" x 6'8" (7'0")

81980P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FC114SL | 81937PSL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

S6006 | S81937P
2'6" x 6'8" | 2'8" x 8'0"
2'8" x 6'8" (7'0") | 2'10" x 8'0"
2'10" x 6'8" (7'0") | 3'0" x 8'0"
3'0" x 6'8" (7'0")


S6031 | S86031
2'8" x 6'8" (7'0") | 2'8" x 8'0"
2'10" x 6'8" (7'0") | 2'10" x 8'0"
3'0" x 6'8" (7'0") | 3'0" x 8'0"

S6051
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S973 | S893
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"

S6006SL | S85916SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



FCM901 | FCM886
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"

FCM6107
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM6108
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM901SL | FCM886SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Maple Park Continues on next page.

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✗ Wrought Iron (1W)

- NEW Scrolled & Flat Advanta Lite Frame
- ◆ WBDR Options
- WBDR / HVHZ Options

- Elevated 10" Bottom Rail Options



Oak

FC901 | 6E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

81982P | 6E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC901SL | 81939PSL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Smooth

S6101 | 6E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S6107 | 6E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S6108 | 6E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Saratoga™ ◆ ■



Smooth

S6106 | 6E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6101SL | 85918SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Mahogany

FCM906 | FCM888
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6029 | FCM6049
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6049 | FCM906SL
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM906SL | FCM888SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Oak

FC906 | 6E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

81981P | 6E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC906SL | 81938PSL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Smooth

S213 | 6E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S6029 | 6E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S6049 | 6E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Texas Star ◆◆

					
Smooth S41 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" S85908 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	Smooth S291SL 6 12"x 6'8" 14"x 6'8" S85917SL 6 12"x 8'0" 14"x 8'0"	Mahogany FCM144 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" FCM899 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	Mahogany FCM6074 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" FCM6074 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	Mahogany FCM6075 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" FCM899SL 6 12"x 8'0" 14"x 8'0"	Mahogany FCM899SL 6 12"x 8'0" 14"x 8'0"

					
Oak FC144 6E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 81940P 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	Oak 81983P 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	Oak 81940PSL 6 12"x 8'0" 14"x 8'0"	Smooth S6073 6E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") S81940P 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	Smooth S6074 6E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") S86074 6E 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	Smooth S6075 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Wellesley ◆◆◆

					
Smooth S6076 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" S81983 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	Smooth 85919SL 6 12"x 8'0" 14"x 8'0"	Mahogany FCM105 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" FCM866 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	Mahogany FCM6030 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" FCM6050 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	Mahogany FCM105SL 6 12"x 6'8" 14"x 6'8" FCM866SL 6 12"x 8'0" 14"x 8'0"	Mahogany FCM105SL 6 12"x 6'8" 14"x 6'8" FCM866SL 6 12"x 8'0" 14"x 8'0"

Wellesley Continues on next page.

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)
- NEW Scrolled & Flat Advanta Lite Frame

- ◆ WBDR Options
- WBDR / HVHZ Options
- ❖ Elevated 10" Bottom Rail Options



Oak



Oak



Oak



Smooth



Smooth



Smooth

FC105	81941P
2'6" x 6'8"	2'8" x 8'0"
2'8" x 6'8" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

81984P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FC105SL	81941PSL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

S214	S81941P
2'6" x 6'8"	2'8" x 8'0"
2'8" x 6'8" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

S6030	S86030
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

S6050
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Riserva® X



Smooth



Smooth



Mahogany



Mahogany



Mahogany



Mahogany

FCM583SL	FCM8583SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Oak



Oak



Oak



Smooth



Smooth



Smooth

FC581	FC8581
2'6" x 6'8"	2'8" x 8'0"
2'8" x 6'8" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

FC8579
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FC583SL	FC8583SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"
3'0" x 8'0"	3'0" x 8'0"

S581	S8581
2'6" x 6'8"	2'8" x 8'0"
2'8" x 6'8" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

S575	S8575
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

S577
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Concorde™

Smooth

S579	S8579
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

Smooth

S583SL	S8583SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

Mahogany

FCM911	FCM891
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

Mahogany

FCM6026	
2'8" x 6'8"	
2'10" x 6'8"	
3'0" x 6'8"	

Mahogany

FCM6046	
2'8" x 6'8"	
2'10" x 6'8"	
3'0" x 6'8"	

Mahogany

FCM911SL	FCM891SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

Oak

FC911	81942P
2'6" x 6'8"	2'8" x 8'0"
2'8" x 6'8" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	

Oak

81985P	
2'8" x 8'0"	
2'10" x 8'0"	
3'0" x 8'0"	

Oak

FC911SL	81942PSL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"
3'0" x 8'0"	

Smooth

S426	S81942P
2'6" x 6'8"	2'8" x 8'0"
2'8" x 6'8" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	

Smooth

S6026	S86026
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

Smooth

S6046	
2'8" x 6'8"	
2'10" x 6'8"	
3'0" x 6'8"	

Kensington™

Smooth

S37	S837
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

Smooth

S430SL	S85920SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

Mahogany

FCM149	FCM8149
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

Mahogany

FCM6036	
2'8" x 6'8"	
2'10" x 6'8"	
3'0" x 6'8"	

Mahogany

FCM6056	
2'8" x 6'8"	
2'10" x 6'8"	
3'0" x 6'8"	

Mahogany

FCM149SL	FCM867SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

Kensington Continues on next page.

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)
- ✗ Wrought Iron (1W)

- ▲ NEW Scrolled & Flat Advanta Lite Frame
- ❖ WBDR Options
- ❖ WBDR / HVHZ Options

- Elevated 10" Bottom Rail Options

									
Oak	Oak	Oak	Smooth	Smooth	Smooth				
FC149   E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC8149   E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC89701   E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC149SL   E 12" x 6'8" 14" x 6'8"	FC8867SL   E 12" x 8'0" 14" x 8'0"	S161   E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S8149   E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6036   E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86036   E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6056   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Pembroke™  

									
Smooth	Smooth	Mahogany	Mahogany	Mahogany	Mahogany				
S43   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S89701   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S161SL   12" x 6'8" 14" x 6'8"	S867SL   12" x 8'0" 14" x 8'0"	FCM6560   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM86560   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6565   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6568   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6565SL   12" x 6'8" 14" x 6'8"	FCM86560SL   12" x 8'0" 14" x 8'0"

									
Oak	Oak	Oak	Smooth	Smooth	Smooth				
FC6560   2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC86560   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC86536   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC6565SL   12" x 6'8" 14" x 6'8" 3'0" x 8'0"	FC86560SL   12" x 8'0" 14" x 8'0" 3'0" x 8'0"	S6560   2'8" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86560   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6565   2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86565   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6568   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S6536	S86536
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S6565SL	S86560SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

Axis®



Mahogany

FCM1654	FCM81654
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Mahogany

FCM1656
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1658
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1656SL	FCM81654SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Oak

FC1654	FC81654
2'6" x 6'8"	2'8" x 8'0"
2'8" x 6'8" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	



Oak

FC81653
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1656SL	FC81654SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"




Smooth

S1654	S81654
2'6" x 6'8"	2'8" x 8'0"
2'8" x 6'8" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S1656	S81656
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S1658
2'8" x 6'8"
2'10" x 6'8"



Smooth

S1653	S81653
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth


S1656SL	S81654SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

NEW Calix




Mahogany

FCM386	FCM8386
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Mahogany

FCM387
2'8" x 6'8"
2'10" x 6'8"



Mahogany

FCM394
2'8" x 6'8"
2'10" x 6'8"



Mahogany

FCM387SL	FCM8386SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

Calix Continues on next page.


Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)



- NEW Scrolled & Flat Advanta Lite Frame
- WBDR Options
- WBDR / HVHZ Options

- E Elevated 10" Bottom Rail Options

NEW Calix ◇ :: ♦ Continued



NEW Latitude ◇ :: ♦



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

Privacy & Textured Glass with Divided Lites



Mahogany



Mahogany



Mahogany



Mahogany



Mahogany



Mahogany



Oak

FCM65_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM6022_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM6042_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8321_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FCM65_SL

12" x 6'8"
14" x 6'8"

FCM3487_SL

12" x 8'0"
14" x 8'0"

FC65_

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)
- Simulated Divided Lites (SDL)

- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame

- WBDR Options
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options



Oak



Oak



Oak



Oak



Smooth



Smooth



Smooth

FC8321_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FC832_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FC63_SL

12" x 6'8"
14" x 6'8"

FC3487_SL

12" x 8'0"
14" x 8'0"

S262_

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S6022_

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S6042_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth



Smooth



Smooth



Smooth



Smooth



Smooth

S32_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8321_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

S86022_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

S832_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

S263_SL

12" x 6'8"
14" x 6'8"


S3487_SL

12" x 8'0"
14" x 8'0"

Privacy & Textured Glass



Internal Blinds



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Features a gliding operation and sash locking system.

Note: See page 287 for important product details that may help with your purchase decision.

					
Mahogany	Mahogany	Oak	Oak	Oak	Oak
FCM116 WBDR Options 12"x 6'8" (7'0") 14"x 6'8"	FCM678SL WBDR Options 12"x 6'8" 14"x 6'8"	FCM678SL WBDR Options 12"x 8'0" 14"x 8'0"	FC678 WBDR Options 12"x 6'8" 12"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")	FC8678 WBDR Options 12"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8" (7'0")	FC116 WBDR Options 12"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")
FC8678SL WBDR Options 12"x 6'8" 14"x 6'8"	FC8678SL WBDR Options 12"x 8'0" 14"x 8'0"	FC8678SL WBDR Options 12"x 8'0" 14"x 8'0"	FC8678SL WBDR Options 12"x 8'0" 14"x 8'0"	FC8678SL WBDR Options 12"x 8'0" 14"x 8'0"	FC8678SL WBDR Options 12"x 8'0" 14"x 8'0"

					
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S132 WBDR Options 12"x 6'8" 14"x 6'8" 3'0"x 8'0"	S8132 WBDR Options 12"x 6'8" 14"x 6'8" 3'0"x 8'0"	S6035 WBDR Options 12"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 8'0"	S86035 WBDR Options 12"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 8'0"	S6055 WBDR Options 12"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	S131 WBDR Options 12"x 6'8" 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")
S971 WBDR Options 12"x 6'8" 14"x 6'8" 3'0"x 8'0"	S8971 WBDR Options 12"x 6'8" 14"x 6'8" 3'0"x 8'0"	S132SL WBDR Options 12"x 6'8" 14"x 6'8" 3'0"x 8'0"	S8132SL WBDR Options 12"x 6'8" 14"x 6'8" 3'0"x 8'0"		

Screen Vented Lites*

			
Smooth	Smooth	Smooth	Smooth
S243 WBDR Options 12"x 6'8" (7'0") 14"x 6'8" 3'0"x 8'0"	S6034 WBDR Options 12"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")	S6054 WBDR Options 12"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	S137 WBDR Options 12"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")


Key

- No Stile Lines
- ★ WBDR Options
- ◆ Low-E Glass (LE)
- ▲ NEW Scrolled & Flat Advanta Lite Frame
- Elevated 10" Bottom Rail Options

Clear Glass with Divided Lites



Mahogany

FCM8322
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Mahogany

FCM8323
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Mahogany

FCM8324
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Mahogany

FCM65
2'8"x 6'8"
2'10"x 8'0"
3'0"x 8'0"

Mahogany

FCM6022
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Mahogany

FCM6042
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Mahogany

FCM8321
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Mahogany

FCM8675SL
12"x 8'0"
14"x 8'0"

Mahogany

FCM65SL
12"x 6'8"
14"x 6'8"

Mahogany

FCM7125SL
12"x 8'0"
14"x 8'0"

Mahogany

FCM3487SL
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Mahogany

FCM1408
2'8"x 6'8"
2'10"x 8'0"
3'0"x 8'0"

Mahogany

FCM1405
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Mahogany

FCM1406
12"x 6'8"
14"x 8'0"

Oak

FC8322
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Oak

FC8323
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Oak

FC8324
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Oak



FC65
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Oak

FC8321
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Oak

FC8318
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"FC8319
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"





Clear Glass with Divided Lites *Continues on next page.*

Key

- ☀ Low-E Glass (LE)
- 旗帜 Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Fixed Grilles (FXG)
- ◆ NEW Scrolled & Flat Advanta Lite Frame
- ◆ WBDR Options
- ◆ WBDR / HVHZ Options

- ◆ Fixed Grilles (FXG)
- ◆ NEW Scrolled & Flat Advanta Lite Frame
- ◆ WBDR Options
- ◆ WBDR / HVHZ Options

- ◆ Elevated 10" Bottom Rail Options

Clear Glass with Divided Lites *Continued*

Clear Glass



Note: See page 287 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, Clear Glass with GBGs, Door – S8326, Finish – Onyx

Oak

FC670
■ * 6 E
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Oak

81971P
■ * 6 E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Oak

FC48SL
■ * 6 E
12"x 6'8"
14"x 6'8"

81929PSL
■ * 6 E
12"x 8'0"
14"x 8'0"

Smooth

S206
■ * 6 E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Smooth

S81929P
■ * 6 E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Smooth

S6021
■ * 6 E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Smooth

S86021
■ * 6 E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Smooth

S6041
■ * 6 E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Smooth

S104
■ * 6 E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Smooth

S105
■ * 6 E
2'8"x 6'8"
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Smooth

S30
■ * 6 E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Smooth

S830
■ * 6 E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Smooth

S210SL
■ * 6 E
12"x 6'8"
14"x 6'8"

Smooth

S85910SL
■ * 6 E
12"x 8'0"
14"x 8'0"

Key

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)


- NEW Scrolled & Flat Advanta Lite Frame
- WBDR Options
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

Twin 1/2 Lites



Transoms

For transoms, see page 211.



Blackstone® ◆◆



Smooth

S6013

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Sedona ◆◆




Smooth

S294

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Salinas® X



Smooth

S6014

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Maple Park® ◆◆



Smooth

S6104

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Saratoga™ ◆◆



Smooth

S291

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Wellesley™ ◆◆◆



Smooth

S292

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Riserva® X



Smooth

S585

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Concorde™ ◆◆◆



Smooth

S430

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass options. For details on glass options, see page 125.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

Note: See page 287 for important product details that may help with your purchase decision.

Center Lites



Transoms

For transoms, see page 211.



Blackstone ◆◆◆



Oak
FC80943
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
FC86243
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth
S9343
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth
S83143
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Sedona ◆◆◆



Oak
FC80952
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
FC86252
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth
S9352
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Salinas ◆◆◆



Smooth
S83152
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak
FC80953
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
FC86253
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth
S9353
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth
S83153
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Maple Park ◆◆◆



Oak
FC80955
2'8" x 6'8"
2'10" x 8'0"
3'0" x 6'8"



Oak
FC86255
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Note: See page 287 for important product details that may help with your purchase decision.

Top: Smooth-Star, Salinas Glass, Door – S9353, Sidelites – S6008SL, Finish – Canyon



Smooth

S9355
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83155
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC80954
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86254
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9354
2'8" x 6'8"
2'10" x 6'8"
3'0" x 8'0"



Smooth

S83154
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Wellesley™



Oak

FC80949
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86249
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9349
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83149
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Riserva®



Oak

FC507
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC549
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S507
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Concorde™



Smooth

S549
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC80947
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86247
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9347
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83147
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Kensington™



Oak

FC80942
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86242
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Key

◆ Black Nickel Caming (1D)
■ Brushed Nickel Caming (1C)
◆ Brass Caming (1A)

◆ Wrought Iron (1W)
■ NEW Scrolled & Flat
Advanta Lite Frame
◆ WBDR / HVHZ Options

Kensington Continues on next page.

Kensington™ *Continued*

Smooth

S9342

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S83142

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"**Pembroke**™ 

Oak

FC6534

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC86533

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6534

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S86533

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"**Axis** 

Oak

FC1655

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC81649

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S1655

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S81649

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"**NEW Calix** 

Oak

FC393

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S393

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"**Privacy & Textured Glass with Divided Lites**

Smooth

S8390

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC809203

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC862203

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S93203

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S831203

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded
XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass
XN = Granite

Privacy & Textured Glass



Internal Blinds




Fiber-Classic® & Smooth-Star®

Clear Glass with Divided Lites



Clear Glass



Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)

- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)

- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)

- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame
- WBDR / HVHZ Options

Craftsman Lites



Transoms

For transoms, see page 211.

Optional Dentil Shelves***



4-Block Dentil Shelf


Available for all Craftsman-style Fiber-Classic Mahogany Collection doors.



4-Block Dentil Shelf

Available for all Craftsman-style Smooth-Star doors.

Sedona ◆◆



Smooth

S2650*
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S82650*
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM604
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S604
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8604
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Maple Park ◆◆



Smooth

S2630**
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S82630**
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM609
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S609
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8609
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Saratoga™ ◆◆



Mahogany

FCM602
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S2660**
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S82660**
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S602
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8602
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Riserva® ◎



Mahogany

FCM508
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S2670**
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S82670**
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XE = Satin Etch

XJ = Chinchilla

XN = Granite

XC = Chord

XR = Rainglass

*Available with flat lite frame or Advanta flat lite frame only.

**Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.

***Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 287 for important product details that may help with your purchase decision.

Top: Smooth-Star, Calix Glass, Door- S3540, Finish – Arctic Ice



Smooth

S508	S8508
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Mahogany

FCM6520	S2640**
2'8" x 6'8"	2'8" x 6'8"
2'10" x 6'8"	2'10" x 6'8"
3'0" x 6'8"	3'0" x 6'8"



Smooth

S6520	S86520
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Mahogany

FCM1650
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

NEW Calix ◇ ◆ ◇



Smooth

S2620**	S82620**
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S1650	S81650
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Mahogany

FCM6975
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S3540**	S83540**
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S6975	S86975
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

Privacy & Textured Glass with Divided Lites



Mahogany

FCM605_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM606_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM607_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM608_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S605_	S8605_
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S606_	S8606_
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

Privacy & Textured Glass with Divided Lites Continues on next page.

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ◆ Wrought Iron (1W)

- Simulated Divided Lites (SDL)
- Flat Lite Frame
- NEW Scrolled & Flat Advanta Lite Frame

- NEW Scrolled Advanta Lite Frame
- NEW Flat Advanta Lite Frame
- WBDR Options

- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

Privacy & Textured Glass with Divided Lites



Smooth

S607—
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S8607—
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S608—
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S8608—
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass



Mahogany

FCM601—
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S2610*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S82610*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S601—
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S8600—
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Clear Glass with Divided Lites



Mahogany

FCM605
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM606
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM607
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM608
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S605—
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S8605—
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S606—
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S8606—
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Clear Glass



Smooth

S607—
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S8607—
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM601—
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S2610*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S82610*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S601—
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S8601—
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass options. For details on glass options, see page 125.

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

*Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.

Note: See page 287 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, Wellesley Glass, Door – S721



Mahogany

FCM735
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC735
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S735
E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Mahogany

FCM745
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC745
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Clear Glass with Divided Lites



Smooth

S745
E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Mahogany

FCM752
*♦♦♦♦
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC752
*♦♦♦♦
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S752
*♦♦♦♦ E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Mahogany

FCM704
*♦♦♦♦
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass



Oak

FC704
*♦♦♦♦
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S704
*♦♦♦ E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Mahogany

FCM708
*♦♦♦♦
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC708
*♦♦♦♦
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S708
*♦♦♦ E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Concorde™ ◇ ■ ◆



Oak

FC917
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Smooth

S454
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass with Divided Lites



Oak

FC23
*◆◆
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Smooth

S255
*◆◆
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass




Oak

FC803
*
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Smooth

S256
*
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass with Divided Lites



Smooth

S236
◆
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Smooth

S8317
◆
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

(Scalloped Lite Frame)

Pembridge™ ◇ ■ ◆



Mahogany

FCM6570
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Oak

FC6570
E
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 8'0"
2'10"x 6'8" (7'0")
3'0"x 8'0"
3'0"x 6'8" (7'0")

Smooth

S6570
E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S86570
E
2'6"x 8'0"
2'8"x 8'0" (7'0")
2'10"x 8'0"
3'0"x 8'0"

Axis® ◇



Mahogany

FCM1645
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Oak

FC1645
E
2'8"x 8'0"
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 8'0"
3'0"x 6'8" (7'0")

Smooth

S1645
E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 8'0"
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S81645
E
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Key

◆ Low-E Glass (LE)

◆ Black Nickel Caming (1D)

■ Brushed Nickel Caming (1C)

◆ Brass Caming (1A)

◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)

◆ Flat Almond Grilles Between Glass (GBGF)

◆ Flat Bronze Grilles Between Glass (GBGF)

◆ Fixed Grilles (FXG)

◆ NEW Scrolled & Flat Advanta Lite Frame

◆ Elevated 10" Bottom Rail Options

Privacy & Textured Glass



Mahogany

FCM61_
2'6"x 6'8" 2'8"x 8'0"
2'10"x 6'8" 2'10"x 8'0"
3'0"x 6'8" 3'0"x 8'0"



Oak

FC61_
2'6"x 6'8" (7'0") 2'8"x 8'0"
2'8"x 6'8" (7'0") 2'10"x 8'0"
2'10"x 6'8" (7'0") 3'0"x 8'0"



Smooth

S296_
2'6"x 6'8" 2'8"x 8'0"
2'8"x 6'8" (7'0") 2'8"x 8'0"
2'10"x 6'8" (7'0") 2'10"x 8'0"
3'0"x 6'8" (7'0") 3'0"x 8'0"

Clear Glass



Mahogany

FCM861_
2'8"x 6'8" 2'8"x 8'0"
2'10"x 6'8" 2'10"x 8'0"
3'0"x 6'8" 3'0"x 8'0"




Oak

FC61_
2'6"x 6'8" (7'0") 2'8"x 8'0"
2'8"x 6'8" (7'0") 2'10"x 8'0"
2'10"x 6'8" (7'0") 3'0"x 8'0"
3'0"x 6'8" (7'0")



Smooth


S296_
2'6"x 6'8" 2'8"x 8'0"
2'8"x 6'8" (7'0") 2'8"x 8'0"
2'10"x 6'8" (7'0") 2'10"x 8'0"
3'0"x 6'8" (7'0") 3'0"x 8'0"



Noise Reduction Doors

Therma-Tru® Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction doors also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.



S140STC
2'6"x 6'8" (7'0") 2'6"x 8'0"
2'8"x 6'8" (7'0") 2'8"x 8'0"
2'10"x 6'8" (7'0") 3'0"x 8'0"
3'0"x 6'8" (7'0")

S8140STC
2'6"x 6'8" (7'0") 2'8"x 8'0"
2'8"x 6'8" (7'0") 2'10"x 8'0"
2'10"x 6'8" (7'0") 3'0"x 8'0"
3'0"x 6'8" (7'0")

S141STC
2'6"x 6'8" (7'0") 2'8"x 8'0"
2'8"x 6'8" (7'0") 2'10"x 8'0"
2'10"x 6'8" (7'0") 3'0"x 8'0"
3'0"x 6'8" (7'0")

S6063STC
2'6"x 6'8" (7'0") 2'8"x 8'0"
2'8"x 6'8" (7'0") 2'10"x 8'0"
2'10"x 6'8" (7'0") 3'0"x 8'0"
3'0"x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite


Note: See page 287 for important product details that may help with your purchase decision.

Top: Smooth-Star, Clear Glass, Door – S296, Finish – Cypress
Right Page: Smooth-Star Door – S1100; Clear Glass, Sidelites – S2000SL, Finish – Granite



Transoms

For transoms,
see page 211.



							
Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	
FCM31	FCM220	FCM205	FCM755	FCM600	FCM60	FCM860	
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	
							
Mahogany	Oak	Oak	Oak	Oak	Oak	Oak	
FCM1000	FCM81000	FC31	FC809	FC755	FC862	FC60	FC860
2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'0" x 8'0" 2'4" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Key

- No Stile Lines
- Low-E Glass (LE)
- Flat White Grilles Between Glass Only (GBGFW)

- WBDR Options
- WBDR / HVHZ Options
- NEW Scrolled & Flat Advanta Lite Frame

- E Elevated 10" Bottom Rail Options

Oak	Smooth	Smooth	Smooth	Smooth
S1000 6 E 2'0" x 6'8" 2'4" x 6'8" Δ 2'6" x 6'8" Δ (7'0") 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	81000 6 E 2'0" x 8'0" 2'4" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0"	S93 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S45 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S220 6 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
2'4" x 6'8" Δ 2'6" x 6'8" Δ (7'0") 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	2'4" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0"	2'10" x 6'8" 3'0" x 6'8"	2'10" x 6'8" 3'0" x 8'0"	2'10" x 6'8" 3'0" x 8'0"
2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 8'0"
			S8200 6 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1100 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
			2'10" x 8'0"	S81100 6 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Smooth	Smooth	Smooth	Smooth	Smooth
S120 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8120 6 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S200 6 E 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S897 6 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S205 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
2'10" x 6'8" 3'0" x 6'8"	2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 8'0" 3'0" x 8'0"	2'10" x 8'0" 3'0" x 8'0"	2'10" x 8'0" 3'0" x 8'0"
		S201 6 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		S755 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
		2'10" x 8'0"		2'10" x 6'8" 3'0" x 6'8"
				S31 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
				S831 6 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Smooth	Smooth	Smooth	Smooth	Smooth
S960 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S4800 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84800 6 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8"	S600 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8600 6 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
2'10" x 6'8" 3'0" x 6'8"	2'10" x 6'8" 3'0" x 6'8"	2'10" x 8'0" 3'0" x 6'8"	2'10" x 8'0" 3'0" x 8'0"	S210 6 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
				S810 6 E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
				S100 6 E 2'0" x 6'8" Δ 2'4" x 6'8" Δ 2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"
				S81000 6 E 2'0" x 8'0" 2'4" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"

Transoms

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Blackstone® ◆◆◆



BSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Sedona ◆◆◆



19055T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



19520T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Salinas® X



SART
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Maple Park® ◆◆◆



FWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Saratoga™ ◆◆◆



19750T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19740T
3'0" Door Only

Wellesley™ ◆◆◆◆



19730T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19720T
3'0" Door Only

Riserva® X



RSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Concorde™ ◆◆◆◆



CNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Kensington™ ◆◆◆



KNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Pembridge™ ◆◆◆◆



PBRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Axis® ◆



AXRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

NEW Calix ◆◆◆◆



CXRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



CX30T
3'0" Door Only

NEW Latitude ◆◆◆◆



LTRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



LT30T
3'0" Door Only

NEW Echelon ◆◆◆◆



ECRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



EC30T
3'0" Door Only

Clear Glass



Grille Sticks Applied



19020T
*
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T
*
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T
*
3'0" Door Only



19210T
*
12" & 14" Sidelite Only

Key

- No Stile Lines
- ◆ Brass Caming (1A)
- ★ Low-E Glass (LE)
- ◆ Wrought Iron (1W)
- ◆ Black Nickel Caming (1D)
- ◆ WBDR Options
- Brushed Nickel Caming (1C)
- ◆ WBDR / HVHZ Options

- ◆ 6'6" Height Available
- ◆ Elevated 10" Bottom Rail Options

Hinged Patio Doors

Fiber-Classic®, Smooth-Star®, Profiles™ & Traditions



Flexible options for any home.

Our Fiber-Classic, Smooth-Star, Profiles and Traditions product lines extend to the patio with a wide assortment of options that combine form and function. Explore convenient options to control natural light and privacy, complement window grid patterns and more, all backed by Therma-Tru's outstanding warranties.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Fiber-Classic Oak Collection, Clear Glass, Doors – FC10, Finish – Barley
Bottom: Smooth-Star, Clear Glass, Doors – S118



Door Selections



Fiber-Classic®
Mahogany
Collection™



Fiber-Classic®
Oak Collection™



Smooth-Star®




Profiles™ & Traditions

(Wood-grained images shown in Driftwood stain.)

Glass Selections



Internal Blinds



Low-E / Clear

Divided Lites

For details on divided lite options,
see pages 126–127.



Simulated
Divided
Lites



Grilles
Between
Glass



Fixed
Grilles

Retractable Screen Doors

With a discreet, hidden design, retractable screen doors allow fresh air and natural light inside while keeping debris and insects out. Available for single and french inswing configurations. See pages 46–47 for details.

Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

EnLiten™ Flush-Glazed Warranty Riders

See page 129 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.

■ = Available	Fiber-Classic®	Smooth-Star®	Profiles™	Traditions
Door Selections				
Material	Fiberglass	Fiberglass	Steel	Steel
Warranty	Lifetime	Lifetime	10 Years	Door: 5 Years Glass: 10 Years
Finish Options	Stain or Paint	Paint	Paint	Paint
Flush-Glazed Glass Selections				
Internal Blinds ▲	■	■		
Low-E Glass with and without Divided Lites ▲	■	■		
Clear Glass with and without Divided Lites ▲	■	■		
Privacy & Textured Glass with and without Divided Lites ▲	■	■		
Lip-Lite Glass Selections				
Internal Blinds	■	■	■	■
Low-E Glass with and without Divided Lites	■	■	■	■
Clear Glass with and without Divided Lites	■	■	■	■
Privacy & Textured Glass with and without Divided Lites	■	■	■	■
Available Sizes				
Heights	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"
Single Widths	2'0"-3'0"	2'0"-3'0"	2'0"-3'0"	2'0"-3'0"
Double Widths	4'0"-6'0"	4'0"-6'0"	4'0"-6'0"	4'0"-6'0"
Triple Widths	6'0"-9'0"	6'0"-9'0"	6'0"-9'0"	6'0"-9'0"
Retrofit Openings	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"
Additional Options				
Vented Sidelites (Single / Double Widths)	6'6", 6'8", 8'0" Heights in 2'4"-6'0" Widths	6'6", 6'8", 8'0" Heights in 2'4"-6'0" Widths		
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options	■	■	■	■
Tru-Defense Eligible	■	■		

EnLiten™ Flush-Glazed Internal Blinds

Hinged Patio Doors




Available Collections

- Smooth-Star®

Available Door Styles



Available Configurations




Internal Blinds




Available Collections

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

Available Door Styles



Available Configurations



Colonial Style




Available Collections

- Fiber-Classic® Oak
- Smooth-Star®

Available Door Styles



Available Configurations




Prairie Style




Available Collections

- Fiber-Classic® Oak
- Smooth-Star®

Available Door Styles



Available Configurations



EnLitén™ Flush-Glazed Low-E / Clear Glass


Hinged Patio Doors




Available Collections

- Fiber-Classic® Oak
- Smooth-Star®

Available Door Styles



Available Configurations



Low-E / Clear Glass with Divided Lites

Colonial Style




Available Collections


- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

Available Door Styles




Available Configurations





Prairie Style**Available Configurations****Available Collections**

- Fiber-Classic. Mahogany
- Fiber-Classic. Oak
- Smooth-Star.
- Profiles.™
- Traditions

Available Door Styles**Low-E / Clear Glass****Available Collections**

- Fiber-Classic. Mahogany
- Fiber-Classic. Oak
- Smooth-Star.
- Profiles.™
- Traditions

Available Door Styles**Available Configurations**

Profiles™ Steel Doors



Versatile, affordable options.

Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Traditions Steel Doors



Back to basics.

It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.

Top: Traditions Door – TS210
Bottom: Traditions, Satin Etch Glass, Doors – TS289XE



Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-1/4" lock stiles.
- 12-1/2" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.



WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*



20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 242-245.



Profiles™ Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.



Door & Glass

Traditions Steel

Features 25-gauge steel, standard embossed smooth surface. All 8'0" doors are 24-gauge steel with standard embossments.



Door

Glass

■ = Available
● = Not Applicable
P = Paint

Profiles™	Traditions
-----------	------------

Door Widths

2'0"	■	■
2'4"	■	■
2'6"	■	■
2'8"	■	■
2'10"	■	■
3'0"	■	■
3'6"	■	●

Door Heights

6'6"	■	■
6'8"	■	■
7'0"	■	●
8'0"	●	■

Glass Options

Decorative	16	16
Privacy & Textured	6	6
Internal Blinds	■	■
Screen Vented Lites	■	■
Simulated Divided Lites	■	■
Grilles Between Glass	■	■
Fixed Grilles	■	■
Low-E	■	■
Clear	■	■

Frame Options

NEW Advanta™ Lite Frame	■	■
Standard Lite Frame	■	■
Impact Lite Frame	■	■

Additional Options

Finish	P	P
--------	---	---

Retrofit Hinged Patio Doors

Replacing common slider sizes?

Find hinged patio door options on pages 212-217.

5'0" Patio Opening = (2) 2'4" Doors

6'0" Patio Opening = (2) 2'10" Doors


*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

**Decorative glass designs are shown in Profiles only.

***Brass caming not available for Impact.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs, limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

Decorative & Specialty Glass Designs**



Black Nickel Brushed Nickel

Blackstone

Glass Privacy Rating: **7**



Black Nickel Brushed Nickel

Crystalline™

Glass Privacy Rating: **7**



Black Nickel Brushed Nickel

Sedona

Glass Privacy Rating: **7**



Wrought Iron

Salinas


Glass Privacy Rating: **10**



Black Nickel Brushed Nickel

Maple Park


Glass Privacy Rating: **6**



Black Nickel Brushed Nickel

Saratoga™


Glass Privacy Rating: **7**



Black Nickel Brushed Nickel

Texas Star

Glass Privacy Rating: **5**



Brushed Nickel

Black Nickel Brass

Wellesley™
Glass Privacy Rating: **6**



Wrought Iron

Riserva
Glass Privacy Rating: **10**



Brushed Nickel

Black Nickel Brass

Concorde™

Glass Privacy Rating: **8**



Black Nickel Brushed Nickel

Kensington

Glass Privacy Rating: **8**



Brushed Nickel


Black Nickel Brass***

Pembridge™
Glass Privacy Rating: **7**



Black Nickel

Axis
Glass Privacy Rating: **7**




Brushed Nickel

Black Nickel Brass

NEW Calix

Glass Privacy Rating: **1**




Brushed Nickel

Black Nickel Brass

NEW Latitude

Glass Privacy Rating: **2**



Brushed Nickel

Black Nickel Brass

NEW Echelon

Glass Privacy Rating: **1**

Also Available:

Internal Blinds
Screen Vented


Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque

Privacy & Textured Glass



Reeded (XK)
Glass Privacy Rating: **7**



Satin Etch (XE)
Glass Privacy Rating: **10**



Chord (XC)
Glass Privacy Rating: **10**



Chinchilla (XJ)
Glass Privacy Rating: **10**



Rainglass (XR)
Glass Privacy Rating: **8**



Granite (XN)
Glass Privacy Rating: **10**

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque

Also Available:

Divided Lites
Clear Glass



Note: See page 287 for important product details that may help with your purchase decision.

Bottom: Profiles, Salinas Glass, Door – 968HD, Sidelites – 971SLHD

Full Lites

Blackstone®



310
2'6" x 6'8" Δ (7'0")
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")



310SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Crystalline™



916
2'8" x 6'8" (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")



916SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Sedona



139
2'6" x 6'8" Δ (7'0")
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")



139SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Salinas



369
2'6" x 6'8" Δ (7'0")
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")



369SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Maple Park®



1006
2'8" x 6'8" (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")



1006SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Saratoga™



610
2'6" x 6'8" Δ (7'0")
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")



610SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Texas Star



1029
2'8" x 6'8" (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")



1029SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Wellesley™



620
2'6" x 6'8" Δ (7'0")
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")



620SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Riserva®



571
2'6" x 6'8" Δ (7'0")
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")



TS572SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)
- ✗ Wrought Iron (1W)

- NEW Scrolled & Flat Advanta Lite Frame
- ❖ WBDR / HVHZ Options
- ▲ 6'6" Height Available

Concorde™

1028
2'6" x 6'8" Δ (7'0")
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")



416SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Kensington™

626
2'8" x 6'8" (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")




626SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Pembridge™

6500HD
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")



6500SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Axis™

1651HD
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")



1651SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

NEW Calix

2389HD
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")



2389SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

NEW Latitude

TS2382
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")



2382SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

NEW Echelon

2385HD
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")



2385SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Privacy & Textured Glass with Divided Lites

128
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")



108
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")



6184_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")
3'6" x 6'8" (7'0")



6185_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



6186_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



632_SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 222.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Not available with Reeded (XK) glass.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 287 for important product details that may help with your purchase decision.

Privacy & Textured Glass



118
 2'8"x 6'8" Δ (7'0")
 2'10"x 6'8" Δ (7'0")
 3'0"x 6'8" Δ (7'0")
 3'6"x 6'8" (7'0")



100 SL
 10"x 6'8"
 12"x 6'8" (7'0")
 14"x 6'8" (7'0")

Internal Blinds



130
 2'4"x 6'8" Δ
 2'6"x 6'8" Δ (7'0")
 2'8"x 6'8" Δ (7'0")
 2'10"x 6'8" Δ (7'0")
 3'0"x 6'8" Δ (7'0")
 3'6"x 6'8" (7'0")



130SL
 10"x 6'8"
 12"x 6'8" (7'0")
 14"x 6'8" (7'0")

Clear Glass with Divided Lites



1201
 2'6"x 6'8" Δ (7'0")
 2'8"x 6'8" Δ (7'0")
 2'10"x 6'8" Δ (7'0")
 3'0"x 6'8" Δ (7'0")
 3'6"x 6'8" (7'0")



1202
 2'6"x 6'8" Δ (7'0")
 2'8"x 6'8" Δ (7'0")
 2'10"x 6'8" Δ (7'0")
 3'0"x 6'8" Δ (7'0")
 3'6"x 6'8" (7'0")



1203
 2'6"x 6'8" Δ (7'0")
 2'8"x 6'8" Δ (7'0")
 2'10"x 6'8" Δ (7'0")
 3'0"x 6'8" Δ (7'0")
 3'6"x 6'8" (7'0")



128
 2'6"x 6'8" Δ (7'0")
 2'8"x 6'8" Δ (7'0")
 2'10"x 6'8" Δ (7'0")
 3'0"x 6'8" Δ (7'0")
 3'6"x 6'8" (7'0")



1200
 2'6"x 6'8" Δ (7'0")
 2'8"x 6'8" Δ (7'0")
 2'10"x 6'8" Δ (7'0")
 3'0"x 6'8" Δ (7'0")
 3'6"x 6'8" (7'0")



108
 2'6"x 6'8" Δ (7'0")
 2'8"x 6'8" Δ (7'0")
 2'10"x 6'8" Δ (7'0")
 3'0"x 6'8" Δ (7'0")
 3'6"x 6'8" (7'0")



1201SL
 10"x 6'8"
 12"x 6'8" (7'0")
 14"x 6'8" (7'0")



1202SL
 10"x 6'8"
 12"x 6'8" (7'0")
 14"x 6'8" (7'0")



1200SL
 10"x 6'8"
 12"x 6'8" (7'0")
 14"x 6'8" (7'0")



632SL
 10"x 6'8"
 12"x 6'8" (7'0")
 14"x 6'8" (7'0")



6184SL
 10"x 6'8"
 12"x 6'8" (7'0")
 14"x 6'8" (7'0")



6185SL
 10"x 6'8"
 12"x 6'8" (7'0")
 14"x 6'8" (7'0")



6186SL
 10"x 6'8"
 12"x 6'8" (7'0")
 14"x 6'8" (7'0")



198
 2'6"x 6'8" Δ (7'0")
 2'8"x 6'8" Δ (7'0")
 2'10"x 6'8" Δ (7'0")
 3'0"x 6'8" Δ (7'0")
 3'6"x 6'8" (7'0")



198SL
 10"x 6'8"
 12"x 6'8" (7'0")
 14"x 6'8" (7'0")

Clear Glass



118
 2'0"x 6'8" ▼
 2'4"x 6'8" Δ
 2'6"x 6'8" Δ (7'0")
 2'8"x 6'8" Δ (7'0")
 2'10"x 6'8" Δ (7'0")
 3'0"x 6'8" Δ (7'0")
 3'6"x 6'8" (7'0")



100SL
 10"x 6'8"
 12"x 6'8" (7'0")
 14"x 6'8" (7'0")

Key

- Low-E Glass (LE)
- Turtle Glass
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)

- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

- Fixed Grilles (FXG)
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame

- WBDR / HVHZ Options
- 6'6" Height Available
- PVC Doorlite Frame**

Blackstone

1037HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1037SLHD

12" x 6'8"
14" x 6'8"**Crystalline™**

1042HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

956SLHD

12" x 6'8"
14" x 6'8"**Sedona**

965HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

965SLHD

12" x 6'8"
14" x 6'8"**Salinas**

968HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

971SLHD

12" x 6'8"
14" x 6'8"**Maple Park**

1009HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1009SLHD

12" x 6'8"
14" x 6'8"**Saratoga™**

1039HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1039SLHD

12" x 6'8"
14" x 6'8"**Texas Star**

1040HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1040SLHD

12" x 6'8"
14" x 6'8"**Wellesley™**

1041HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1041SLHD

12" x 6'8"
14" x 6'8"**Riserva**

544HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

546SLHD

12" x 6'8"
14" x 6'8"**Concorde™**

967HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

967SLHD

12" x 6'8"
14" x 6'8"**Kensington™**

03142HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

966SLHD

12" x 6'8"
14" x 6'8"**Pembridge™**

6582HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

6580SLHD

12" x 6'8"
14" x 6'8"**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 222.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

Axis.1644HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"1644SLHD
12" x 6'8"
14" x 6'8"**NEW Calix**

NEW

391HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"391SLHD
12" x 6'8"
14" x 6'8"**NEW Latitude**

NEW

469HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"469SLHD
12" x 6'8"
14" x 6'8"**Privacy & Textured Glass**961HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"959HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"6720HD_SL
12" x 6'8"
14" x 6'8"959HD_SL
12" x 6'8"
14" x 6'8"**Internal Blinds**5425
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"5425SL
12" x 6'8"
14" x 6'8"**Clear Glass with Divided Lites**2109HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"2110HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"**Clear Glass**2111HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"961HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"1089SLHD
12" x 6'8"
14" x 6'8"4572SLHD
12" x 6'8"
14" x 6'8"6720SLHD
12" x 6'8"
14" x 6'8"1403HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"1400SLHD
12" x 6'8"
14" x 6'8"959HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"959SLHD
12" x 6'8"
14" x 6'8"**Key**

★ Low-E Glass (LE)

◆ Black Nickel Caming (1D)

■ Brushed Nickel Caming (1C)

◆ Brass Caming (1A)

◆ Wrought Iron (1W)

■ Simulated Divided Lites (SDL)

◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)

◆ Flat Almond Grilles Between Glass (GBGF / GBGC)

◆ Flat Bronze Grilles Between Glass (GBGF / GBGC)

◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

■ NEW Scrolled & Flat Advanta Lite Frame

■ NEW Scrolled Advanta Lite Frame

◆ WBDR / HVHZ Options

Oval Lites

Blackstone



1025HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Wellesley™



1022HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Concorde™



1024HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Kensington™



630HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Pembridge™



6578HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass



1020HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

1/2 Lites

Blackstone



309HD
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



1001HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1117HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



311SLHD
12"x 6'8" (7'0")
14"x 6'8" (7'0")
3'0"x 6'8"

Sedona



211HD
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



996HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1114HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



294SLHD
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Salinas



374HD
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



1002HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1115HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



371SLHD
12"x 6'8" (7'0")
14"x 6'8" (7'0")
3'0"x 6'8"

Maple Park



1007HD
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



1011HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1116HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1007SLHD
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Saratoga™

613HD
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



988HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1112HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



615SLHD
12"x 6'8" (7'0")
14"x 6'8" (7'0")
3'0"x 6'8"

Texas Star

1032HD
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



1035HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1111HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Wellesley™

623HD
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



989HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1120HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



625SLHD
12"x 6'8" (7'0")
14"x 6'8" (7'0")
3'0"x 6'8"

Riserva™

582HD
2'8"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



576HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



578HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



584SLHD
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Concorde™

426HD
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



999HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1118HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



430SLHD
12"x 6'8" (7'0")
14"x 6'8" (7'0")
3'0"x 6'8"

Kensington™

627HD
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



631HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1113HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



628SLHD
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Key

★ Low-E Glass (LE)

◆ Black Nickel Caming (1D)

■ Brushed Nickel Caming (1C)

◆ Brass Caming (1A)

✗ Wrought Iron (1W)

■ NEW Scrolled & Flat Advanta Lite Frame

WBDR / HVHZ Options

Pembridge™

6560HD
12" x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



6565HD
12" x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



6568HD
12" x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



6565SLHD
12" x 6'8" (7'0")
14"x 6'8" (7'0")
3'0"x 6'8"

Axis.

1660HD
12" x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")




1657HD
12" x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1659HD
12" x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1657SLHD
12" x 6'8" (7'0")
14"x 6'8" (7'0")
3'0"x 6'8"

NEW Calix

835HD
12" x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



395HD
12" x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



397HD
12" x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



395LHD
12" x 6'8" (7'0")
14"x 6'8" (7'0")
3'0"x 6'8"

Privacy & Textured Glass with Divided Lites

262HD
12" x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



982HD
12" x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1123HD
12" x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



263SLHD
12" x 6'8" (7'0")
14"x 6'8" (7'0")
3'0"x 6'8"

Privacy & Textured Glass

206HD
12" x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



980HD
12" x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1101_HD
12" x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



104_E
12" x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



210SLHD
12" x 6'8" (7'0")
14"x 6'8" (7'0")
3'0"x 6'8"



132HD
12" x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



984HD
12" x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 222.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite


*Features a gliding operation and sash locking system.

Note: See page 287 for important product details that may help with your purchase decision.

Screen Vented Lites*



Clear Glass with Divided Lites



Clear Glass



Key

- ◆ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

- ◆ Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)

- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)

- ◆ NEW Scrolled & Flat Advanta Lite Frame
- ◆ NEW Scrolled Advanta Lite Frame
- ◆ WBDR / HVHZ Options

- ◆ Elevated 10" Bottom Rail Options

Twin 1/2 Lites

Blackstone

311HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")**Sedona**

294HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")**Salinas**

371HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")**Maple Park**

1008HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")**Saratoga™**

615HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")**Wellesley™**

625HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")**Riserva**


588HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")**Concorde™**

430HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")**Kensington™**


628HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")**Pembridge™**

6572HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")**Axis**

1662HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")**NEW Calix**

396HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")**Privacy & Textured Glass**

263HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

289HD

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 222.

XK = Reeded
XE = Satin EtchXC = Chord
XJ = ChinchillaXR = Rainglass
XN = Granite

*Not available with Reeded (XK) glass.

Note: See page 287 for important product details that may help with your purchase decision.

Clear Glass with Divided Lites

263HD
* 2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



1411HD
* 2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Clear Glass

289HD
* 2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Craftsman Lites**Sedona**

604HD
* 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Maple Park

609HD
* 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Saratoga™

602HD
* 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Riserva

508HD
* 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Pembridge™

6520HD
* 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Axis

1650HD
* 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

NEW Calix

6975HD
* 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Privacy & Textured Glass with Divided Lites

605HD_*
* 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



606HD_*
* 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



607HD_*
* 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



608HD_*
* 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Key

★ Low-E Glass (LE)

◆ Black Nickel Caming (1D)

■ Brushed Nickel Caming (1C)

◆ Brass Caming (1A)

◆ Wrought Iron (1W)

■ Simulated Divided Lites (SDL)

◆ Flat or Contour White Grilles

◆ Flat or Contour Black Grilles

◆ Flat Almond Grilles Between Glass (GBGF)

◆ Flat Bronze Grilles Between Glass (GBGF)

◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

◆ Fixed Grilles (FXG)

◆ NEW Scrolled & Flat Advanta Lite Frame

◆ NEW Scrolled Advanta Lite Frame

◆ WBDR / HVHZ Options

Privacy & Textured Glass

601_HD*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass with Divided Lites

605HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



606HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



607HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



608HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass

601HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Minimal Lites**Maple Park**

736HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Saratoga™

707HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Wellesley™

721HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Concorde™

735HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Pembroke

745HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Clear Glass with Divided Lites

752HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



704HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Clear Glass

708HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Concorde™

454HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 222.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Not available with Reeded (XK) glass.

Note: See page 287 for important product details that may help with your purchase decision.

Clear Glass
with Divided Lites255HD
*♦◆
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")**Clear Glass**256HD
*
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")**Clear Glass**
with Divided Lites236HD
◆
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")237HD
*◆
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
(Scalloped Lite Frame)**Pembridge™**6570HD
*
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")6570SLHD
*
12"x 6'8" (7'0")
14"x 6'8" (7'0")**Axis.**1643HD
*
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")1643SLHD
*
12"x 6'8" (7'0")
14"x 6'8" (7'0")**Privacy &
Textured Glass**296HD
*
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")296SLHD
*
12"x 6'8" (7'0")
14"x 6'8" (7'0")**Clear Glass**296HD
*
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")296SLHD
*
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Solid Panels

969HD
*
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"978HD
*
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"1005HD
*
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"205HD
*
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"203HD
*
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"210HD
*
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")100
*E
2'0"x 6'8"
2'4"x 6'8" $\frac{1}{2}$
2'6"x 6'8" $\frac{1}{2}$ (7'0")
2'8"x 6'8" $\frac{1}{2}$ (7'0")
2'10"x 6'8" $\frac{1}{2}$ (7'0")
3'0"x 6'8" $\frac{1}{2}$ (7'0")
3'6"x 6'8" (7'0")**Key**

* Low-E Glass (LE)

◆ Black Nickel Caming (1D)

■ Brushed Nickel Caming (1C)

♦ Brass Caming (1A)

* Simulated Divided Lites (SDL)

◆ Flat or Contour White Grilles

Between Glass (GBGF / GBGC)

♦ Flat Almond Grilles

Between Glass (GBGF)

◆ Flat Bronze Grilles

Between Glass (GBGF)

◆ Fixed Grilles (FXG)

* NEW Scrolled & Flat

Advanta Lite Frame

◆ NEW Scrolled Advanta Lite Frame

WBDR / HVHZ Options

E Elevated 10" Bottom

Rail Options

Full Lites

Privacy & Textured Glass with Divided Lites



TS128_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS108_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"




6184_SL*
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



6185_SL*
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



6186_SL*
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



632_SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Privacy & Textured Glass



TS118_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

818_
2'6"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Privacy & Textured Glass



100_SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

818_SL
12"x 8'0"
14"x 8'0"

Internal Blinds



TS130
2'4"x 6'8"
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



829
2'6"x 8'0"
2'8"x 8'0"
10"x 6'8"
12"x 6'8" (7'0")
14"x 8'0"

Clear Glass with Divided Lites

Clear Glass with Divided Lites



TS1201
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS1202
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS1203
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS128
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS1200
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS108
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



828
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



808
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



1201SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



1202SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



1200SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 222.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Not available with Reeded (XK) glass.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 287 for important product details that may help with your purchase decision.

**Clear Glass**

1/2 Lites

Privacy & Textured
Glass with Divided Lites**Privacy & Textured Glass****Key**

- Low-E Glass (LE)
- Turtle Glass
- Simulated Divided Lites (SDL)

- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Flat Bronze Grilles Between Glass (GBGF)
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- PVC Doorlite Frame**

Internal Blinds

TS132
★ 6
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8132
★ 6
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"
3'0"x 6'8"



TS131
★ 6 E
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS132SL
★ 6
12"x 6'8"
14"x 6'8"

Screen Vented Lites*

TS243
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS137
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass with Divided Lites

8322
★ 6
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



8323
★ 6
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



8324
★ 6
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



TS262
★ 6
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



8321
★ 6
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



TS115
★ E
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS263SL
★ 6
12"x 6'8"
14"x 6'8"

Clear Glass

TS1408
★ 6
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



8145
★ 6
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



TS1405SL
★ 6
12"x 6'8"
14"x 6'8"



TS206
★ 6
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



8206
★ 6
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



TS104
★ 6 E
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS105
★ E
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS210SL
★ 6
12"x 6'8"
14"x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 222.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Features a gliding operation and sash locking system.

Note: See page 287 for important product details that may help with your purchase decision.

Right Page: Traditions, Satin Etch Glass, Doors – TS289XE

Twin 1/2 Lites

Privacy & Textured Glass with Divided Lites



TS263_

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Privacy & Textured Glass



TS289_

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass with Divided Lites



TS263

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS1411

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass



TS289

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Minimal Lites

Privacy & Textured Glass



TS296_

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

896_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

TS296_SL

12" x 6'8"
14" x 6'8"

Clear Glass with Divided Lites



TS752

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS704

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS255

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS236

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8317

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Clear Glass with Divided Lites *Continues on next page.*

Key

- ★ Low-E Glass (LE)
- ◆ Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)

- ◆ Flat Almond Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Bronze Grilles Between Glass (GBGF)

- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)
- ◆ NEW Scrolled & Flat Advanta Lite Frame

- ◆ NEW Scrolled Advanta Lite Frame
- ◆ WBDR / HVHZ Options
- ◆ E Elevated 10" Bottom Rail Options

Clear Glass
 with Divided Lites

TS237
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
 (Scalloped Lite Frame)

Clear Glass

TS708
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

8708
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"


TS256
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"


TS296
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

896
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

TS296SL
 12" x 6'8"
 14" x 6'8"

Solid Panels

TS210
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

810
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

TS100
 2'0" x 6'8"
 2'4" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

800
 2'0" x 8'0"
 2'4" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 222.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

Transoms

Transoms can be painted to match a Profiles™ or Traditions door system.

Blackstone ◆◆◆



BSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Sedona ◆◆◆



19055T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



19520T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Salinas X



SART
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Maple Park ◆◆◆



FWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Saratoga™ ◆◆◆



19750T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19740T
3'0" Door Only

Wellesley™ ◆◆◆◆



19730T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19720T
3'0" Door Only

Riserva X



RSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Concorde™ ◆◆◆◆



CNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Kensington™ ◆◆◆



KNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Pembridge™ ◆◆◆◆



PBRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Axis® ◆



AXRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

NEW Calix ◆◆◆◆



CXRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



CX30T
3'0" Door Only

NEW Latitude ◆◆◆◆



LTRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



LT30T
3'0" Door Only

NEW Echelon ◆◆◆◆



ECRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



EC30T
3'0" Door Only

Clear Glass



Grille Sticks Applied




19020T
*
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T
*
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T
*
3'0" Door Only



19210T
*
12" & 14" Sidelite Only

Key

- ◆ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

- X Wrought Iron (1W)
- ◆ Fixed Grilles (FXG)
- ◆ NEW Scrolled & Flat Advanta Lite Frame

- ◆ WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Fire Doors

Smooth-Star® & Steel




Intertek

Therma-Tru offers an industry-leading selection of Fire-rated doors certified to carry the Warnock Hersey Mark.

Therma-Tru® Fire-Rated Doors

From smooth to wood-grained, Therma-Tru offers products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.* Explore a wide variety of 20-minute Fire-rated fiberglass and steel door styles.

- Fiber-Classic and Smooth-Star 20-minute Fire-rated fiberglass doors are now constructed with a polyurethane foam core that reduces overall door slab weight by 45% for easier handling and installation.**



20-Minute Fire-Rated Fiberglass Doors

- Tested to withstand a minimum of 20-minutes of fire exposure with temperatures that reach more than 1,400 degrees Fahrenheit.
- Features a 20-minute positive pressure rating.
- Certified by Intertek, Warnock Hersey for mortise lock use and features a wide lock stile to provide proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- More durable than steel, and resist dents, scratches and rust, making them ideal for high-traffic, heavy-use environments.
- Features full-length lock side blocking, as well as blocking for panic and closure applications.
- Ideal for hotels, apartments, office buildings and other applications with security locks and card readers.


Additional Options

- Solid-panel steel wood-edge doors also available with the 20-minute Fire-rated label, starting on page 245.

For California Projects

Therma-Tru Fiber-Classic and Smooth-Star 20-minute Fire-rated fiberglass doors meet or exceed building codes and regulations specific to the state of California, including:

- ✓ California Wildland Urban Interface (WUI) requirements.
- ✓ California Air Resources Board (CARB) formaldehyde regulations.
- ✓ California State Fire Marshall test CA SFM 12-7A-1.



For Florida Projects

Therma-Tru Fiber-Classic and Smooth-Star foam core 20-minute Fire-rated fiberglass doors include options to meet building codes and regulations specific to the state of Florida.

- ✓ Approved for structural use in Florida.
- ✓ Approved for Wind-Borne Debris Regions (WBDR).

*To confirm fire door requirements in your jurisdiction, always check with your local building code authority.
 **Comparison of 20-minute foam core Fire-rated door to a 20-minute concrete core Fire-rated door with similar style.
 Note: To see the third-party Intertek (Warnock-Hersey) listing reports, visit www.thermatru.com/performancedata.
 Left: Smooth-Star Door – SSF120




20-Minute Fire-Rated Wood Edge – Fiberglass

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
SSF93 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF45 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF220 9 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	SSF8220 9 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF1100 9 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF81100 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
SSF120 9 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF8120 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF200 9 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF8200 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		

Smooth	Smooth	Smooth	Smooth	Smooth
SSF205 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF8205 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF755 9 2'10" x 6'8" 3'0" x 6'8"	SSF31 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF831 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
SSF960 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF4800 9 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF84800 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		

Note: See page 287 for important product details that may help with your purchase decision.

Top Left: Profiles Door – 203HD
Top Right: Smooth-Star Door – SSF220



20-Minute Fire-Rated Wood Edge – Steel Profiles™



Traditions



TS210	TS100
9 E	9 E
2'6" x 6'8"	2'0" x 6'8"
2'8" x 6'8"	2'4" x 6'8"
2'10" x 6'8"	2'6" x 6'8"
3'0" x 6'8"	2'8" x 6'8"
	2'10" x 6'8"
	3'0" x 6'8"

Key


No Stile Lines
WBDR Options

WBDR Options

WBDR / HVHZ Options
E Elevated 10" Bottom Rail Options

PULSE®

Modern design. Upbeat living.




Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches – Ari, Línea and Echo – the entrance becomes modern art.

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

It's your decision, by design.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at thermatru.com/pulse. Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.



The creativity is unlimited. Stain or paint the entrance any color.

These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.



LIFETIME
LIMITED
WARRANTY



10 YEAR
LIMITED
WARRANTY



Fiberglass


Steel



WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*

1 Start with a STYLE.

Combine doors and sidelites to create an entrance that fits your vision.



Ari

Línea

Echo

Sidelites

2 Choose a MATERIAL.

Each style is available in any of these material choices.



Wood-Grained Fiberglass:
Mahogany or Oak
(Shown in Driftwood stain.)

Smooth Fiberglass


Steel

3 Select a GLASS.

Find an available glass design to complete the statement you want to make.

Privacy & Textured Glass

Available for all Pulse door styles.



Reeded

Satin Etch

Chord

Chinchilla


Rainglass

Granite

Low-E Also Available.

Decorative Glass

Available for Línea.



1

2

3

4

5

6

7


8

9

10

11

Available for Ari.



Available for Echo.



- 1 Blackstone®
- 2 Crystalline™
- 3 Sedona
- 4 Salinas®
- 5 Saratoga™
- 6 Riserva®
- 7 Pembridge™
- 8 Axis®
- 9 NEW Calix
- 10 NEW Latitude
- 11 NEW Echelon

4 Then select a FRAME.

Choose the flat profile for modern appeal or scrolled profile for vintage style. Available in Advanta™* and Standard lite frames.



Scrolled Profile Lite Frame

Flat Profile Lite Frame

*See your Therma-Tru seller for details on product availability.

Right Page: Pulse Ari, Reeded Glass with Scrolled Lite Frame, Door – FCM83XK, Sidelites – FCM81200XKSL, Finish – Barley

Pulse® Size Options

	Wood-Grained Fiberglass		Smooth Fiberglass		Steel	
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"
Doors	2'6" x 6'8"○	2'6" x 8'0"○	2'6" x 6'8"○	2'6" x 8'0"○	2'6" x 6'8"○	2'6" x 8'0"○
	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"
	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"
	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"
Sidelites	10" x 6'8"•	12" x 8'0"	10" x 6'8"•	12" x 8'0"	10" x 6'8"•	12" x 8'0"
	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"
	14" x 6'8"		14" x 6'8"		14" x 6'8"	


• Available in full-lite sidelites only.

○ Available in Línea and Echo only.




Ari

Note: Product images show exterior side of door.



Línea

Note: Product images show exterior side of door.



It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)




Smooth
Fiberglass

Steel

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 287 for important product details that may help with your purchase decision.

Top: Pulse Ari, Axis Glass with Scrolled Lite Frame, Door – S83AX, ©TheHouseDesigners.com



Línea Continues on next page.

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass options. For details on glass options, see page 248.

XK = Reeded

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

Key

- ★ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

- ❖ Brass Caming (1A)
- ✗ Wrought Iron (1W)

- NEW Scrolled & Flat Advanta Lite Frame
- ❖ WBDR / HVHZ Options



It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.




Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)



Smooth
Fiberglass






Steel



Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 287 for important product details that may help with your purchase decision.



Echo Continues on next page.

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass options. For details on glass options, see page 248.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

Key

- ★ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

- ▲ NEW Scrolled & Flat Advanta Lite Frame
- ◆ WBDR / HVHZ Options
- ◆ Elevated 10" Bottom Rail Options



S9LAX



S9AX



S9RAX



S8LAX



S8AX



S8RAX



S811LAX



S811AX



S811RAX





S810LAX



S810AX



S810RAX

S4L
S4LCL *S4
S4CL *S4R
S4RCL *S5L
S5LCL *

Echo Continues on next page.

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass options. For details on glass options, see page 248.

XK = Reeded
XE = Satin Etch


XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite


Key

- ★ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)

- NEW Scrolled & Flat Advanta Lite Frame
- Elevated 10" Bottom Rail Options



S5
S5CL  



S5R
S5RCL  



S86L
S86LCL  



S86
S86CL  



S86R
S86RCL  



S9L
S9LCL  



S9
S9CL  



S9R
S9RCL  



S8L
S8LCL  



S8
S8CL  



S8R
S8RCL  



S811L
S811LCL  



S811
S811CL  



S811R
S811RCL  



S810L
S810LCL  



S810
S810CL  



S810R
S810RCL  



Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)



Smooth
Fiberglass



Steel

It's your decision, by design.


Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Sidelites

Note: Product images show exterior side of door.

Pulse®



Sidelites Continue on next page.

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 248.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla



XR = Rainglass
XN = Granite

Key

- ★ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

- ✖ Wrought Iron (1W)
- Vented Sidelite Options
- NEW Scrolled & Flat Advanta Lite Frame

- ➊ WBDR / HVHZ Options
- ➋ Elevated 10" Bottom Rail Options

Sidelites *Continued***Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 248.

XK = Reeded
XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass
XN = Granite

Key

- ★ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Vented Sidelite Options

■ NEW Scrolled & Flat Advanta Lite Frame



Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)



Smooth Fiberglass
Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 287 for important product details that may help with your purchase decision.


Right Page, Top: Pulse Linea, Low-E Glass with Flat Lite Frame, Door – S81RCL, Direct Set Sidelite – DRS82131SL, Finish – Chestnut
Right Page, Bottom: Pulse Echo, Satin Etch Glass with Flat Lite Frame, Door – S85XE, Sidelite – S85XESL, Finish – Onyx



Pulse®



Finishing Options



Add Curb Appeal with Color

Stain and paint can make all the difference when it comes to a home's curb appeal. Find inspiration and explore professionally applied premium stains and paints, as well as options for in-field applications.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 287 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

Top: Smooth-Star, Clear Glass with SDLs, Doors – S2104, Finish – Cypress
Right Page: Pulse Ari, Reeded Glass with Flat Lite Frame, Door – FC83XK, Finish – Acorn



Finished for Lasting Beauty

Handcrafted and professionally applied in a controlled environment, a PrismaGuard® premium finish is built to last, giving your customers confidence and peace of mind.

- Designed for optimal performance with Therma-Tru® fiberglass doors and composite door frames.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft® doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.

10 YEAR
LIMITED
WARRANTY
TRANSFERABLE

Classic Craft

10 YEAR
LIMITED
WARRANTY

Fiber-Classic,
Smooth-Star, Pulse
& Steel



Durable
Topcoat




Professional
Application



**YELLOWSTONE
FOREVER**

Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of Yellowstone National Park. Select colors in our PrismaGuard portfolio are inspired by the beauty found in Yellowstone National Park. Look for the (Yellowstone Forever logo) symbol.





Tested to meet tough expectations.

PrismaGuard premium finish is put through multiple rigorous tests in our engineering labs. This helps ensure that our PrismaGuard finish is built to last, just like the Therma-Tru® doors it was designed for.



Lasting beauty and color.

Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.



Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.



Protection from the elements.

Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.



Confidence on the coast.

Therma-Tru simulates a highly corrosive atmosphere to help ensure PrismaGuard finish can withstand the damaging effects of high-salt environments near the coast.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 287 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

PrismaGuard® Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors and composite door frames.

- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru® door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 5 A second application of the topcoat provides added durability and optimal sheen for a high-end look.



Shown on Classic Craft Fir Grain.



Order 4" x 4" samples of select PrismaGuard finish colors at store.thermatru.com.


PrismaGuard® Premium Paint

Add a pop of color to Therma-Tru doors and composite door frames, and tailor the look of the entry to make a beautiful lasting impression.




- 1 It starts with the smooth or wood-grained surface of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.

Bottom Left: Smooth-Star, Calix Glass, Door – S2223, Finish – Golden Wheat
Bottom Right: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2300, Sidelites – CCA2400SL, Finish – Alpine



Color matches available.

Explore other products from Fortune Brands Outdoors designed to match select colors shown here. Look for the () symbol. See your Therma-Tru seller for details.




Alpine



Granite

NEW Peregrine 

Onyx

NEW Obsidian 

Indigo

NEW Estuary NEW Arctic Ice 


Cypress

NEW Golden Wheat NEW Canyon 


Ruby Red



Cabernet



Chestnut

NEW Elk 

Order 4" x 4" samples of select PrismaGuard finish colors at store.thermatru.com.

SAME-DAY[®] STAIN

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru® fiberglass doors and composite door frames.

Shown on Classic Craft®
Fir Grain.



Light Oak



Natural Oak



Walnut



English Walnut



Mahogany



Cherry



Cedar

All-Inclusive Kit

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.*


Watch easy-to-follow instructions at thermatru.com/samedaystain.



For complete details on the Same-Day Stain and topcoat limited warranty, go to thermatru.com/finishing or ask your seller for more details.

*Actual coverage may vary based on product selected, application method and desired appearance.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 287 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the Same-Day Stain limited warranty and exclusions.

Door System Components



Engineered to work together.

A Therma-Tru® door with genuine Therma-Tru components is more than a beautiful door – it's a complete door system engineered with craftsman precision for durability and reliability through the years. And, a Therma-Tru fiberglass door system with genuine Therma-Tru components is backed by the industry's most comprehensive lifetime limited warranty.

Visit our online replacement parts page to maintain the integrity of a complete door system with genuine Therma-Tru components at thermatru.com/parts.

Composite Door Frame*

featuring Tru-Guard™ Composite Technology



TRU GUARD™

COMPOSITE TECHNOLOGY

Composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.



Reinforced Mullions

Provide additional structural support and stability. All mullions are reinforced with a co-extruded **A** LVL core to provide additional structural support and stability and feature a **B** composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

Order composite door frame samples at store.thermatru.com.

*See your Therma-Tru seller for details on product availability.

**Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

***To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Rider. Frame-only warranty option for customers without a Therma-Tru door system.

Available Textures



Ready to finish.

Buff Grained

- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry – no sanding or priming required.



Ready to install.
 Ready to finish.

White Smooth

- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is – no painting required. Or finish with stain or paint to complement the entry – no sanding or priming required.

The advantage is clear.

Performance

Resists Moisture & Humidity – Eliminates Risk of Swelling, Warping and Splitting

Resists Mold, Fungus & Rot – Does Not Absorb or Retain Moisture

Resists Insects – Help Protect from Wood-Ingesting Insects

Tested to be up to 50% stronger on average than standard wood door frames against kick-ins.**

Impact and 20-Minute Fire Code Compliant***

Aesthetics

Ready to Finish – No Sanding or Priming Required

Ready-to-Install Option – No Finishing Required – White Smooth

Universal Grain Complements a Wide Range of Wood Species – Buff Grained

Screw Plugs Match Frame Material and Conceal External Fasteners

Warranty

Therma-Tru Products & Applications	Warranty For First Homeowner	Warranty Riders Transferable 1x to Second Homeowner
Composite Door Frame + Classic Craft® Door + Components		Lifetime Transferable Full-System Rider
Composite Door Frame + Fiber-Classic®, Smooth-Star®, Pulse® Fiberglass Door + Components		10-Year Transferable Full-System Rider
Composite Door Frame Only		

Composite Door Frame Parts

See your Therma-Tru seller for a full list of available product sizes and options.

Jambs



4-1/8"
4-9/16"
5-1/4"
6-9/16"
7-1/4"

Mullions



2" Entry Narrow
2-1/2" Entry Wide



2" Patio Narrow
2-1/2" Patio Wide

Pre-inserted weatherstrip option available for select white smooth jambs and mullions.

Trim



2" Brickmould WM180



1-5/8" Florida Brickmould WM176



3-1/2" x 1" Flat Casing

Mull Casing



1-15/32" x 1-1/16"



1-7/32" x 7/32"
2" x 7/32"



2-15/16" x 1-1/16" *Buff grained only.*
2-15/16" x 3/8" *Buff grained only.*

Storm Door-Ready Mullion Adaptor



2" to 1-11/16"

Storm Door Adaptor



4-9/16" Base Adaptor
Face Adaptor
(Use 1-15/32" x 1-1/16" Mull Casing)



6-9/16" Base Adaptor

Screen Track Cap




1-13/32" x 9/16"

Fasteners, Setting Tool & Screw Plug Covers



Screw plugs are available on a collated strip for ease of installation and finishing.

Storm Door-Ready Mullions



4-9/16"
6-9/16"



7/16" x 5/16" Cove Mould

Transom Sills



4-9/16"
6-9/16"

Engineered as part of Therma-Tru's complete entry door system, our composite door frame is

more reliable and up to 50% stronger on average than standard wood door frames*

when withstanding a simulated forced entry attempt by kicking in the door.*

Pendulum Impact Test



Therma-Tru Wood Jamb



Therma-Tru Composite Jamb

Code-Compliant Options

Therma-Tru composite door frame delivers the durability and reliability you expect from Therma-Tru with options to meet select national and local building code requirements.**



Impact-rated to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.**



20-minute Fire-rated to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.**

*Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

**To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit www.thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof. To see the third-party Intertek (Warnock-Hersey) listing reports, visit www.thermatru.com/performancedata.

Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

Inswing Options



Composite Adjustable Sill (Premium)

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- Adjustable flush screws.
- Solid extruded composite substrate.

Continuous length with spread mullion capability to fill 49"-75" rough openings.*



Hardwood Adjustable Sill

- Durable hardwood cap and nosing can be stained to match door and trim.
- U-shaped weather seal.
- Adjustable flush screws.





Value Composite Adjustable Sill (Economy)

NEW

- Composite cap and nosing.
- Adjustable flush screws.
- Injection-molded composite substrate.

Inswing Sill Extenders



Outswing Options



Composite Outswing Sill (Premium)

- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.



Aluminum Sill with Thermal Break

- All-aluminum construction.
- Integrated weatherstrip.
- Also available without thermal break.



Coastal Sill (For Coastal Regions)

- All-aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Public Access Sill



Public Access Sill with Thermal Break** (For ADA Applications)

- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.
- Also available without thermal break.

Key

Tru-Defense Eligible

*See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.

**Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.

***For full details on the Tru-Defense Warranty Rider, visit www.thermatru.com/trudefense.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 287 for important product details that may help with your purchase decision.

Sill Finishes



Mill



Bronze

Cap Colors



Lightwood (Premium)



Darkwood (Premium)



Lightwood (Economy)



Darkwood (Economy)



Hardwood

- = Available
- = Not Applicable

	Inswing Options	Composite Adjustable (Premium)	Hardwood Adjustable	Value Composite Adjustable (Economy)	Outswing Options	Composite Outswing (Premium)	Aluminum with Thermal Break	Aluminum without Thermal Break	Coastal	Public Access (Inswing / Outswing)	Public Access (ADA)*
Sill Finishes											
Mill		■	■	■		■	■	■	■	■	■
Bronze		■	■	■		■	■	■	●	●	■
Cap Colors											
Lightwood		■	●	■		■	●	●	●	●	●
Darkwood		■	●	■		■	●	●	●	●	●
Hardwood	●	■	●	●		●	●	●	●	●	●
Sill Configurations											
Single		■	■	■		■	■	■	■	■	■
French		■	■	●		■	■	■	■	■	■
Double Patio		■	■	●		■	●	●	●	●	●
Triple Patio		■	●	●		■	●	●	●	●	●
Lineal		■	■	●		●	●	●	●	●	●
Sidelite Configurations											
Boxed Sidelites		■	●	●		●	●	●	●	●	●
Single with Sidelites		■	■	●		■	●	●	●	●	●
French with Sidelites		■	●	●		●	●	●	●	●	●
Single Vented Sidelites		■	●	●		●	●	●	●	●	●
French Vented Sidelites		■	●	●		●	●	●	●	●	●
Depths											
4-9/16"		■	●	■		■	●	■	■	■	■
5-3/4"		■	■	■		■	■	●	●	●	●
6-9/16"	●	●	●	●		●	●	●	●	●	●
7-3/4"		■	■	■		●	■	●	●	●	●
Substrates											
Composite Extruded		■	●	●		■	●	●	●	●	●
Composite Injection Molded		■	●	■		●	●	●	●	●	●
Treated Pine	●	●	■	●		●	■	■	■	■	●
Other Options											
Integrated Thermal Break		■	■	■		■	■	●	●	●	■
Screen Rail Available		■	■	●		●	●	●	●	●	●
Sill Extenders Available		■	■	■		■	●	●	●	●	●
Sill Covers Available		■	■	■		■	●	●	●	●	●
Tru-Defense Eligible***		■	●	●		■	●	●	●	●	●
With Anchor Holes	●	●	●	●		●	■	■	■	■	●
Without Anchor Holes		■	■	■		■	■	●	●	●	●

Note: See your Therma-Tru seller for details on available component and finish color combinations.

Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

Inswing Options



Kerf-Applied Dual-Bulb / Dual-Fin Bottom Sweep

Sills:
Composite Adjustable
Hardwood Adjustable
Value Composite Adjustable

Colors:
Bronze
White



Outswing Options



Outswing Bottom Sweep

Sills:
Aluminum
Coastal
Color:
Bronze



Inactive Door Bottom

Sills:
Composite Outswing
Colors:
Bronze



Kerf-Applied Single-Bulb Bottom Sweep

Sills:
Basic Fixed

Colors:
Bronze



Inactive Door Bottom

Sills:
Composite Adjustable
Hardwood Adjustable

Colors:
Bronze

ADA / Replacement



Bottom Sweep

Sills:
Public Access
Color:
Bronze

Sill Protection



Sill Covers (Recommended)

- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

See page 273 for availability.

Shown over composite adjustable sill.



Sill Pan (Recommended)

- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.

Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

Classic Craft® 7-Shape Pads



Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Value Composite Adjustable
Public Access

Fiber-Classic® / Smooth-Star® 7-Shape Pads



Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Value Composite Adjustable
Public Access

Basic Pads



Colors:
Bronze

Sills:
Inswing
Applications Only

Weatherstrip

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible material protected by a durable jacket to resist moisture and wear.

Medium-Reach Weatherstrip



Colors:
Bronze
White

Long-Reach Weatherstrip



Colors:
Bronze
White

Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.

Rain Deflector (Inswing)



Colors:
Bronze
White

Rain Guard (Outswing)



Colors:
Bronze
White


Rain Deflector

Bottom Sweep

Bottom of door;
exterior view.



Jamb
Rain Guard
Weatherstrip



Bottom of door;
exterior view.

Key

Hardware

Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Features premium stainless steel construction that resists corrosion.

Grip-Style MPLS

Grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors or Impressions integrated storm and entry door systems. Strike plate package available.)




Tongue

Heights:	Configurations:
6'8"	Inswing
7'0"	Outswing
8'0"	

- ① Self-lubricating locks.
- ② 1" premium stainless steel deadbolt.
- ③ Integrated mishandling device.

Key





Lever-Style MPLS

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)



Tongue

Heights:
6'6"
6'8"
7'0"
8'0"

Configurations:

Inswing
Outswing

Shootbolt

(For door systems with an astragal.)
Heights:
6'6"
6'8"
7'0"
8'0"



Vented Sidelite MPLS




Tongue

(Included in vented sidelite units.)
Heights:
6'6"
6'8"
8'0"

Handleset Options for Standard Door MPLS

Designed to complement Therma-Tru® door styles from traditional to contemporary.



Finish Options



Brushed Nickel Black Nickel Oil-Rubbed Bronze



Backplates:
Wide
Narrow
Locking:
Active
Inactive

Finish Options



Bright Brass Brushed Nickel Black Nickel Polished Chrome Oil-Rubbed Bronze

Latch & Deadbolt Strike Plate



Adjustable Security Strike Plate

(Recommended for standard lock and deadbolt handlesets only.)

Finish Options:

Brushed Nickel
Black Nickel
Polished Chrome
Oil-Rubbed Bronze
Stainless Steel
Zinc Dichromate

A genuine Therma-Tru adjustable security strike plate helps enhance the safety and security of a home, wrapping around the door jamb and fully engaging the frame of the house for added support and strength against forced entry.

- ① Wraps around the door jamb for added support and an exact fit.
- ② 2-1/2" screws fully engage with the frame of the house for added strength.

Standard vs. Adjustable Security Strike Plate

Key



*To confirm code requirements in your jurisdiction, always check with your local building authority.
Note: See your Therma-Tru seller for available component options.

Hinges

Adjustable Hinge

(Recommended for Classic Craft premium entryways.)

Allow the door to be moved horizontally and vertically in the frame, maintaining alignment and keeping the door performing beautifully.



Classic-Craft® Ball-Bearing

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability.



Classic-Craft® Ball-Bearing – Staggered Hole Pattern

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability. Staggered hole pattern helps simplify assembly process. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Self-Aligning Ball-Bearing

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to assist in accurate alignment with specific door systems.



Self-Aligning

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to provide accurate alignment with specific door systems. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Security Tab

Security tabs prevent door from being taken off hinges, providing security on outswing applications.



Spring-Loaded

UL Listed with self-closing spring mechanism that helps pull the door closed for convenience or meets code requirements that may be applicable in Fire-door applications.*



Hinge Finish Options



Bright Brass Brushed Nickel Black Nickel Polished Chrome Oil-Rubbed Bronze Stainless Steel Zinc Dichromate

■ = Available
• = Not Applicable

Hinge Finish Options	Adjustable	Classic Craft® Ball-Bearing	Classic Craft® Ball-Bearing – Staggered Hole Pattern	Classic Craft® Ball-Bearing – Staggered Hole Pattern (Non-Removable Pin)	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded
Bright Brass	■	■	■	■	■	•	•	•	•
Brushed Nickel	■	■	■	■	■	■	■	■	■
Black Nickel	■	■	■	■	■	•	■	•	■
Polished Chrome	■	■	■	■	■	•	■	•	■
Oil-Rubbed Bronze	■	■	■	■	■	■	■	•	■
Stainless Steel	•	■	■	■	■	•	■	■	■
Zinc Dichromate	•	■	■	■	■	■	■	■	■

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.



Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip and corner seal pad helps form a tight seal between the astragal and active door when closed.

Spring clips to engage and disengage the shootbolts.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-1/2" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.

Stainable Astragal

Heights: 6'6", 6'8", 7'0", 8'0"
Width: 7/8"

Configurations: Inswing, Outswing, Multi-Point Lock, Double Bore, Left-Handed, Right-Handed

Grain Options: Oak, Fir

Weatherstrip: Bronze

Shown in Oak grain with Driftwood stain.

Aluminum Astragal

Heights: 6'6", 6'8", 7'0", 8'0"
Width: 7/8"

Configurations: Inswing, Outswing, Multi-Point Lock, Double Bore, Left-Handed, Right-Handed

Finish Colors: Bronze, White

Weatherstrip: Bronze

Coastal option also available.

Textures Available

Stainable (Shown in Driftwood stain.)



Oak Grain


Fir Grain

Aluminum



Bronze

White



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 287 for important product details that may help with your purchase decision.

Bottom: Classic Craft Mahogany Grain, Provincial Glass, Doors – CCR804028


Right Page, Top: Fiber-Classic Oak Collection, Clear Glass with GBGs, Doors – 8000-12, Finish – Raven

Right Page, Bottom Left: Classic Craft Fir Grain, Homeward Glass, Doors – CCA211, Finish – Driftwood

Right Page, Bottom Right: Fiber-Classic Oak Collection, Clear Glass with GBGs, Doors – FC8313, Finish – Barley

Key

 Tru-Defense Eligible



Special Quote Program

In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.



Special Quote
GBG Color Options


Divided Lites

Match various window patterns and home styles with additional grid patterns and color options. Impact-rated options also available.



Privacy & Textured Glass

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.



Axis® with Standard Black Nickel Caming



Axis® with Special Quote Brushed Nickel Caming

Caming Colors

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.

3'6" Width Door Style Options


Classic Craft.

		8'0" Door Styles						
Glass Designs		Panel	Panel	Panel	Panel	Panel	Panel	Panel
Homeward™		■		■			■	■
Augustine®	◆	◆	◆	◆	◆	◆	◆	
Arborwatch®	■		■				■	■
Borrassa®	◆	◆	◆	◆	◆	◆	◆	
Lucerna®	◆		◆				◆	
Rainglass							■	
Low-E	◆		■			◆	■	

Key

- Classic Craft. Artissa Collection™
- ◆ Classic Craft. Founders Collection™
- ▲ Classic Craft. Visionary Collection™
- * Smooth-Star®
- ▷ Profiles™ & Traditions

6'8" & 8'0" Solid-Panel Door Styles



Smooth-Star®, Profiles™, Traditions & Pulse®

6'8" & 8'0" Door Styles		All Pulse Styles									
		Panel	Panel	Panel	Panel	Panel	Panel	Panel	Panel	Panel	Panel
Blackstone®	*▷	*			*▷	*					
Crystalline™	*▷	*			*▷	*					
Sedona	*▷		*▷	*	*▷	*					
Salinas®	*▷	*			*▷	*					
Maple Park®	*▷										
Saratoga™	*▷		*▷	*	*▷	*					
Texas Star	*▷										
Wellesley™	*▷	*									
Riserva®	*▷	*	*▷	*	*▷	*					
Concorde™	*▷	*									
Kensington™	*▷										
Pembridge™	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*	
Axis®	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*	
NEW Calix	*▷	*	*▷	*	*▷	*					
NEW Latitude	*▷	*			*▷	*					
NEW Echelon	*▷	*	*▷	*	*▷	*					
Privacy & Textured Glass	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*	
Internal Blinds	*▷	*									
Divided Lites	*▷	*									
Clear	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*	
Solid Panel									*▷	*	

7'0" Height Door Style Options

6'6" Height Door Style Options

Door Styles		1	2	3	4	5
Glass Designs		1	2	3	4	5
Blackstone®	▲* ▷				▲*	
Crystalline™	▲* ▷				▲*	
Sedona	▲* ▷				▲*	
Salinas®	▲* ▷				▲*	
Maple Park®	▲* ▷				▲*	
Saratoga™	▲* ▷				▲*	
Texas Star	▲* ▷				▲*	
Wellesley™	▲* ▷				▲*	
Riserva®	▲* ▷				▲*	
Concorde™	▲* ▷				▲*	
Kensington™	▲* ▷				▲*	
Pembroke™	▲* ▷				▲*	
Axis®	▲* ▷				▲*	
NEW Calix	▲* ▷				▲*	
NEW Latitude	▲* ▷				▲*	
NEW Echelon	▲* ▷				▲*	
Privacy & Textured Glass	▲* ▷	▷			▲*	
Internal Blinds	▲* ▷	▷			▲*	
Screen Vented		▷				
Divided Lites	▲* ▷		▷		▲*	
Clear	▲* ▷	▷	▷		▲*	
Solid Panel						✳ ▷

Key

- ▲ Classic Craft® Visionary Collection™
- ▼ Fiber-Classic® Mahogany Collection™
- ▲ Fiber-Classic® Oak Collection™
- * Smooth-Star®
- Profiles™ & Traditions

▼▲*►	►						
▼▲*►							
▼▲*►	►						
▼▲*►	►						
▼▲*►	►	▼*					
▼▲*►	►						
▼▲*►	►						
▼▲*►	►						
▼▲*►	►						
▼▲*►	►						
▼▲*►	►						
▼▲*►	►						
▼▲*►	►						
▼▲*►	►						
▼▲*►	►						
▼▲*►	►						
►	▼▲*►	►	▼*				
▼▲*►	►	▼*	►				
				*	▲*►	▲▼▲*►	



Top: Smooth-Star, Maple Park Glass, Door – S6107

Bottom: Smooth-Star Door – S210; Clear Glass with GBGs, Sidelites – S308SL

Entry & Patio Door Systems

Feature	Classic Craft®	Fiber-Classic® & Pulse® Wood-Grained	Smooth-Star® & Pulse® Smooth	Profiles™ & Pulse® Steel (6'8")	Traditions & Pulse® Steel (8'0")
Skin Material	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel
Skin Texture	Fir, Walnut, Mahogany; High-Detail Smooth	Mahogany, Oak Grain	High-Detail Smooth	Smooth	Smooth
Exterior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Interior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Panel – Top Rail	Composite	Composite	Composite	Wood	Wood
Panel – Bottom Rail	Composite	Composite	Composite	Composite	Composite
Lock Stile	4" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3-15/16" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3-15/16" Full-Length Engineered Lumber	1-1/4" Wood	1-1/4" Wood
Lock Block	4" Full-Length Engineered Lumber Stile	22-1/2" Wood	12-1/2" Wood	12-1/2" Wood	6'8": 12-1/2" Wood / 8'0": 22-1/2" Wood
Height Options	6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'8" & 8'0"
Width Options	2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"
Panel Options	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
Sidelite Options	12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"
Lite Frame Options	SMC Frame	Advanta Frame, Standard Frame, PVC Frame	Advanta Frame, Standard Frame, PVC Frame	Standard Frame, PVC Frame	Standard Frame, PVC Frame
Glass Options	Deco / Privacy & Textured / Low-E IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG
Sill*	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Aluminum	Inswing: Value Composite Adjustable Outswing: Aluminum
Weatherstrip – Hinge	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach
Weatherstrip – Lock	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Weatherstrip – Head	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Multi-Point Lock	Recommended	Recommended	Recommended	–	–
Security Strike Plate	Recommended	Recommended	Recommended	Recommended	Recommended
Hinges*	Classic Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning
Frame*	Composite Door Frame	Composite Door Frame	Composite Door Frame	Rot-Resistant	Primed Pine
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame	2" Frame	2" Frame	2" Frame	2" Frame
Residential Limited Warranty	Transferable Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years

For dimensional data, see your Therma-Tru seller or visit thermatru.com for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

Therma-Tru® Door Systems

Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to www.thermatru.com for design pressure and other performance ratings.

Doors

Recommended Door Overhang – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

Doorlights

Doorlights are insulated, and exposed panes are tempered or laminated. Optional wood grilles available for clear doorlights and transoms.

Inserts – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Decorative Glass & Wrought Iron – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the designs character.

Direct Set Sidelites – All Therma-Tru direct set sidelites shall utilize trim components secured and glazed in place in the door jamb.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlights. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

A common attribute of true wrought iron doorlights is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or warranty issue.

NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

Components

Adjustable Security Strike Plate – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

Hinges – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit www.thermatru.com for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at www.thermatru.com:

- Therma-Tru® Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic Craft, Fiber-Classic®, Smooth-Star and Pulse. Door Systems; Steel – Pulse®, Profiles™, and Traditions Door Systems
- Therma-Tru® Tru-Defense. Door System Rider to Fiberglass Door Systems Limited Warranty: Classic Craft, Fiber-Classic®, Smooth-Star and Pulse. Fiberglass Door Systems
- EnLiten® Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic® and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- EnLiten® Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic®, and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- PrismaGuard® Limited Warranty Rider to Fiberglass and Steel Door Systems Limited Warranty for Residential and Multi-Resident Premises: Fiberglass – Classic Craft, Fiber-Classic®, Smooth-Star®, and Pulse. Door Systems; Steel – Pulse®, Profiles™, and Traditions
- Same-Day® Stain 5-Year Limited Warranty: Same-Day® Stain and Topcoat for Use on Therma-Tru® Fiberglass Door Systems and Fypon® Stainable Polyurethane Products
- Therma-Tru® Composite Door Frame featuring Tru-Guard® Composite Technology Limited Warranty Transferable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic®, Smooth-Star, and Pulse. Fiberglass Door Systems
- Therma-Tru® Composite Door Frame featuring Tru-Guard® Composite Technology Limited Warranty Transferable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic®, Smooth-Star and Pulse. Fiberglass Door Systems

Installation, Finishing & Maintenance

Therma-Tru doors and sidelites come unfinished. Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at www.thermatru.com:

- Installation Instructions (Products that are approved for Coastal and / or high wind applications may require special installation. Always follow the installation instructions in the Product Approval for these products.)
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit www.thermatru.com for more details.

Classic Craft®

19020T.....	108	CCA2320XNSL.....	72	CCA3401SL.....	96	CCA8220XR.....	97	CCA82360XN.....	71	CCA84940XN.....	71
19200T.....	108	CCA2320XR.....	70	CCA3450SL.....	100	CCA8230.....	99	CCA82360XR.....	71	CCA84940XR.....	71
19210T.....	108	CCA2320XRS.....	72	CCA3450XCSL.....	98	CCA82300.....	72	CCA82370.....	73	CCA84945.....	103
19220T.....	108	CCA2330.....	73	CCA3450XJSL.....	98	CCA82300SL.....	74	CCA82370XC.....	71	CCA87100.....	100
AB30T.....	108	CCA2330SL.....	74	CCA3450XNSL.....	98	CCA82300XC.....	70	CCA82370XE.....	71	CCA87100XR.....	97
ABRT.....	108	CCA2330XC.....	70	CCA3450XRS.....	98	CCA82300XCSL.....	72	CCA82370XJ.....	71	CCA87111.....	96
CC040T.....	108	CCA2330XCSL.....	72	CCA3500SL.....	100	CCA82300XE.....	70	CCA82370XN.....	71	CCA87112.....	96
CC400T.....	108	CCA2330XE.....	70	CCA3500XCSL.....	98	CCA82300XESL.....	72	CCA82370XR.....	71	CCA87131.....	97
CC420T.....	108	CCA2330XESL.....	72	CCA3500XJSL.....	98	CCA82300XJ.....	70	CCA82380.....	73	CCA87132.....	96
CCA100.....	103	CCA2330XJ.....	70	CCA3500XNSL.....	98	CCA82300XJS.....	72	CCA82380XC.....	70	CCA87200.....	99
CCA1125.....	102	CCA2330XJS.....	72	CCA3500XRS.....	98	CCA82300XK.....	70	CCA82380XE.....	70	CCA87200XR.....	97
CCA1127.....	102	CCA2330XK.....	70	CCA3501SL.....	96	CCA82300XKS.....	72	CCA82380XJ.....	70	CCA87300.....	99
CCA1133.....	103	CCA2330XKSL.....	72	CCA3560SL.....	100	CCA82300XN.....	70	CCA82380XK.....	70	CCA87300XR.....	97
CCA1145.....	103	CCA2330XN.....	70	CCA3560XCSL.....	98	CCA82300XNSL.....	72	CCA82380XN.....	70	CCA87400.....	99
CCA1147.....	103	CCA2330XNSL.....	72	CCA3560XJSL.....	98	CCA82300XR.....	70	CCA82380XR.....	70	CCA87400XR.....	98
CCA1149.....	102	CCA2330XR.....	70	CCA3560XNSL.....	98	CCA82300XRS.....	72	CCA8240.....	99	CCA87600.....	99
CCA1150.....	103	CCA2330XRS.....	72	CCA3560XRS.....	98	CCA8230XC.....	97	CCA82400.....	74	CCA87600XR.....	98
CCA1158.....	103	CCA2340.....	73	CCA4900.....	73	CCA8230XJ.....	97	CCA82400SL.....	75	CCA89100.....	96
CCA1166.....	103	CCA2340SL.....	75	CCA4900XC.....	71	CCA8230XN.....	97	CCA82400XC.....	71	CCA89300.....	97
CCA1423SL.....	97	CCA2340XC.....	70	CCA4900XE.....	71	CCA8230XR.....	97	CCA82400XCSL.....	72	CCA9100.....	96
CCA210.....	100	CCA2340XCSL.....	72	CCA4900XJ.....	71	CCA8231.....	96	CCA82400XE.....	71	CCA9100SL.....	97
CCA210SL.....	100	CCA2340XE.....	70	CCA4900XN.....	71	CCA82310.....	72	CCA82400XESL.....	72	CCA9300.....	97
CCA210XC.....	97	CCA2340XESL.....	72	CCA4900XR.....	71	CCA82310SL.....	74	CCA82400XJ.....	71	CCM1424.....	94
CCA210XCSL.....	98	CCA2340XJ.....	70	CCA4905.....	102	CCA82310X.....	70	CCA82400XJS.....	72	CCM1465.....	77
CCA210XJ.....	97	CCA2340XJS.....	72	CCA4910L.....	73	CCA82310XCSL.....	72	CCA82400XK.....	71	CCM1495.....	77
CCA210XJS.....	98	CCA2340XK.....	70	CCA4910LXC.....	71	CCA82310XE.....	70	CCA82400XKSL.....	72	CCM1842.....	79
CCA210XN.....	97	CCA2340XKSL.....	72	CCA4910LXE.....	71	CCA82310XESL.....	72	CCA82400XN.....	71	CCM2800.....	80
CCA210XNSL.....	98	CCA2340XN.....	70	CCA4910LXJ.....	71	CCA82310XJ.....	70	CCA82400XNSL.....	72	CCM2800XC.....	79
CCA210XR.....	97	CCA2340XNSL.....	72	CCA4910LXN.....	71	CCA82310XJS.....	72	CCA82400XR.....	71	CCM2800XE.....	79
CCA210XRS.....	98	CCA2340XR.....	70	CCA4910LXR.....	71	CCA82310XK.....	70	CCA82400XRS.....	72	CCM2800XK.....	79
CCA211.....	96	CCA2340XRS.....	72	CCA4910R.....	73	CCA82310XKS.....	72	CCA82400XC.....	97	CCM2800XN.....	79
CCA211SL.....	96	CCA2350.....	73	CCA4910RXC.....	71	CCA82310XN.....	70	CCA82400XJ.....	97	CCM2800XR.....	79
CCA220.....	99	CCA2350XC.....	71	CCA4910RXE.....	71	CCA82310XNSL.....	72	CCA82400XN.....	97	CCM2801.....	76
CCA220SL.....	100	CCA2350XE.....	71	CCA4910RXJ.....	71	CCA82310XR.....	70	CCA82400XR.....	97	CCM2802.....	78
CCA220XC.....	97	CCA2350XJ.....	71	CCA4910RXN.....	71	CCA82310XRS.....	72	CCA82410SL.....	103	CCM2803.....	78
CCA220XCSL.....	98	CCA2350XN.....	71	CCA4910RXR.....	71	CCA82320.....	72	CCA82420SL.....	103	CCM2804.....	80
CCA220XJ.....	97	CCA2350XR.....	71	CCA4915L.....	102	CCA82320SL.....	74	CCA8260.....	99	CCM2804XC.....	79
CCA220XJS.....	98	CCA2360.....	73	CCA4915R.....	102	CCA82320XC.....	70	CCA8260XC.....	98	CCM2804XE.....	79
CCA220XN.....	97	CCA2360XC.....	71	CCA4920L.....	73	CCA82320XCSL.....	72	CCA8260XJ.....	98	CCM2804XK.....	79
CCA220XNSL.....	98	CCA2360XE.....	71	CCA4920LXC.....	71	CCA82320XE.....	70	CCA8260XN.....	98	CCM2804XN.....	79
CCA220XR.....	97	CCA2360XJ.....	71	CCA4920LXE.....	71	CCA82320XESL.....	72	CCA8260XR.....	98	CCM2804XR.....	79
CCA220XRS.....	98	CCA2360XN.....	71	CCA4920LXJ.....	71	CCA82320XJ.....	70	CCA8260X.....	73	CCM2806.....	80
CCA230.....	99	CCA2360XR.....	71	CCA4920LXN.....	71	CCA82320XJS.....	72	CCA84900XC.....	71	CCM2806XC.....	79
CCA2300.....	72	CCA2370.....	73	CCA4920LXR.....	71	CCA82320XK.....	70	CCA84900XE.....	71	CCM2806XE.....	79
CCA2300SL.....	74	CCA2370XC.....	71	CCA4920R.....	73	CCA82320XKS.....	72	CCA84900XJ.....	71	CCM2806XK.....	79
CCA2300XC.....	70	CCA2370XE.....	71	CCA4920RX.....	71	CCA82320XN.....	70	CCA84900XN.....	71	CCM2806XN.....	79
CCA2300XCSL.....	72	CCA2370XJ.....	71	CCA4920RXE.....	71	CCA82320XSL.....	72	CCA84900XR.....	71	CCM2806XR.....	79
CCA2300XE.....	70	CCA2370XN.....	71	CCA4920RXJ.....	71	CCA82320XR.....	70	CCA84905.....	102	CCM2812.....	80
CCA2300XESL.....	72	CCA2370XR.....	71	CCA4920RXN.....	71	CCA82320XRS.....	72	CCA84910L.....	73	CCM2812XC.....	79
CCA2300XJ.....	70	CCA2380.....	73	CCA4920RXR.....	71	CCA82330.....	73	CCA84910LXC.....	71	CCM2812XE.....	79
CCA2300XJS.....	72	CCA2380XC.....	70	CCA4925L.....	102	CCA82330SL.....	74	CCA84910LXE.....	71	CCM2812XK.....	79
CCA2300XK.....	70	CCA2380XE.....	70	CCA4925R.....	102	CCA82330XC.....	70	CCA84910LXJ.....	71	CCM2812XN.....	79
CCA2300XKS.....	72	CCA2380XJ.....	70	CCA4930.....	74	CCA82330XCSL.....	72	CCA84910LXN.....	71	CCM2812XR.....	79
CCA2300XN.....	70	CCA2380XK.....	70	CCA4930XC.....	71	CCA82330XE.....	70	CCA84910LXR.....	71	CCM300.....	80
CCA2300XNSL.....	72	CCA2380XN.....	70	CCA4930XE.....	71	CCA82330XESL.....	72	CCA84910LXN.....	71	CCM300XC.....	79
CCA2300XR.....	70	CCA2380XR.....	70	CCA4930XJ.....	71	CCA82330XJS.....	70	CCA84910LXR.....	71	CCM300XN.....	79
CCA2300XRS.....	72	CCA240.....	99	CCA4930RN.....	71	CCA82330XKSL.....	72	CCA84910RXE.....	71	CCM301CAL.....	93
CCA230X.....	97	CCA2400.....	74	CCA4930XR.....	71	CCA82330XN.....	70	CCA84910RXJ.....	71	CCM301CALXC.....	90
CCA230XJ.....	97	CCA2400SL.....	75	CCA4935.....	103	CCA82330XKS.....	72	CCA84910RXN.....	71	CCM301CALXE.....	90
CCA230XN.....	97	CCA2400XC.....	71	CCA4940.....	74	CCA82330XN.....	70	CCA84910RXR.....	71	CCM301CALXN.....	90
CCA230XR.....	97	CCA2400XCSL.....	72	CCA4940XC.....	71	CCA82330XNSL.....	72	CCA84915L.....	102	CCM301CALXR.....	90
CCA231.....	96	CCA2400XE.....	71	CCA4940XE.....	71	CCA82330XR.....	70	CCA84915R.....	102	CCM301CAR.....	93
CCA2310.....	72	CCA2400XESL.....	72	CCA4940XJ.....	71	CCA82330XRS.....	72	CCA84920L.....	74	CCM301CARXC.....	90
CCA2310SL.....	74	CCA2400XJ.....	71	CCA4940XN.....	71	CCA82340.....	73	CCA84920LXC.....	71	CCM301CARXE.....	90
CCA2310XC.....	70	CCA2400XJS.....	72	CCA4940XR.....	71	CCA82340SL.....	75	CCA84920LXE.....	71	CCM301CARXN.....	90
CCA2310XCSL.....	72	CCA2400XK.....	71	CCA4945.....	103	CCA82340X.....	70	CCA84920LXJ.....	71	CCM301CARXR.....	90
CCA2310XE.....	70	CCA2400XKSL.....	72	CCA81100.....	103	CCA82340XCSL.....	72	CCA84920LXN.....	71	CCM302.....	78
CCA2310XESL.....	72	CCA2400XN.....	71	CCA81125.....	102	CCA82340XE.....	70	CCA84920LXR.....	71	CCM302L.....	92
CCA2310XJ.....	70	CCA2400XNSL.....	72	CCA81127.....	102	CCA82340XESL.....	72	CCA84920R.....	74	CCM302LXC.....	89
CCA2310XJS.....	72	CCA2400XR.....	71	CCA81133.....	103	CCA82340XJ.....	70	CCA84920RXC.....	71	CCM302LXE.....	89
CCA2310XK.....	70	CCA2400XRS.....	72	CCA81145.....	103	CCA82340XJS.....	72	CCA84920RXE.....	71	CCM302LXN.....	89
CCA2310XKS.....	72	CCA2400XC.....	97	CCA81147.....	103	CCA82340XK.....	70	CCA84920RXJ.....	71	CCM302LXR.....	89
CCA2310XN.....	70	CCA2400XJ.....	97	CCA81149.....	102	CCA82340XSL.....	72	CCA84920RXN.....	71	CCM302R.....	92
CCA2310XNSL.....	72	CCA2400XN.....	97	CCA81150.....	103	CCA82340XN.....	70	CCA84920RXR.....	71	CCM302RXC.....	89
CCA2310XR.....	70	CCA2400XR.....	97	CCA81158.....	103	CCA82340XNSL.....	72	CCA84925L.....	103	CCM302RXE.....	89
CCA2310XRS.....	72	CCA2410SL.....	103	CCA81166.....	103	CCA82340XR.....	70	CCA84925R.....	103	CCM302RXN.....	89
CCA2320.....	72	CCA2420SL.....	103	CCA81423SL.....	97	CCA82340XRS.....	72	CCA84930.....	74	CCM302RXR.....	89
CCA2320SL.....	74	CCA260.....	99	CCA8210.....	100	CCA82350.....	73	CCA84930XC.....	71	CCM303.....	77
CCA2320XC.....	70	CCA260XC.....	98	CCA8210XC.....	97	CCA82350XC.....	71	CCA84930XE.....	71	CCM303L.....	93
CCA2320XCSL.....	72	CCA260XJ.....	98	CCA8210XJ.....	97	CCA82350XE.....	71	CCA84930XJ.....	71	CCM303LXC.....	90
CCA2320XE.....	70	CCA260XN.....	98	CCA8210XN.....	97	CCA82350XJ.....	71	CCA84930XN.....	71	CCM303LXE.....	90
CCA2320XESL.....	72	CCA260XR.....	98	CCA8210XR.....	97	CCA82350XN.....	71	CCA84930XR.....	71	CCM303LXN.....	90
CCA2320XJ.....	70	CCA400SL.....	100	CCA8211.....	96	CCA82350XR.....	71	CCA84935.....	103	CCM303LXR.....	90
CCA2320XJS.....	72	CCA400XCSL.....	98	CCA8220.....	99	CCA82360.....	73	CCA84940.....	74	CCM303R.....	93
CCA2320XK.....	70	CCA400XJS.....	98	CCA8220C.....	97	CCA82360C.....	71	CCA84940XC.....	71	CCM303RXC.....	90
CCA2320XKSL.....	72	CCA400XNSL.....	98	CCA8220X.....	97	CCA82360C.....	71	CCA84940XE.....	71	CCM303RXE.....	90
CCA2320XN.....	70	CCA400XNSL.....	98	CCA8220XJ.....	97	CCA82360C.....	71	CCA84940XJ.....	71	CCM303RXN.....	90

CCM303RXR.....	90	CCM8303LXC.....	90	CCR2025XCSL.....	79	CCR81846A.....	88	CCV10028.....	69	CCV81512.....	85
CCM304L.....	92	CCM8303LXE.....	90	CCR2025XESL.....	79	CCR81847.....	88	CCV100SL.....	75	CCV81515.....	85
CCM304LXC.....	90	CCM8303LXN.....	90	CCR2025XHSL.....	107	CCR81851SL.....	79	CCV100SL.....	81	CCV81516.....	85
CCM304LXE.....	90	CCM8303LXR.....	90	CCR2025XJSL.....	79	CCR8200.....	107	CCV100SL.....	101	CCV81519.....	77
CCM304LXN.....	90	CCM8303R.....	93	CCR2025XKSL.....	79	CCR820020.....	91	CCV100XCSL.....	80	CCV81838.....	88
CCM304LXR.....	90	CCM8303RXC.....	90	CCR2025XNSL.....	79	CCR820020XC.....	89	CCV100XCSL.....	99	CCV81839.....	88
CCM304R.....	92	CCM8303RXE.....	90	CCR2025XRSL.....	79	CCR820020XN.....	89	CCV100XESL.....	80	CCV81843.....	79
CCM304RXC.....	90	CCM8303RXN.....	90	CCR205.....	107	CCR820022.....	87	CCV100XESL.....	99	CCV81846.....	88
CCM304RXE.....	90	CCM8303RXR.....	90	CCR20520.....	91	CCR820023.....	86	CCV100XHSL.....	69	CCV81851SL.....	79
CCM304RXN.....	90	CCM8304L.....	93	CCR20520XC.....	89	CCR820027.....	83	CCV100XHSL.....	77	CCV8205.....	107
CCM304RXR.....	90	CCM8304LXC.....	90	CCR20520XN.....	89	CCR820028.....	86	CCV100XJSL.....	80	CCV820520.....	92
CCM305CAL.....	93	CCM8304LXE.....	90	CCR20522.....	87	CCR820030.....	91	CCV100XJSL.....	99	CCV820520XC.....	89
CCM305CALXC.....	91	CCM8304LXN.....	90	CCR20523.....	86	CCR820030A.....	92	CCV100XNSL.....	68	CCV820520XN.....	89
CCM305CALXE.....	91	CCM8304LXR.....	90	CCR20527.....	83	CCR820030XC.....	89	CCV100XNSL.....	77	CCV820522.....	87
CCM305CALXN.....	91	CCM8304R.....	93	CCR20537.....	84	CCR820030XN.....	89	CCV100XNSL.....	80	CCV820523.....	86
CCM305CALXR.....	91	CCM8304RXC.....	90	CCR20537A.....	84	CCR820032.....	87	CCV100XNSL.....	99	CCV820527.....	84
CCM305CAR.....	93	CCM8304RXE.....	90	CCR205A.....	106	CCR820032A.....	87	CCV100XRSL.....	80	CCV820528.....	86
CCM305CARXC.....	91	CCM8304RXN.....	90	CCR30020.....	75	CCR820037.....	84	CCV100XRSL.....	99	CCV820530.....	92
CCM305CARXE.....	91	CCM8304RXR.....	90	CCR30203.....	69	CCR820037A.....	84	CCV103SL.....	69	CCV820530XC.....	89
CCM305CARXN.....	91	CCM8305CAL.....	93	CCR30027.....	68	CCR8200A.....	106	CCV103SL.....	77	CCV820530XN.....	89
CCM305CARXR.....	91	CCM8305CALXC.....	91	CCR30028.....	69	CCR82035SL.....	80	CCV108SL.....	69	CCV820532.....	87
CCM306CAL.....	93	CCM8305CALXE.....	91	CCR3400SL.....	75	CCR82035XCSL.....	79	CCV108SL.....	78	CCV820537.....	84
CCM306CALXC.....	91	CCM8305CALXN.....	91	CCR3400SL.....	80	CCR82035XESL.....	79	CCV1414.....	83	CCV8220.....	107
CCM306CALXE.....	91	CCM8305CALXR.....	91	CCR3400XCSL.....	79	CCR82035XHSL.....	107	CCV1415.....	83	CCV822020.....	92
CCM306CALXN.....	91	CCM8305CAR.....	93	CCR3400XESL.....	79	CCR82035XJSL.....	79	CCV1418.....	76	CCV822020XC.....	89
CCM306CALXR.....	91	CCM8305CARXC.....	91	CCR3400XHSL.....	69	CCR82035XKSL.....	79	CCV1423.....	68	CCV822020XN.....	89
CCM306CAR.....	93	CCM8305CARXE.....	91	CCR3400XHSL.....	77	CCR82035XNSL.....	79	CCV1423SSL.....	68	CCV822022.....	87
CCM306CARXC.....	91	CCM8305CARXN.....	91	CCR3400XJSL.....	79	CCR82035XRSL.....	79	CCV1423SL.....	76	CCV822023.....	86
CCM306CARXE.....	91	CCM8305CARXR.....	91	CCR3400XKSL.....	79	CCR8205.....	107	CCV1423SL.....	97	CCV822027.....	84
CCM306CARXN.....	91	CCM8306CAL.....	93	CCR3400XNSL.....	68	CCR820520.....	91	CCV1424.....	94	CCV822028.....	86
CCM306CARXR.....	91	CCM8306CALXC.....	91	CCR3400XNSL.....	77	CCR820520XC.....	89	CCV1512.....	85	CCV831.....	107
CCM60.....	107	CCM8306CALXE.....	91	CCR3400XNSL.....	79	CCR820520XN.....	89	CCV1515.....	85	CCV8950SL.....	81
CCM600.....	95	CCM8306CALXN.....	91	CCR3400XRSL.....	79	CCR820523.....	86	CCV1516.....	85	CCV8950SL.....	101
CCM600XE.....	94	CCM8306CALXR.....	91	CCR3407SL.....	69	CCR820527.....	83	CCV1519.....	77	CCV8950XCSL.....	80
CCM603.....	94	CCM8306CAR.....	93	CCR3407SL.....	77	CCR820528.....	85	CCV1528.....	69	CCV8950XCSL.....	99
CCM612.....	94	CCM8306CARXC.....	91	CCR3408SL.....	69	CCR820530.....	91	CCV1838.....	88	CCV8950XHSL.....	107
CCM805027.....	76	CCM8306CARXE.....	91	CCR3408SL.....	78	CCR820530A.....	92	CCV1839.....	88	CCV8950XJSL.....	80
CCM81418.....	76	CCM8306CARXN.....	91	CCR3412SL.....	69	CCR820530AXC.....	89	CCV1843.....	79	CCV8950XJSL.....	99
CCM81519.....	77	CCM8306CARXR.....	91	CCR3412SL.....	78	CCR820530AXN.....	89	CCV1851.....	70	CCV8950XNSL.....	80
CCM82800.....	80	CCM890.....	106	CCR8000SL.....	80	CCR820530XC.....	89	CCV1851SL.....	70	CCV8950XNSL.....	99
CCM82800XC.....	79	CCM892.....	77	CCR8000XCSL.....	79	CCR820530XN.....	89	CCV1851SL.....	79	CCV8950XRSL.....	80
CCM82800XE.....	79	CCM9926.....	94	CCR8000XESL.....	79	CCR820532.....	87	CCV200.....	107	CCV8950XRSL.....	99
CCM82800XX.....	79	CCR040.....	107	CCR8000XHSL.....	77	CCR820532A.....	87	CCV205.....	107	CCV89918.....	82
CCM82800XN.....	79	CCR04020.....	91	CCR8000XJSL.....	79	CCR820537.....	84	CCV20520.....	92	CCV89919.....	82
CCM82800XR.....	79	CCR04020XC.....	89	CCR8000XKSL.....	79	CCR8205A.....	106	CCV20520XC.....	89	CCV89922.....	76
CCM82801.....	76	CCR04020XN.....	89	CCR8000XNSL.....	77	CCR8222.....	106	CCV20520XN.....	89	CCV9010SL.....	101
CCM82802.....	78	CCR04022.....	87	CCR8000XNSL.....	79	CCR822214.....	83	CCV20522.....	87	CCV9011SL.....	96
CCM82803.....	78	CCR04023.....	86	CCR8000XRSL.....	79	CCR822215.....	85	CCV20523.....	86	CCV9020SL.....	101
CCM82804.....	80	CCR04027.....	83	CCR8005.....	107	CCR822218.....	82	CCV20527.....	84	CCV910.....	100
CCM82804XC.....	79	CCR04037.....	83	CCR8005A.....	106	CCR822220.....	91	CCV20537.....	84	CCV910XC.....	98
CCM82804XE.....	79	CCR04040R.....	106	CCR8007SL.....	77	CCR822220XC.....	89	CCV220.....	107	CCV910XCSL.....	99
CCM82804XX.....	79	CCR100.....	106	CCR8008SL.....	78	CCR822220XN.....	89	CCV22020.....	92	CCV910XJ.....	98
CCM82804XN.....	79	CCR1022.....	69	CCR8040.....	107	CCR822222.....	87	CCV22020XC.....	89	CCV910XJSL.....	99
CCM82804XR.....	79	CCR100R.....	106	CCR804020.....	91	CCR822223.....	86	CCV22020XN.....	89	CCV910XN.....	98
CCM82806.....	80	CCR1414.....	82	CCR804020XC.....	89	CCR822227.....	83	CCV22022.....	87	CCV910XNSL.....	99
CCM82806XC.....	79	CCR1415.....	82	CCR804020XN.....	89	CCR822228.....	86	CCV22023.....	86	CCV910XR.....	98
CCM82806XE.....	79	CCR1417.....	82	CCR804022.....	87	CCR822238.....	88	CCV22027.....	84	CCV910XRS.....	99
CCM82806XX.....	79	CCR1423.....	68	CCR804023.....	86	CCR8225.....	107	CCV3412SL.....	69	CCV911.....	96
CCM82806XN.....	79	CCR1423SL.....	68	CCR804027.....	83	CCR8225R.....	106	CCV3412SL.....	78	CCV911SL.....	68
CCM82806XR.....	79	CCR1423SL.....	76	CCR804028.....	85	CCR89918.....	82	CCV4100.....	97	CCV911SL.....	76
CCM82815.....	80	CCR1511.....	85	CCR804030.....	91	CCR89919.....	82	CCV4100SL.....	97	CCV911SL.....	96
CCM82815XC.....	79	CCR1511A.....	85	CCR804030XC.....	89	CCR89921.....	82	CCV4300.....	97	CCV920.....	100
CCM82815XE.....	79	CCR1512.....	85	CCR804030XN.....	89	CCR89925SL.....	76	CCV805020.....	81	CCV920XC.....	98
CCM82815XK.....	79	CCR1512A.....	85	CCR804032.....	87	CCR9918.....	82	CCV805022.....	78	CCV920XCSL.....	99
CCM82815XN.....	79	CCR1514.....	85	CCR804037.....	83	CCR9919.....	82	CCV805023.....	77	CCV920XJ.....	98
CCM82815XR.....	79	CCR1515.....	85	CCR804040R.....	106	CCR9921.....	82	CCV805027.....	77	CCV920XJSL.....	99
CCM8301CAL.....	93	CCR1516.....	84	CCR8100.....	106	CCR9925.....	68	CCV805028.....	78	CCV920XN.....	98
CCM8301CALXC.....	90	CCR1518.....	84	CCR8100R.....	106	CCR9925SL.....	68	CCV8100SL.....	81	CCV920XNSL.....	99
CCM8301CALXE.....	90	CCR1528.....	69	CCR8102SL.....	78	CCR9925SL.....	76	CCV8100SL.....	101	CCV920XR.....	98
CCM8301CALXN.....	90	CCR1838.....	88	CCR81414.....	82	CCV050.....	107	CCV8100XCSL.....	80	CCV920XRS.....	99
CCM8301CALXR.....	90	CCR1839.....	88	CCR81415.....	82	CCV05020.....	81	CCV8100XCSL.....	99	CCV930.....	100
CCM8301CAR.....	93	CCR1841.....	87	CCR81417.....	82	CCV05020X.....	79	CCV8100XHSL.....	77	CCV930XC.....	98
CCM8301CARXC.....	90	CCR1851.....	70	CCR81423SL.....	76	CCV05020XN.....	79	CCV8100XJSL.....	80	CCV930XJ.....	98
CCM8301CARXE.....	90	CCR1851SL.....	70	CCR81511.....	85	CCV0522.....	78	CCV8100XJSL.....	99	CCV930XN.....	98
CCM8301CARXN.....	90	CCR1851SL.....	79	CCR81511A.....	85	CCV0523.....	77	CCV8100XNSL.....	77	CCV930XR.....	98
CCM8301CARXR.....	90	CCR200.....	107	CCR81512.....	85	CCV0527.....	77	CCV8100XNSL.....	80	CCV931.....	96
CCM8302L.....	92	CCR20020.....	91	CCR8152A.....	85	CCV0528.....	78	CCV8100XNSL.....	99	CCV940.....	100
CCM8302LXC.....	89	CCR20020XC.....	89	CCR8154.....	85	CCV060.....	107	CCV8100XRS.....	80	CCV940XC.....	98
CCM8302LXE.....	89	CCR20020XN.....	89	CCR8155.....	85	CCV06020.....	95	CCV8100XRS.....	99	CCV940XJ.....	98
CCM8302LXN.....	89	CCR20022.....	87	CCR8156.....	84	CCV06020X.....	94	CCV8102SL.....	78	CCV940XN.....	98
CCM8302LXR.....	89	CCR20023.....	86	CCR8158.....	84	CCV06022.....	94	CCV8103SL.....	77	CCV940XR.....	98
CCM8302R.....	92	CCR20027.....	83	CCR81838.....	88	CCV06023.....	94	CCV8108SL.....	78	CCV950SL.....	75
CCM8302RXC.....	89	CCR20037.....	84	CCR81839.....	88	CCV06028.....	94	CCV8111SL.....	76	CCV950SL.....	81
CCM8302RXE.....	89	CCR20037A.....	84	CCR81841.....	87	CCV06020.....	75	CCV81414.....	83	CCV950SL.....	101
CCM8302RWN.....	89	CCR200A.....	106	CCR81845.....	88	CCV06022.....	69	CCV81415.....	83	CCV950XCSL.....	80
CCM8302RXR.....	89	CCR2025SL.....	75	CCR81845A.....	88	CCV06023.....	69	CCV81418.....	76	CCV950XCSL.....	99
CCM8303L.....	93	CCR2025SL.....	80	CCR81846.....	88	CCV06027.....	68	CCV81423SL.....	76	CCV950XESL.....	80

CCV950XESL	99	1000.....	210	2050XJSL.....	130	81938P.....	182	81983P.....	183	FC131SL.....	164
CCV950XHSL	107	1283.....	162	2050XK.....	130	81938PSL.....	182	81984P.....	184	FC138.....	159
CCV950XJSL	80	1284.....	159	2050XKSL.....	130	81939P.....	182	81985P.....	185	FC138XC.....	154
CCV950XJSL	99	1285.....	159	2050XN.....	130	81939PSL.....	182	81986PSL.....	146	FC138XE.....	154
CCV950XNSL	80	1286.....	157	2050XNSL.....	130	81940P.....	183	81986SL.....	146	FC138XJ.....	154
CCV950XNSL	99	1289.....	160	2050XR.....	130	81940PSL.....	183	85901SL.....	166	FC138XK.....	154
CCV950XRSL	80	2000.....	135	2050XRSL.....	130	81941P.....	184	85919SL.....	183	FC138XN.....	154
CCV950XRSL	99	2009.....	133	8000-12.....	133	81941PSL.....	184	AXRT.....	211	FC138XR.....	154
CCV960	100	2010.....	133	8000-18.....	133	81942P.....	185	BSRT.....	211	FC1400.....	173
CCV960XC	99	2050.....	133	8000-9.....	133	81942PSL.....	185	CNRT.....	211	FC1400SL.....	173
CCV960XJ	99	8000.....	135	8000XC.....	132	81943P.....	175	CX30T.....	211	FC1402.....	173
CCV960XN	99	81000.....	210	8000XE.....	132	81943PSL.....	175	CXRT.....	211	FC1404.....	201
CCV960XR	99	81200.....	162	8000XJ.....	132	81943PXC.....	171	DRS2131SL.....	162	FC1408.....	193
CCV9918	82	81208.....	159	8000KK.....	132	81943PXCSL.....	171	DRS82131SL.....	162	FC1408SL.....	193
CCV9919	82	81225.....	157	8000XN.....	132	81943PXE.....	171	EC30T.....	211	FC141.....	156
CCV9922	76	81828.....	159	8000XR.....	132	81943PXESL.....	171	ECRT.....	211	FC141SL.....	157
CCV9925	68	12101SL.....	162	81200P.....	162	81943PXJ.....	171	FC10.....	162	FC142.....	147
CCV9926	94	12101XCSL.....	156	81200PSL.....	162	81943PXJSL.....	171	FC100.....	144	FC142SL.....	147
CCW1000	104	12101XESL.....	156	81200PXC.....	156	81943PXK.....	171	FC1006.....	146	FC143.....	166
CCW81000	104	12101XJSL.....	156	81200PXCSL.....	156	81943PXKSL.....	171	FC100SL.....	145	FC143SL.....	166
CCW8900L	104	12101XKSL.....	156	81200PXE.....	156	81943PXN.....	171	FC101.....	180	FC144.....	183
CCW8900R	104	12101XNSL.....	156	81200PXESL.....	156	81943PXNSL.....	171	FC101SL.....	180	FC1442SL.....	168
CCW8901L	104	12101XRSL.....	156	81200PXJ.....	156	81943PXR.....	171	FC1029.....	147	FC147.....	166
CCW8901R	104	12102SL.....	159	81200PXJSL.....	156	81943PXRS.....	171	FC104.....	147	FC147SL.....	166
CCW8902L	104	12102XCSL.....	155	81200PXK.....	156	81944P.....	173	FC104SL.....	148	FC148.....	150
CCW8902R	105	12102XESL.....	155	81200PXKSL.....	156	81944PSL.....	173	FC104XC.....	190	FC148SL.....	150
CCW8903	105	12102XJSL.....	155	81200PXN.....	156	81945P.....	173	FC104XE.....	190	FC149.....	186
CCW8904L	105	12102XKSL.....	155	81200PXNSL.....	156	81945PXC.....	170	FC104XJ.....	190	FC149SL.....	186
CCW8904R	105	12102XNSL.....	155	81200PXR.....	156	81945PXE.....	170	FC104XK.....	190	FC151.....	177
CCW8905	105	12102XRSL.....	155	81200PXRS.....	156	81945PXJ.....	170	FC104XN.....	190	FC156.....	167
CCW8906L	105	1283XC.....	156	81200SL.....	162	81945PXK.....	170	FC104XR.....	190	FC16.....	144
CCW8906R	105	1283XE.....	156	81200XC.....	156	81945PXN.....	170	FC105.....	184	FC160.....	178
CCW8907L	105	1283XJ.....	156	81200XCSL.....	156	81945PXR.....	170	FC105SL.....	184	FC163.....	176
CCW8907R	105	1283XK.....	156	81200XE.....	156	81946P.....	173	FC108.....	143	FC164.....	176
CCW900L	104	1283XN.....	156	81200XESL.....	156	81946PSL.....	173	FC1089.....	172	FC1645.....	207
CCW900R	104	1283XR.....	156	81200XJ.....	156	81946PXC.....	170	FC1089SL.....	173	FC1646.....	168
CCW901L	104	1284XC.....	154	81200XJSL.....	156	81946PXCSL.....	170	FC108SL.....	143	FC1646SL.....	168
CCW901R	104	1284XE.....	154	81200XKK.....	156	81946PXE.....	170	FC109.....	179	FC1647.....	168
CCW902L	104	1284XJ.....	154	81200XKSL.....	156	81946PXESL.....	170	FC109SL.....	179	FC1651.....	151
CCW902R	105	1284XK.....	154	81200XN.....	156	81946PXJ.....	170	FC10X.....	156	FC1651SL.....	151
CCW903	105	1284XN.....	154	81200XNSL.....	156	81946PXJSL.....	170	FC10XE.....	156	FC1652.....	151
CCW904L	105	1284XR.....	154	81200XRR.....	156	81946PXK.....	170	FC10XJ.....	156	FC1652SL.....	151
CCW904R	105	1285XC.....	154	81200XRSL.....	156	81946PXKSL.....	170	FC10XK.....	156	FC1654.....	187
CCW905	105	1285XE.....	154	81208P.....	159	81946PXN.....	170	FC10XN.....	156	FC1655.....	200
CCW906L	105	1285XJ.....	154	81208PSL.....	159	81946PXNSL.....	170	FC10XR.....	156	FC1656SL.....	187
CCW906R	105	1285XK.....	154	81208SL.....	159	81946PXR.....	170	FC113.....	145	FC18.....	159
CCW907L	105	1285XN.....	154	81225P.....	156	81946PXRS.....	170	FC113SL.....	145	FC18SL.....	159
CCW907R	105	1285XR.....	154	81225PSL.....	157	81947PSL.....	173	FC114.....	181	FC18XC.....	154
DRS2131SL	105	1286SL.....	157	81225SL.....	157	81949PSL.....	173	FC114SL.....	181	FC18XCSL.....	155
DRS82131SL	105	18101SL.....	144	81800P.....	144	81952P.....	163	FC115.....	164	FC18XE.....	154
HW30T	108	19020T.....	211	81800PSL.....	144	81952PSL.....	163	FC115SL.....	164	FC18XESL.....	155
HWRT	108	19055T.....	211	81800SL.....	144	81953P.....	163	FC116.....	191	FC18XJ.....	154
LC30T	108	19200T.....	211	81900PSL.....	173	81953PSL.....	164	FC1200.....	159	FC18XJSL.....	155
LCET	108	19210T.....	211	81918P.....	143	81954P.....	164	FC1200SL.....	159	FC18XK.....	154
LCRT	108	19220T.....	211	81918PSL.....	143	81954PSL.....	164	FC1201.....	158	FC18XKSL.....	155
LF30T	108	19520T.....	211	81918SL.....	143	81955P.....	164	FC1201SL.....	159	FC18XN.....	154
LFET	108	1964P.....	171	81921P.....	145	81955PSL.....	164	FC1202.....	158	FC18XNSL.....	155
LFRT	108	19720T.....	211	81919PSL.....	145	81956P.....	165	FC1202SL.....	159	FC18XR.....	154
ZHRT	108	19730T.....	211	81919SL.....	145	81956PSL.....	165	FC1203.....	159	FC18XRS.....	155
		19740T.....	211	81921P.....	147	81957P.....	165	FC1204.....	133	FC198.....	160
		19750T.....	211	81921PSL.....	148	81957PSL.....	165	FC1204SL.....	133	FC198SL.....	160
		2000SL.....	135	81921SL.....	148	81958P.....	166	FC1205.....	132	FC20042.....	167
		2000XC.....	132	81928P.....	149	81958PSL.....	166	FC1205SL.....	133	FC2101.....	172
		2000XCSL.....	132	81928PSL.....	149	81959P.....	166	FC1205XC.....	130	FC2101SL.....	173
		2000XE.....	132	81928SL.....	149	81959PSL.....	166	FC1205XE.....	130	FC2102.....	173
		2000XESL.....	132	81929P.....	194	81960P.....	167	FC1205J.....	130	FC2106.....	172
		2000XJ.....	132	81929PSL.....	195	81960PSL.....	167	FC1205K.....	130	FC2107.....	172
		2000XJSL.....	132	81929PXC.....	190	81961P.....	167	FC1205XN.....	130	FC2108.....	172
		2000XK.....	132	81929PXCSL.....	190	81961PSL.....	168	FC1205XR.....	130	FC2213.....	153
		2000XKSL.....	132	81929PXE.....	190	81964P.....	171	FC1206.....	132	FC2213SL.....	153
		2000XN.....	132	81929PXESL.....	190	81964PSL.....	171	FC1206SL.....	133	FC2223.....	152
		2000XNSL.....	132	81929PXJ.....	190	81968P.....	144	FC1207.....	132	FC2223SL.....	152
		2000XR.....	132	81929PXJSL.....	190	81968PSL.....	145	FC1207XC.....	130	FC223.....	153
		2000XRSL.....	132	81929PXK.....	190	81968SL.....	145	FC1207KE.....	130	FC223SL.....	154
		2009SL.....	133	81929PXKSL.....	190	81971P.....	195	FC1207XJ.....	130	FC23.....	207
		2010XC.....	130	81929PXN.....	190	81971PXC.....	190	FC1207XK.....	130	FC2382.....	153
		2010XE.....	130	81929PXNSL.....	190	81971PXE.....	190	FC1207XN.....	130	FC2382SL.....	153
		2010XJ.....	130	81929PXR.....	190	81971PXJ.....	190	FC1207XR.....	130	FC2385.....	153
		2010XK.....	130	81929PXRS.....	190	81971PXK.....	190	FC1208.....	159	FC2385SL.....	154
		2010XN.....	130	81933P.....	179	81971PXN.....	190	FC1208SL.....	159	FC2389.....	152
		2010XR.....	130	81933PSL.....	179	81971PXR.....	190	FC1209.....	158	FC2389SL.....	152
		2050SL.....	133	81935P.....	180	81975P.....	179	FC1209SL.....	159	FC241.....	144
		2050XC.....	130	81935PSL.....	180	81977P.....	180	FC1211.....	158	FC31.....	209
		2050XCSL.....	130	81936P.....	180	81978P.....	180	FC1211SL.....	159	FC310.....	143
		2050XE.....	130	81936PSL.....	180	81980P.....	181	FC1212.....	159	FC32.....	175
		2050XESL.....	130	81937P.....	181	81981P.....	182	FC1289SL.....	160	FC32SL.....	175
		2050XJ.....	130	81937PSL.....	181	81982P.....	182	FC131.....	164	FC32XC.....	171

FC32XCSL	171	FC5720XJ	130	FC709	177	FC820	149	FC8573SL	148	FC902	165
FC32XE	171	FC5720XJS	131	FC710	178	FC821	147	FC8574	148	FC902SL	165
FC32XESL	171	FC5720XK	130	FC7125SL	193	FC822	144	FC8579	184	FC905	146
FC32XJ	171	FC5720XKS	131	FC713	176	FC82213	153	FC8581	184	FC905SL	146
FC32XJS	171	FC5720XN	130	FC714	176	FC82213SL	153	FC8583SL	184	FC906	182
FC32XK	171	FC5720XNSL	131	FC721	205	FC82223	152	FC860	209	FC906SL	182
FC32XKS	171	FC5720XR	130	FC735	206	FC82223SL	152	FC861	208	FC907	165
FC32XN	171	FC5720XRSL	131	FC736	205	FC82233	153	FC861XC	208	FC907SL	165
FC32XNSL	171	FC572SL	148	FC745	206	FC82233SL	154	FC861XE	208	FC910	149
FC32XR	171	FC573SL	148	FC752	206	FC82382	153	FC861XJ	208	FC910SL	149
FC32XRS	171	FC574	148	FC755	209	FC82382SL	153	FC861XK	208	FC911	185
FC3487SL	193	FC581	184	FC765	163	FC82385	153	FC861XN	208	FC911SL	185
FC3487XCSL	189	FC583SL	184	FC765SL	163	FC82385SL	154	FC861XR	208	FC912	167
FC3487XESL	189	FC60	209	FC766	175	FC82389	152	FC862	209	FC912SL	167
FC3487XJS	189	FC6093	146	FC766XC	171	FC82389SL	152	FC86220	201	FC915	177
FC3487XKS	189	FC6094	147	FC766XE	171	FC828	159	FC862203	201	FC916	177
FC3487XNSL	189	FC6095	149	FC766XJ	171	FC82X	170	FC862203XC	200	FC917	207
FC3487XRSL	189	FC61	208	FC766XK	171	FC82XE	170	FC862203XE	200	FC92	173
FC369	145	FC61XC	208	FC766XN	171	FC82XJ	170	FC862203XJ	200	FC925	201
FC38	163	FC61XE	208	FC766XR	171	FC82XK	170	FC862203XK	200	FC92SL	173
FC386	188	FC61XJ	208	FC770	163	FC82XN	170	FC862203XN	200	FC92XC	170
FC387SL	188	FC61XK	208	FC772	163	FC82XR	170	FC862203XR	200	FC92XCSL	170
FC389	169	FC61XN	208	FC773	164	FC8310	173	FC862203XC	201	FC92XE	170
FC38SL	164	FC61XR	208	FC775	164	FC8310SL	173	FC862203XE	201	FC92XESL	170
FC393	200	FC62	194	FC776	165	FC8311	172	FC862203XJ	201	FC92XJ	170
FC4521	169	FC626	150	FC777	165	FC8311SL	173	FC86220XK	201	FC92XJS	170
FC4521SL	169	FC62XC	190	FC778	166	FC8313	172	FC86220XN	201	FC92XK	170
FC4525	169	FC62XE	190	FC779	166	FC8313SL	173	FC86220XR	201	FC92XKSL	170
FC4525SL	169	FC62XJ	190	FC780	167	FC8316	173	FC86242	199	FC92XN	170
FC46SL	144	FC62XK	190	FC789	178	FC8318	192	FC86243	198	FC92XNSL	170
FC476	169	FC62XN	190	FC794	176	FC8319	192	FC86247	199	FC92XR	170
FC47SL	162	FC62XR	190	FC796	176	FC832	193	FC86249	199	FC92XRS	170
FC47XCSL	156	FC63SL	193	FC797	177	FC8320	193	FC86252	198	FCM10	162
FC47XESL	156	FC63XCSL	189	FC798	177	FC8321	192	FC86253	198	FCM100	144
FC47XJS	156	FC63XESL	189	FC803	207	FC8321XC	189	FC86254	199	FCM1000	209
FC47XKSL	156	FC63XJS	189	FC808SL	143	FC8321XE	189	FC86255	198	FCM1006	146
FC47XNSL	156	FC63XKSL	189	FC809	209	FC8321XJ	189	FC86500	150	FCM101	180
FC47XRS	156	FC63XNSL	189	FC80920	201	FC8321XK	189	FC86500SL	150	FCM101SL	180
FC48SL	195	FC63XRS	189	FC809203	201	FC8321XN	189	FC86533	200	FCM1029	147
FC48XCSL	190	FC65	192	FC809203XC	200	FC8321XR	189	FC86536	186	FCM104	147
FC48XESL	190	FC6500	150	FC809203XE	200	FC8322	192	FC86550	150	FCM104XC	190
FC48XJS	190	FC6500SL	150	FC809203XJ	200	FC8323	192	FC86550SL	150	FCM104XE	190
FC48XKSL	190	FC6534	200	FC809203XK	200	FC8324	192	FC86560	186	FCM104XJ	190
FC48XNSL	190	FC6550	150	FC809203XN	200	FC8322XC	189	FC86560SL	186	FCM104XK	190
FC48XRSL	190	FC6550SL	150	FC809203XR	200	FC8322XE	189	FC86570	207	FCM104XN	190
FC507	199	FC6560	186	FC80920X	201	FC8322XJ	189	FC86580	168	FCM104XR	190
FC529	167	FC6565SL	186	FC80920XE	201	FC832XK	189	FC86580SL	168	FCM105	183
FC5425	171	FC6570	207	FC80920XJ	201	FC832XN	189	FC8675SL	193	FCM105SL	183
FC5425SL	171	FC6576	178	FC80920XK	201	FC832XR	189	FC8678	191	FCM106	176
FC543	167	FC6577	178	FC80920XN	201	FC8386	188	FC8678SL	191	FCM108	143
FC545SL	167	FC6580	168	FC80920XR	201	FC8386SL	188	FC8685L	133	FCM1089SL	172
FC549	199	FC6580SL	168	FC80942	199	FC8390	200	FC8685LXC	130	FCM109	179
FC5700	133	FC6582	168	FC80943	198	FC8392	188	FC8685LXE	130	FCM109SL	179
FC5700SL	134	FC65XC	189	FC80947	199	FC84521	169	FC8685LXJ	130	FCM10XC	155
FC5700XC	130	FC65XE	189	FC80949	199	FC84521SL	169	FC8685LXX	130	FCM10XE	155
FC5700XCSL	131	FC65XJ	189	FC80952	198	FC84525	169	FC8685LXN	130	FCM10XJ	155
FC5700XE	130	FC65XK	189	FC80953	198	FC84525SL	169	FC8685LXR	130	FCM10XK	155
FC5700XESL	131	FC65XN	189	FC80954	199	FC84527	170	FC8685R	133	FCM10XN	155
FC5700XJ	130	FC65XR	189	FC80955	198	FC84527SL	170	FC8685RX	130	FCM10XR	155
FC5700XJS	131	FC668	144	FC80958	149	FC8489	188	FC8685RXE	130	FCM110	176
FC5700XK	130	FC670	195	FC812SL	146	FC8498	188	FC8685RXJ	130	FCM113	145
FC5700XKSL	131	FC678	191	FC813SL	150	FC8498SL	188	FC8685RXK	130	FCM114	181
FC5700XN	130	FC678SL	191	FC814	144	FC8529	167	FC8685RXN	130	FCM114SL	181
FC5700XNSL	131	FC685L	133	FC8141	201	FC8545SL	167	FC8685RXR	130	FCM115	164
FC5700XR	130	FC685LXC	130	FC8144	193	FC85700	133	FC8691	133	FCM115SL	164
FC5700XRS	131	FC685LXE	130	FC8145	193	FC85700XC	130	FC8691XC	130	FCM116	191
FC571	148	FC685LXJ	130	FC8145SL	193	FC85700XE	130	FC8691XE	130	FCM1200	157
FC5710	133	FC685LXK	130	FC8149	186	FC85700XJ	130	FC8691XJ	130	FCM1200SL	158
FC5710SL	134	FC685LXN	130	FC814SL	145	FC85700XK	130	FC8691XK	130	FCM1201	157
FC5710XC	130	FC685LXR	130	FC815SL	146	FC85700XN	130	FC8691XN	130	FCM1201SL	158
FC5710XCSL	131	FC685R	133	FC816	143	FC85700XR	130	FC8691XR	130	FCM1202	157
FC5710XKE	130	FC685RX	130	FC81645	207	FC8571	148	FC8704	206	FCM1202SL	158
FC5710XESL	131	FC685RXE	130	FC81646	168	FC85710	133	FC8707	205	FCM1203	157
FC5710XJ	130	FC685RXJ	130	FC81646SL	168	FC85710XC	130	FC8708	206	FCM1204SL	132
FC5710XJS	131	FC685RXK	130	FC81649	200	FC85710XE	130	FC8721	205	FCM1205SL	132
FC5710XK	130	FC685RXN	130	FC81651	151	FC85710XJ	130	FC8735	206	FCM1206SL	132
FC5710XKSL	131	FC685RXR	130	FC81651SL	151	FC85710XK	130	FC8736	205	FCM1208	157
FC5710XN	130	FC691	133	FC81652	151	FC85710XN	130	FC8745	206	FCM1209	157
FC5710XNSL	131	FC691XC	130	FC81652SL	151	FC85710XR	130	FC8752	206	FCM12101SL	162
FC5710XR	130	FC691XE	130	FC81653	187	FC85720	133	FC8867SL	186	FCM12101XCSL	156
FC5710XRS	131	FC691XJ	130	FC81654	187	FC85720XC	130	FC89701	186	FCM12101XESL	156
FC5720	133	FC691XK	130	FC81654SL	187	FC85720XE	130	FC8971	191	FCM12101XJS	156
FC5720SL	134	FC691XN	130	FC816SL	145	FC85720XJ	130	FC8972	201	FCM12101XKSL	156
FC5720XC	130	FC691XR	130	FC817	145	FC85720XK	130	FC900	146	FCM12101XNSL	156
FC5720XCSL	131	FC704	206	FC817SL	147	FC85720XN	130	FC900SL	146	FCM12101XRS	156
FC5720XE	130	FC707	205	FC818	148	FC85720XR	130	FC901	182	FCM12102SL	158
FC5720XESL	131	FC708	206	FC82	172	FC8572SL	148	FC901SL	182	FCM12102XCSL	154

Fiber-Classic® & Smooth-Star® *Continued*

FCM12102XESL.....	154	FCM2000XJSL.....	140	FCM4813XC.....	139	FCM605XN.....	203	FCM65XCSL.....	189	FCM81652.....	151
FCM12102XJSL.....	154	FCM2000XKSL.....	140	FCM4813XE.....	139	FCM605XR.....	203	FCM65XE.....	189	FCM81652SL.....	151
FCM12102XKSL.....	154	FCM2000XNSL.....	140	FCM4813XJ.....	139	FCM606.....	204	FCM65XESL.....	189	FCM81654.....	187
FCM12102XNSL.....	154	FCM2000XRSL.....	140	FCM4813XN.....	139	FCM606XC.....	203	FCM65XJ.....	189	FCM81654SL.....	187
FCM12102XRSL.....	154	FCM2009SL.....	132	FCM4813XR.....	139	FCM606XE.....	203	FCM65XJSL.....	189	FCM8165L.....	144
FCM1211.....	157	FCM205.....	209	FCM4814.....	140	FCM606XJ.....	203	FCM65XK.....	189	FCM817.....	145
FCM1212.....	157	FCM2050SL.....	141	FCM4814XC.....	139	FCM606XN.....	203	FCM65XKSL.....	189	FCM817SL.....	147
FCM1283.....	162	FCM2050XCSL.....	139	FCM4814XE.....	139	FCM606XR.....	203	FCM65XN.....	189	FCM81800SL.....	144
FCM1283XC.....	155	FCM2050XESL.....	139	FCM4814XJ.....	139	FCM607.....	204	FCM65XNSL.....	189	FCM81828.....	158
FCM1283XE.....	155	FCM2050XJSL.....	139	FCM4814XN.....	139	FCM6074.....	183	FCM65XR.....	189	FCM81829.....	158
FCM1283XJ.....	155	FCM2050XKSL.....	139	FCM4814XR.....	139	FCM6075.....	183	FCM65XRSL.....	189	FCM818SL.....	147
FCM1283XK.....	155	FCM2050XNSL.....	139	FCM4816.....	140	FCM607XC.....	203	FCM668.....	144	FCM81900SL.....	172
FCM1283XN.....	155	FCM2050XRSL.....	139	FCM4816XC.....	139	FCM607XE.....	203	FCM670.....	194	FCM81918SL.....	143
FCM1283XR.....	155	FCM2101SL.....	172	FCM4816XE.....	139	FCM607XJ.....	203	FCM678.....	190	FCM81919SL.....	145
FCM1284.....	158	FCM2106.....	172	FCM4816XJ.....	139	FCM607XN.....	203	FCM678SL.....	191	FCM81921SL.....	147
FCM1284XC.....	154	FCM2107.....	172	FCM4816XN.....	139	FCM607XR.....	203	FCM6975.....	203	FCM81928SL.....	149
FCM1284XE.....	154	FCM2108.....	172	FCM4816XR.....	139	FCM608.....	204	FCM704.....	206	FCM81944SL.....	172
FCM1284XJ.....	154	FCM220.....	209	FCM508.....	202	FCM608XC.....	203	FCM707.....	205	FCM81947SL.....	172
FCM1284XK.....	154	FCM2213.....	152	FCM5425.....	171	FCM608XE.....	203	FCM708.....	206	FCM81949SL.....	172
FCM1284XN.....	154	FCM2223.....	152	FCM5425SL.....	171	FCM608XJ.....	203	FCM7125SL.....	192	FCM81968SL.....	144
FCM1284XR.....	154	FCM2233.....	153	FCM543.....	166	FCM608XN.....	203	FCM721.....	205	FCM81986SL.....	146
FCM1285.....	157	FCM2382.....	152	FCM545SL.....	166	FCM608XR.....	203	FCM735.....	206	FCM82.....	172
FCM1285XC.....	154	FCM2382SL.....	152	FCM571.....	148	FCM609.....	202	FCM736.....	205	FCM820.....	149
FCM1285XE.....	154	FCM2385.....	153	FCM572SL.....	148	FCM6093.....	146	FCM745.....	206	FCM821.....	147
FCM1285XJ.....	154	FCM2385L.....	153	FCM574.....	148	FCM6094.....	147	FCM752.....	206	FCM822.....	144
FCM1285XK.....	154	FCM2389.....	152	FCM575.....	184	FCM6095.....	149	FCM755.....	209	FCM82213.....	152
FCM1285XN.....	154	FCM2389SL.....	152	FCM577.....	184	FCM61.....	208	FCM765.....	163	FCM82213SL.....	153
FCM1285XR.....	154	FCM241.....	144	FCM581.....	184	FCM6107.....	181	FCM765SL.....	163	FCM82223.....	152
FCM1286.....	156	FCM31.....	209	FCM583SL.....	184	FCM6108.....	181	FCM789.....	177	FCM82223SL.....	152
FCM1286SL.....	156	FCM310.....	143	FCM60.....	209	FCM6124SL.....	158	FCM80.....	178	FCM82233SL.....	153
FCM1289.....	158	FCM32.....	174	FCM600.....	209	FCM6124XCSL.....	154	FCM8000SL.....	141	FCM82382.....	152
FCM1289SL.....	158	FCM32SL.....	174	FCM601.....	204	FCM6124XESL.....	154	FCM8000XCSL.....	140	FCM82382SL.....	152
FCM131.....	164	FCM32XC.....	171	FCM601XC.....	204	FCM6124XJSL.....	154	FCM8000XESL.....	140	FCM82385.....	153
FCM131SL.....	164	FCM32XCSL.....	171	FCM601XE.....	204	FCM6124XNSL.....	154	FCM8000XJSL.....	140	FCM82385SL.....	153
FCM138.....	157	FCM32XCE.....	171	FCM601XJ.....	204	FCM6124XRS.....	154	FCM8000XKS.....	140	FCM82389.....	152
FCM138XC.....	154	FCM32XESL.....	171	FCM601XN.....	204	FCM6125SL.....	158	FCM8000XNSL.....	140	FCM82389SL.....	152
FCM138XE.....	154	FCM32XJ.....	171	FCM601XR.....	204	FCM6125XCSL.....	154	FCM8000XRSL.....	140	FCM828.....	158
FCM138XJ.....	154	FCM32XJSL.....	171	FCM602.....	202	FCM6125XESL.....	154	FCM808SL.....	143	FCM82X.....	170
FCM138XK.....	154	FCM32XK.....	171	FCM6021.....	194	FCM6125XJS.....	154	FCM809SL.....	149	FCM82X.....	170
FCM138XN.....	154	FCM32XKSL.....	171	FCM6021X.....	190	FCM6125XNSL.....	154	FCM81000.....	209	FCM82XJ.....	170
FCM138XR.....	154	FCM32XN.....	171	FCM6021XE.....	190	FCM6125XRSL.....	154	FCM8101SL.....	172	FCM82XK.....	170
FCM1400SL.....	172	FCM32XNSL.....	171	FCM6021XJ.....	190	FCM6126SL.....	158	FCM8101XCSL.....	170	FCM82XN.....	170
FCM1402.....	172	FCM32XR.....	171	FCM6021XK.....	190	FCM6126XCSL.....	154	FCM8101XESL.....	170	FCM82XK.....	170
FCM1405.....	192	FCM32XRS.....	171	FCM6021XN.....	190	FCM6126XESL.....	154	FCM8101XJS.....	170	FCM8310SL.....	172
FCM1405SL.....	192	FCM3487SL.....	192	FCM6021XR.....	190	FCM6126XJS.....	154	FCM8101XKS.....	170	FCM8311SL.....	172
FCM1406.....	192	FCM3487XCSL.....	189	FCM6022.....	192	FCM6126XNSL.....	154	FCM8101XNSL.....	170	FCM8313SL.....	172
FCM1408.....	192	FCM3487XESL.....	189	FCM6022X.....	189	FCM6126XRS.....	154	FCM8101XRSL.....	170	FCM8321.....	192
FCM141.....	156	FCM3487XJSL.....	189	FCM6022XE.....	189	FCM611X.....	208	FCM8103SL.....	166	FCM8321X.....	189
FCM142.....	147	FCM3487XKSL.....	189	FCM6022XJ.....	189	FCM611XE.....	208	FCM8105SL.....	163	FCM8321XE.....	189
FCM143.....	166	FCM3487XNSL.....	189	FCM6022XK.....	189	FCM611XJ.....	208	FCM8107SL.....	167	FCM8321XJ.....	189
FCM143SL.....	166	FCM3487XRS.....	189	FCM6022XN.....	189	FCM611XK.....	208	FCM8110SL.....	171	FCM8321XK.....	189
FCM144.....	183	FCM369.....	145	FCM6022XR.....	189	FCM611XN.....	208	FCM8114.....	144	FCM8321XN.....	189
FCM1442SL.....	167	FCM38.....	163	FCM6025.....	180	FCM611XR.....	208	FCM8114SL.....	144	FCM8321XR.....	189
FCM147.....	166	FCM386.....	187	FCM6026.....	185	FCM62.....	194	FCM8115.....	156	FCM8322.....	192
FCM147SL.....	166	FCM387.....	187	FCM6029.....	182	FCM6201SL.....	139	FCM8115SL.....	156	FCM8323.....	192
FCM148.....	150	FCM387SL.....	187	FCM6030.....	183	FCM6240.....	139	FCM81200.....	162	FCM8324.....	192
FCM149.....	185	FCM389.....	169	FCM6031.....	181	FCM6240SL.....	139	FCM81200SL.....	162	FCM836.....	187
FCM149SL.....	185	FCM38SL.....	163	FCM6032.....	179	FCM626.....	150	FCM81200X.....	155	FCM836SL.....	187
FCM151.....	177	FCM394.....	187	FCM6035.....	190	FCM62SL.....	194	FCM81200XCSL.....	156	FCM84521SL.....	169
FCM156.....	167	FCM4521SL.....	169	FCM6036.....	185	FCM62X.....	190	FCM81200XE.....	155	FCM84525SL.....	169
FCM16.....	144	FCM4525SL.....	169	FCM604.....	202	FCM62XCSL.....	190	FCM81200XESL.....	156	FCM84527SL.....	170
FCM160.....	178	FCM476.....	169	FCM6041.....	194	FCM62XE.....	190	FCM81200XJ.....	155	FCM84810.....	141
FCM163.....	176	FCM4810.....	141	FCM6041XC.....	190	FCM62XESL.....	190	FCM81200XJS.....	156	FCM84810SL.....	141
FCM164.....	176	FCM4810SL.....	141	FCM6041XE.....	190	FCM62XJ.....	190	FCM81200XK.....	155	FCM84810XC.....	140
FCM1645.....	207	FCM4810XC.....	140	FCM6041XJ.....	190	FCM62XJS.....	190	FCM81200XKS.....	156	FCM84810XCSL.....	140
FCM1646SL.....	168	FCM4810XCSL.....	140	FCM6041XK.....	190	FCM62XK.....	190	FCM81200XN.....	155	FCM84810XE.....	140
FCM1647.....	168	FCM4810XE.....	140	FCM6041XN.....	190	FCM62XKSL.....	190	FCM81200XNSL.....	156	FCM84810XESL.....	140
FCM1650.....	203	FCM4810XESL.....	140	FCM6041XR.....	190	FCM62XN.....	190	FCM81200XR.....	155	FCM84810XJ.....	140
FCM1651.....	151	FCM4810XJ.....	140	FCM6042.....	192	FCM62XNSL.....	190	FCM81200XRS.....	156	FCM84810XJS.....	140
FCM1651SL.....	151	FCM4810XJSL.....	140	FCM6042XC.....	189	FCM62XR.....	190	FCM81208P.....	158	FCM84810XK.....	140
FCM1652.....	151	FCM4810XN.....	140	FCM6042XE.....	189	FCM62XRSL.....	190	FCM81208PSL.....	158	FCM84810XNSL.....	140
FCM1654.....	187	FCM4810XNSL.....	140	FCM6042XJ.....	189	FCM65.....	192	FCM81208SL.....	158	FCM84810XR.....	140
FCM1656.....	187	FCM4810XR.....	140	FCM6042KK.....	189	FCM6500.....	150	FCM81225.....	156	FCM84810XRSL.....	140
FCM1656SL.....	187	FCM4810XRSL.....	140	FCM6042XN.....	189	FCM6500SL.....	150	FCM81225SL.....	156	FCM84812.....	140
FCM1658.....	187	FCM4812.....	140	FCM6042XR.....	189	FCM6520.....	203	FCM8125L.....	146	FCM84812SL.....	141
FCM18.....	157	FCM4812SL.....	141	FCM6045.....	180	FCM6550.....	150	FCM813SL.....	150	FCM84812XC.....	139
FCM18101SL.....	144	FCM4812XC.....	139	FCM6046.....	185	FCM6560.....	186	FCM814.....	144	FCM84812CSL.....	140
FCM18XC.....	154	FCM4812CSL.....	140	FCM6049.....	182	FCM6565.....	186	FCM8145.....	192	FCM84812XE.....	139
FCM18XE.....	154	FCM4812XE.....	139	FCM605.....	204	FCM6565SL.....	186	FCM84812ESL.....	140	FCM84812ESL.....	140
FCM18XJ.....	154	FCM4812XESL.....	140	FCM6050.....	183	FCM6568.....	186	FCM84812XJ.....	139	FCM84812XJ.....	139
FCM18XK.....	154	FCM4812XJ.....	139	FCM6051.....	181	FCM6570.....	207	FCM84814SL.....	145	FCM84812XJSL.....	140
FCM18XN.....	154	FCM4812XJSL.....	140	FCM6052.....	179	FCM6575.....	177	FCM84815SL.....	146	FCM84812XK.....	139
FCM18XR.....	154	FCM4812XN.....	139	FCM6055.....	190	FCM6577.....	177	FCM8616.....	143	FCM84812XNSL.....	140
FCM198.....	158	FCM4812XNSL.....	140	FCM6056.....	185	FCM6580SL.....	168	FCM861645.....	207	FCM84812XK.....	139
FCM2000SL.....	141	FCM4812XR.....	139	FCM605X.....	203	FCM6582.....	168	FCM861646SL.....	168	FCM84812XRSL.....	140
FCM2000XCSL.....	140	FCM4812XRSL.....	140	FCM605XE.....	203	FCM6585.....	192	FCM86151.....	151	FCM84813.....	140
FCM2000XESL.....	140	FCM4813.....	140	FCM605XJ.....	203	FCM65XC.....	189	FCM86151SL.....	151	FCM84813XC.....	139

FCM84813XE.....	139	FCM870XJSL.....	156	FC06186XNSL.....	155	S1205XK.....	131	S1655.....	200	S2104.....	137
FCM84813XJ.....	139	FCM870XK.....	155	FC06186XRS.....	155	S1205XN.....	131	S1656.....	187	S2104SL.....	137
FCM84813XN.....	139	FCM870XKSL.....	156	FC06188SL.....	160	S1205XR.....	131	S1656SL.....	187	S2104XC.....	136
FCM84813XR.....	139	FCM870XN.....	155	FC06188XCSL.....	155	S1206.....	134	S1658.....	187	S2104XCSL.....	136
FCM84814.....	140	FCM870XNSL.....	156	FC06188XESL.....	155	S1206SL.....	134	S1661.....	197	S2104XE.....	136
FCM84814XC.....	139	FCM870XR.....	155	FC06188XJSL.....	155	S1207.....	134	S198.....	161	S2104XESL.....	136
FCM84814XE.....	139	FCM870XRSL.....	156	FC06188XNSL.....	155	S1207XC.....	131	S198SL.....	162	S2104XJ.....	136
FCM84814XJ.....	139	FCM871.....	143	FC06188XRS.....	155	S1207XE.....	131	S200.....	210	S2104XJSL.....	136
FCM84814XN.....	139	FCM871SL.....	143	FC06189SL.....	160	S1207XJ.....	131	S2000.....	135	S2104XK.....	136
FCM84814XR.....	139	FCM872.....	144	FC06189XCSL.....	155	S1207XK.....	131	S2000SL.....	135	S2104XKSL.....	136
FCM84816.....	140	FCM8721.....	205	FC06189XESL.....	155	S1207XN.....	131	S2000SL.....	141	S2104XN.....	136
FCM84816XC.....	139	FCM872SL.....	144	FC06189XJSL.....	155	S1207XR.....	131	S2000SL-2C.....	134	S2104XNSL.....	136
FCM84816XE.....	139	FCM873.....	145	FC06189XNSL.....	155	S1208.....	160	S2000SL-4C.....	134	S2104XR.....	136
FCM84816XJ.....	139	FCM8735.....	206	FC06189XRS.....	155	S1208SL.....	161	S2000XC.....	132	S2104XRS.....	136
FCM84816XN.....	139	FCM8736.....	205	FC06190SL.....	160	S1209.....	160	S2000XCSL.....	132	S2105.....	137
FCM84816XR.....	139	FCM873SL.....	145	FC06190XCSL.....	155	S1209SL.....	161	S2000XCSL-2C.....	131	S2106.....	173
FCM84886SL.....	141	FCM874.....	147	FC06190XESL.....	155	S1211.....	160	S2000XCSL-4C.....	131	S2107.....	173
FCM84886XCSL.....	139	FCM8745.....	206	FC06190XJSL.....	155	S1211SL.....	161	S2000XE.....	132	S2108.....	173
FCM84886XESL.....	139	FCM874SL.....	147	FC06190XNSL.....	155	S1212.....	160	S2000XESL.....	132	S210SL.....	195
FCM84886XJSL.....	139	FCM8752.....	206	FC06190XRS.....	155	S128.....	160	S2000XESL-2C.....	131	S210XCSL.....	190
FCM84886XKSL.....	139	FCM881SL.....	174	FC06575.....	178	S128XC.....	155	S2000XESL-4C.....	131	S210XESL.....	190
FCM84886XNSL.....	139	FCM881XCSL.....	171	FWRT.....	211	S128XE.....	155	S2000XJ.....	132	S210XJSL.....	190
FCM84886XRS.....	139	FCM881XESL.....	171	KNRT.....	211	S128XJ.....	155	S2000XJSL.....	132	S210XKSL.....	190
FCM8498.....	188	FCM881XJSL.....	171	LT30T.....	211	S128KK.....	155	S2000XJSL-2C.....	131	S210XNSL.....	190
FCM8498SL.....	188	FCM881XKSL.....	171	LTRT.....	211	S128XN.....	155	S2000XJSL-4C.....	131	S210XRSL.....	190
FCM8545SL.....	166	FCM881XNSL.....	171	PBRT.....	211	S128XR.....	155	S2000XK.....	132	S211.....	180
FCM8571.....	148	FCM881XRS.....	171	RSRT.....	211	S130.....	157	S2000XSL.....	132	S213.....	182
FCM8572SL.....	148	FCM882SL.....	163	S100.....	210	S130SL.....	157	S2000XN.....	132	S214.....	184
FCM8573SL.....	148	FCM883SL.....	164	S1000.....	177	S131.....	191	S2000XNSL.....	132	S2150.....	138
FCM8574.....	148	FCM884SL.....	164	S1001.....	177	S132.....	191	S2000XNSL-2C.....	131	S220.....	210
FCM8581.....	184	FCM885SL.....	166	S1006.....	146	S132SL.....	191	S2000XNSL-4C.....	131	S2200.....	137
FCM8583SL.....	184	FCM886.....	181	S100SL.....	162	S1350.....	138	S2000XR.....	132	S2200XC.....	136
FCM860.....	209	FCM886SL.....	181	S100XCSL.....	156	S137.....	191	S2000XRS.....	132	S2200XCSL.....	136
FCM861.....	208	FCM887SL.....	165	S100XESL.....	156	S139.....	145	S2000XRS-2C.....	131	S2200XE.....	136
FCM861XC.....	208	FCM888.....	182	S100XJSL.....	156	S139SL.....	145	S2000XRS-4C.....	131	S2200XESL.....	136
FCM861XE.....	208	FCM888SL.....	182	S100XKSL.....	156	S140.....	162	S20042.....	168	S2200XJ.....	136
FCM861XJ.....	208	FCM889SL.....	165	S100XNSL.....	156	S1400.....	174	S2009.....	135	S2200XJSL.....	136
FCM861XK.....	208	FCM890.....	149	S100XRS.....	156	S1400SL.....	174	S2009SL.....	135	S2200XK.....	136
FCM861XN.....	208	FCM890SL.....	149	S1029.....	147	S1401.....	137	S2010.....	134	S2200XKSL.....	136
FCM861XR.....	208	FCM891.....	185	S104.....	195	S1401SL.....	137	S2010SL.....	134	S2200XN.....	136
FCM862.....	194	FCM891SL.....	185	S104XC.....	190	S1402.....	174	S2010SL.....	141	S2200XNSL.....	136
FCM86201SL.....	139	FCM892SL.....	167	S104XE.....	190	S1404.....	201	S2010XC.....	131	S2200XR.....	136
FCM86240.....	139	FCM893SL.....	146	S104XJ.....	190	S1405.....	194	S2010XCSL.....	131	S2200XRS.....	136
FCM86240SL.....	139	FCM898.....	180	S104XK.....	190	S1405SL.....	194	S2010XE.....	131	S2213.....	153
FCM862SL.....	194	FCM898SL.....	180	S104XN.....	190	S1406.....	194	S2010XESL.....	131	S2213SL.....	153
FCM862XC.....	190	FCM899.....	183	S104XR.....	190	S1407.....	194	S2010XJ.....	131	S2223.....	152
FCM862XCSL.....	190	FCM899SL.....	183	S105.....	195	S1408.....	194	S2010JSL.....	131	S2223SL.....	152
FCM862XE.....	190	FCM900.....	146	S108.....	160	S1409.....	138	S2010XK.....	131	S223.....	154
FCM862XESL.....	190	FCM901.....	181	S1089.....	173	S140STC.....	208	S2010XKSL.....	131	S2233SL.....	154
FCM862XJ.....	190	FCM901SL.....	181	S1089SL.....	174	S140XC.....	156	S2010XN.....	131	S2250.....	137
FCM862XJSL.....	190	FCM902.....	165	S108XC.....	155	S140XE.....	156	S2010XNSL.....	131	S2250XC.....	136
FCM862XK.....	190	FCM902SL.....	165	S108XE.....	155	S140XJ.....	156	S2010XR.....	131	S2250XCSL.....	136
FCM862XKSL.....	190	FCM905.....	146	S108XJ.....	155	S140XK.....	156	S2010XRS.....	131	S2250X.....	136
FCM862XN.....	190	FCM906.....	182	S108XK.....	155	S140XN.....	156	S205.....	210	S2250XESL.....	136
FCM862XNSL.....	190	FCM906SL.....	182	S108XN.....	155	S140XR.....	156	S2050.....	134	S2250XJ.....	136
FCM862XR.....	190	FCM907.....	165	S108XR.....	155	S141.....	160	S2050XC.....	131	S2250XJSL.....	136
FCM862XRSL.....	190	FCM907SL.....	165	S1100.....	210	S1411.....	197	S2050XE.....	131	S2250X.....	136
FCM863.....	179	FCM910.....	149	S115.....	194	S1415TC.....	208	S2050XJ.....	131	S2250XKSL.....	136
FCM863SL.....	179	FCM911.....	185	S1170SL.....	161	S141XC.....	155	S2050X.....	131	S2250XN.....	136
FCM864.....	180	FCM911SL.....	185	S1170XCSL.....	155	S141KE.....	155	S2050XN.....	131	S2250XNSL.....	136
FCM864SL.....	180	FCM912.....	167	S1170XESL.....	155	S141XJ.....	155	S2050XR.....	131	S2250XPR.....	136
FCM865.....	181	FCM912SL.....	167	S1170XJSL.....	155	S141KK.....	155	S2050X.....	131	S2250XCSL.....	136
FCM86500.....	150	FCM915.....	177	S1170XKSL.....	155	S141XN.....	155	S206X.....	190	S236.....	207
FCM86500SL.....	150	FCM916.....	177	S1170XNSL.....	155	S141XR.....	155	S206XE.....	190	S237.....	207
FCM86550.....	150	FCM92SL.....	172	S1170XRS.....	155	S1442SL.....	168	S206XJ.....	190	S2382.....	153
FCM86550SL.....	150	FCM92XCSL.....	170	S118.....	162	S154.....	146	S206XX.....	190	S2382SL.....	153
FCM86560.....	186	FCM92XESL.....	170	S118XC.....	156	S154SL.....	146	S206XN.....	190	S2385.....	154
FCM86560SL.....	186	FCM92XJSL.....	170	S118XE.....	156	S155.....	148	S206XR.....	190	S2385SL.....	154
FCM86570.....	207	FCM92XKSL.....	170	S118XJ.....	156	S155SL.....	148	S210.....	210	S2389.....	152
FCM86580SL.....	168	FCM92XNSL.....	170	S118XK.....	156	S156.....	168	S2100.....	138	S2389SL.....	152
FCM86586SL.....	181	FCM92XRS.....	170	S118XN.....	156	S160.....	150	S2101.....	174	S241.....	145
FCM866.....	183	FC06184SL.....	160	S118XR.....	156	S160SL.....	150	S2101SL.....	174	S243.....	191
FCM866SL.....	183	FC06184XCSL.....	155	S120.....	210	S161.....	186	S2102.....	174	S255.....	207
FCM8675SL.....	192	FC06184XESL.....	155	S1200.....	160	S161SL.....	186	S2103.....	137	S256.....	207
FCM8678.....	190	FC06184XJSL.....	155	S1200SL.....	161	S162.....	197	S2103SL.....	137	S2600.....	132
FCM8678SL.....	191	FC06184XNSL.....	155	S1201.....	160	S163.....	177	S2103XC.....	136	S2610.....	204
FCM8678L.....	185	FC06184XRS.....	155	S1201SL.....	161	S1645.....	207	S2103XCSL.....	136	S2610XC.....	204
FCM870.....	162	FC06185SL.....	160	S1202.....	160	S1646.....	169	S2103XE.....	136	S2610XE.....	204
FCM8704.....	206	FC06185XCSL.....	155	S1202SL.....	161	S1646SL.....	169	S2103XESL.....	136	S2610XJ.....	204
FCM8707.....	205	FC06185XESL.....	155	S1203.....	160	S1647.....	168	S2103XJ.....	136	S2610XN.....	204
FCM8708.....	206	FC06185XJSL.....	155	S1204.....	134	S1650.....	203	S2103XJSL.....	136	S2610XR.....	204
FCM8708SL.....	162	FC06185XNSL.....	155	S1204SL.....	134	S1651.....	151	S2103XK.....	136	S262.....	193
FCM8708X.....	155	FC06185XRS.....	155	S1205.....	134	S1651SL.....	151	S2103XKSL.....	136	S2620.....	203
FCM870XCSL.....	156	FC06186SL.....	160	S1205SL.....	134	S1652.....	151	S2103XN.....	136	S262XC.....	189
FCM870XESL.....	156	FC06186XCSL.....	155	S1205XC.....	131	S1652SL.....	151	S2103XNSL.....	136	S262XE.....	189
FCM870XESL.....	156	FC06186XESL.....	155	S1205XE.....	131	S1653.....	187	S2103XR.....	136	S262XJ.....	189
FCM870XJ.....	155	FC06186XJSL.....	155	S1205XJ.....	131	S1654.....	187	S2103XRS.....	136	S262XK.....	189

S262XN.....	189	S4525SL.....	169	S5710XNSL.....	132	S6031.....	181	S6082.....	177	S685RXK.....	132
S262XR.....	189	S454.....	207	S5710XR.....	131	S6032.....	179	S6084.....	177	S685RXN.....	132
S2630.....	202	S4570SL.....	143	S5710XRSL.....	132	S6034.....	191	S6085.....	176	S685RXR.....	132
S263SL.....	194	S476.....	169	S5715.....	134	S6035.....	191	S608XC.....	204	S691.....	135
S263XCSL.....	189	S4800.....	210	S5715XC.....	131	S6036.....	186	S608XE.....	204	S691XC.....	131
S263XESL.....	189	S4810.....	141	S5715XE.....	131	S604.....	202	S608XJ.....	204	S691XE.....	131
S263XJSL.....	189	S4810SL.....	141	S5715XJ.....	131	S6041.....	195	S608XN.....	204	S691XJ.....	131
S263XKSL.....	189	S4810XC.....	140	S5715XK.....	131	S6041XC.....	190	S608XR.....	204	S691KK.....	131
S263XNSL.....	189	S4810XCSL.....	140	S5715XN.....	131	S6041XE.....	190	S609.....	202	S691XN.....	131
S263XSL.....	189	S4810XE.....	140	S5715XR.....	131	S6041XJ.....	190	S6090.....	149	S691XR.....	131
S2640.....	203	S4810XESL.....	140	S5720.....	135	S6041KK.....	190	S6091.....	166	S6975.....	203
S2650.....	202	S4810XJ.....	140	S5720SL.....	135	S6041XN.....	190	S6091SL.....	166	S704.....	206
S2660.....	202	S4810XJSL.....	140	S5720XC.....	131	S6041KR.....	190	S6092.....	165	S707.....	205
S2670.....	202	S4810XN.....	140	S5720XCSL.....	132	S6042.....	193	S6092SL.....	165	S708.....	206
S289.....	197	S4810XNSL.....	140	S5720XE.....	131	S6042XC.....	189	S6093.....	146	S709.....	177
S289XC.....	197	S4810XKR.....	140	S5720XESL.....	132	S6042XE.....	189	S6094.....	148	S7125SL.....	194
S289XE.....	197	S4810XRSL.....	140	S5720XJ.....	131	S6042XJ.....	189	S6095.....	149	S721.....	205
S289XJ.....	197	S4812.....	141	S5720XJSL.....	132	S6042XK.....	189	S6100.....	146	S735.....	206
S289XK.....	197	S4812SL.....	141	S5720XK.....	131	S6042XN.....	189	S6100SL.....	146	S736.....	205
S289XN.....	197	S4812XC.....	140	S5720XKSL.....	132	S6042XR.....	189	S6101.....	182	S745.....	206
S289XR.....	197	S4812XCSL.....	140	S5720XN.....	131	S6045.....	180	S6101SL.....	182	S751SL.....	175
S291.....	196	S4812XE.....	140	S5720XNSL.....	132	S6046.....	185	S6102.....	165	S751XCSL.....	171
S291SL.....	183	S4812XESL.....	140	S5720XR.....	131	S6049.....	182	S6102SL.....	165	S751XESL.....	171
S292.....	196	S4812XJ.....	140	S5720XRSL.....	132	S6045L.....	145	S6103.....	165	S751XJSL.....	171
S292SL.....	184	S4812XJSL.....	140	S5725.....	134	S605.....	204	S6104.....	196	S751XKSL.....	171
S294.....	196	S4812XN.....	140	S5725XC.....	131	S6050.....	184	S6106.....	182	S751XNSL.....	171
S294SL.....	181	S4812XNSL.....	140	S5725XE.....	131	S6051.....	181	S6107.....	182	S751XRSL.....	171
S296.....	208	S4812XR.....	140	S5725XJ.....	131	S6052.....	179	S6108.....	182	S752.....	206
S296XC.....	208	S4812XRSL.....	140	S5725XK.....	131	S6054.....	191	S6124SL.....	161	S755.....	210
S296XE.....	208	S4813.....	141	S5725XN.....	131	S6055.....	191	S6124XCSL.....	155	S757SL.....	167
S296XJ.....	208	S4813XC.....	140	S5725XR.....	131	S6056.....	186	S6124XESL.....	155	S758SL.....	164
S296XK.....	208	S4813XE.....	140	S5725SL.....	149	S6055L.....	161	S6124XJSL.....	155	S770.....	178
S296XN.....	208	S4813XJ.....	140	S573SL.....	149	S605XC.....	203	S6124XNSL.....	155	S771.....	176
S296XR.....	208	S4813XN.....	140	S574.....	148	S605XCSL.....	155	S6124XRSL.....	155	S773.....	177
S30.....	195	S4813XR.....	140	S575.....	184	S605XE.....	203	S6125SL.....	161	S774.....	177
S308SL.....	161	S4814.....	141	S577.....	184	S605XESL.....	155	S6125XCSL.....	155	S80.....	175
S308XCSL.....	155	S4814XC.....	140	S579.....	185	S605XJ.....	203	S6125XESL.....	155	S8000.....	135
S308XESL.....	155	S4814XE.....	140	S581.....	184	S605XJSL.....	155	S6125XJSL.....	155	S8000-12.....	134
S308XJSL.....	155	S4814XJ.....	140	S583SL.....	185	S605XN.....	203	S6125XNSL.....	155	S8000-18.....	134
S308XKSL.....	155	S4814XN.....	140	S585.....	196	S605XNSL.....	155	S6125XRSL.....	155	S8000-9.....	135
S308XNSL.....	155	S4814XR.....	140	S5870SL.....	148	S605XR.....	203	S6126SL.....	161	S8000SL.....	135
S308XRSL.....	155	S4816.....	141	S600.....	210	S605XRSL.....	155	S6126XCSL.....	155	S8000SL.....	141
S30XC.....	190	S4816XC.....	140	S6000.....	179	S606.....	204	S6126XESL.....	155	S8000XC.....	132
S30XE.....	190	S4816XE.....	140	S6000SL.....	179	S6061.....	157	S6126XJSL.....	155	S8000XCSL.....	132
S30XJ.....	190	S4816XJ.....	140	S6002.....	143	S6062.....	161	S6126XNSL.....	155	S8000XE.....	132
S30XK.....	190	S4816XN.....	140	S6002SL.....	143	S6062SL.....	162	S6126XRSL.....	155	S8000XESL.....	132
S30XN.....	190	S4816XR.....	140	S6006.....	181	S6063.....	160	S6128SL.....	157	S8000XJ.....	132
S30XR.....	190	S507.....	199	S6006SL.....	181	S6063STC.....	208	S6130SL.....	144	S8000XJSL.....	132
S31.....	210	S508.....	203	S6008.....	145	S6063XC.....	155	S6131SL.....	146	S8000XK.....	132
S310.....	143	S529.....	167	S6008SL.....	145	S6063XE.....	155	S6132SL.....	150	S8000XKSL.....	132
S32.....	194	S5425.....	171	S6009.....	164	S6063XJ.....	155	S6134SL.....	145	S8000XN.....	132
S32XC.....	189	S5425SL.....	171	S6009SL.....	165	S6063XK.....	155	S6135SL.....	147	S8000XNSL.....	132
S32XE.....	189	S543.....	167	S601.....	204	S6063XN.....	155	S6201SL.....	139	S8000XR.....	132
S32XJ.....	189	S545SL.....	167	S6010.....	165	S6063XR.....	155	S6240.....	139	S8000XRSL.....	132
S32KK.....	189	S549.....	199	S6013.....	196	S606SL.....	161	S6240SL.....	139	S807.....	197
S32XN.....	189	S5700.....	135	S6014.....	196	S606XC.....	203	S626.....	150	S807XC.....	197
S32XR.....	189	S5700SL.....	135	S6015SL.....	162	S606XCSL.....	155	S6500.....	151	S807XE.....	197
S34877SL.....	194	S5700XC.....	131	S601XC.....	204	S606XE.....	203	S6500SL.....	151	S807XJ.....	197
S34877XCSL.....	189	S5700XCSL.....	132	S601XCSL.....	156	S606XESL.....	155	S6520.....	203	S807XK.....	197
S34877XESL.....	189	S5700XE.....	131	S601XE.....	204	S606XJ.....	203	S6534.....	200	S807XN.....	197
S34877XJSL.....	189	S5700XESL.....	132	S601XESL.....	156	S606XJS.....	155	S6536.....	187	S807XR.....	197
S34877XKSL.....	189	S5700XJ.....	131	S601XJ.....	204	S606XN.....	203	S6550.....	151	S808.....	161
S34877XNSL.....	189	S5700XJS.....	132	S601XJS.....	156	S606XNSL.....	155	S6550SL.....	151	S808SL.....	161
S34877XRSL.....	189	S5700XK.....	131	S601XKSL.....	156	S606XR.....	203	S6560.....	186	S80XC.....	171
S35.....	181	S5700XKSL.....	132	S601XN.....	204	S606XRSL.....	155	S6565.....	186	S80XE.....	171
S3540.....	203	S5700XN.....	131	S601XNSL.....	156	S607.....	204	S6565SL.....	187	S80XJ.....	171
S369.....	145	S5700XNSL.....	132	S601XR.....	204	S6070.....	147	S6568.....	186	S80XK.....	171
S37.....	185	S5700XR.....	131	S601XRSL.....	156	S6070SL.....	147	S6570.....	207	S80XN.....	171
S386.....	188	S5700XRSL.....	132	S602.....	202	S6071.....	166	S6572.....	197	S80XR.....	171
S387.....	188	S5705.....	134	S6021.....	195	S6071SL.....	166	S6575.....	178	S810.....	210
S387SL.....	188	S5705XC.....	131	S6021XC.....	190	S6072.....	166	S6576.....	178	S81000.....	210
S389.....	169	S5705XE.....	131	S6021XE.....	190	S6073.....	183	S6577.....	178	S81086SL.....	162
S392.....	188	S5705XJ.....	131	S6021XJ.....	190	S6074.....	183	S6580.....	168	S81086XCSL.....	156
S393.....	200	S5705XK.....	131	S6021XK.....	190	S6075.....	183	S6580SL.....	168	S81086XESL.....	156
S394.....	188	S5705XN.....	131	S6021XN.....	190	S6076.....	183	S6582.....	168	S81086XJSL.....	156
S398.....	197	S5705XR.....	131	S6021XR.....	190	S6075SL.....	161	S668.....	144	S81086XKSL.....	156
S4070SL.....	149	S571.....	149	S6022.....	193	S6076XCSL.....	204	S682.....	171	S81086XNSL.....	156
S41.....	183	S5710.....	135	S6022XC.....	189	S6076XESL.....	155	S685L.....	135	S81086XRSL.....	156
S416SL.....	149	S5710SL.....	135	S6022XE.....	189	S6076XE.....	204	S685LXC.....	132	S81100.....	210
S42.....	184	S5710XC.....	131	S6022XJ.....	189	S6077XESL.....	155	S685LXE.....	132	S81186SL.....	161
S426.....	185	S5710XCSL.....	132	S6022XK.....	189	S6077XJ.....	204	S685LXJ.....	132	S8120.....	210
S43.....	186	S5710XE.....	131	S6022XN.....	189	S6077XSL.....	155	S685LXK.....	132	S81208.....	161
S430.....	196	S5710XESL.....	132	S6022XR.....	189	S6078XN.....	204	S685LXN.....	132	S81225.....	157
S430SL.....	185	S5710XJ.....	131	S6025.....	180	S6078XSL.....	155	S685LXR.....	132	S8132.....	191
S45.....	210	S5710XJSL.....	132	S6026.....	185	S6079X.....	204	S685R.....	135	S8132SL.....	191
S4521.....	169	S5710XK.....	131	S6029.....	182	S6079XRSL.....	155	S685RXC.....	132	S814.....	144
S4521SL.....	169	S5710XKSL.....	132	S602SL.....	147	S608.....	204	S685RXE.....	132	S8140.....	162
S4525.....	169	S5710XN.....	131	S6030.....	184	S6080.....	178	S685RXJ.....	132	S81401.....	137

S81405	194	S82107XJ.....	136	S83143	198	S84816XE.....	140	S8583SL.....	185	S8605XR.....	203
S8140STC	208	S82107XK.....	136	S83147	199	S84816XJ.....	140	S85892	143	S8606	204
S8140XC	156	S82107XN.....	136	S83149	199	S84816XN.....	140	S85892SL.....	143	S8606SL.....	161
S8140XE	156	S82107XR.....	136	S83152	198	S84816XR.....	140	S85893	145	S8606XC.....	203
S8140XJ	156	S82200.....	137	S83153	198	S84886SL.....	134	S85893SL.....	145	S8606XE.....	203
S8140XK	156	S82200XC.....	136	S83154	199	S84886SL.....	141	S85895	149	S8606XJ.....	203
S8140XN	156	S82200XE.....	136	S83155	199	S84886XCSL.....	131	S85895SL.....	149	S8606XN.....	203
S8140XR	156	S82200XJ.....	136	S8316	174	S84886XESL.....	131	S85896	148	S8606XR.....	203
S8141	201	S82200XK.....	136	S8317	207	S84886XJSL.....	131	S85896SL.....	148	S8607	204
S8144	194	S82200XN.....	136	S8318	193	S84886XKS.....	131	S85897	182	S86074	183
S8145	194	S82200XR.....	136	S8319	193	S84886XNSL.....	131	S85898	165	S8607SL	161
S8145SL	194	S82213	153	S832	194	S84886XRS.....	131	S85898SL.....	165	S8607XC	204
S8149	186	S82213SL.....	153	S8320	194	S8489	188	S85901	166	S8607XE	204
S814SL	144	S82223	152	S8321	193	S8498	188	S85902	167	S8607XJ	204
S815	144	S82223SL.....	152	S8321XC	189	S8498SL	188	S85902SL	167	S8607XN	204
S816	143	S82233	154	S8321XE	189	S8508	203	S85905	179	S8607XR	204
S81645	207	S82233SL.....	154	S8321XJ	189	S8529	167	S85907	180	S8608	204
S81646	169	S82250	137	S8321XK	189	S8545SL	167	S85908	183	S8608XC	204
S81646SL	169	S822XC	170	S8321XN	189	S85700	135	S85909	184	S8608XE	204
S81649	200	S822XE	170	S8321XR	189	S85700SL	135	S85910SL	195	S8608XJ	204
S81650	203	S822XJ	170	S8322	193	S85700XC	131	S85910XCSL	190	S8608XN	204
S81651	151	S822XK	170	S8323	193	S85700XCSL	132	S85910XESL	190	S8608XR	204
S81651SL	151	S822XN	170	S8324	193	S85700XE	131	S85910XJSL	190	S8609	202
S81652	151	S822XR	170	S8325	193	S85700XESL	132	S85910XKSL	190	S86107	182
S81652SL	151	S82382	153	S8326	193	S85700XJ	131	S85910XNSL	190	S86201SL	139
S81653	187	S82382SL	153	S8327	193	S85700XJSL	132	S85910XRS	190	S86240	139
S81654	187	S82385	154	S8328	193	S85700XK	131	S85912SL	179	S86240SL	139
S81654SL	187	S82385SL	154	S832X	189	S85700XKS	132	S85914SL	180	S86500	151
S81656	187	S82389	152	S832XE	189	S85700XN	131	S85915SL	181	S86500SL	151
S817	145	S82389SL	152	S832XJ	189	S85700XNSL	132	S85916SL	181	S86520	203
S818	162	S82600	132	S832XK	189	S85700XR	131	S85917SL	183	S86533	200
S81828	161	S82610	204	S832XN	189	S85700XRS	132	S85918SL	182	S86536	187
S818XC	156	S82610XC	204	S832XR	189	S85705	134	S85920SL	185	S86550	151
S818XE	156	S82610XE	204	S833	181	S85705XC	131	S85922SL	184	S86550SL	151
S818XJ	156	S82610XJ	204	S83540	203	S85705XE	131	S85924SL	161	S86560	186
S818XK	156	S82610XN	204	S837	185	S85705XJ	131	S85925SL	161	S86560SL	187
S818XN	156	S82610XR	204	S8386	188	S85705XK	131	S85926SL	161	S86565	186
S818XR	156	S82620	203	S8386SL	188	S85705XN	131	S85927SL	143	S86570	207
S81929P	195	S82630	202	S8387	188	S85705XR	131	S85928SL	157	S86580	168
S81929PXC	190	S82640	203	S8390	200	S8571	149	S85930SL	149	S86580SL	168
S81929PXE	190	S82650	202	S8392	188	S85710	135	S85931SL	145	S8675SL	194
S81929PXJ	190	S82660	202	S84521	169	S85710SL	135	S85932SL	147	S867SL	186
S81929PK	190	S82670	202	S84521SL	169	S85710XC	131	S85934SL	148	S8682	171
S81929PXN	190	S828	161	S84525	169	S85710XCSL	132	S8600	210	S8682SL	171
S81929PXH	190	S829	157	S84525SL	169	S85710XE	131	S8600XC	204	S8685L	135
S81933P	179	S829SL	157	S84527	170	S85710XESL	132	S8600XE	204	S8685LXC	132
S81935P	180	S825L	174	S84527SL	170	S85710XJ	131	S8600XJ	204	S8685LXE	132
S81936P	180	S82X	170	S84586SL	144	S85710XJSL	132	S8600XN	204	S8685LXJ	132
S81937P	181	S82XCSL	171	S8467	188	S85710XK	131	S8600XR	204	S8685LXK	132
S81938P	182	S82XE	170	S84800	210	S85710XKSL	132	S8601	204	S8685LXN	132
S81939P	182	S82XESL	171	S84810	141	S85710XN	131	S8601SL	162	S8685LXR	132
S81940P	183	S82XJ	170	S84810SL	141	S85710XNSL	132	S8601XCSL	156	S8685R	135
S81941P	184	S82XJSL	171	S84810X	140	S85710XJR	131	S8601XESL	156	S8685RXC	132
S81942P	185	S82XK	170	S84810XCSL	140	S85710XRS	132	S8601XJSL	156	S8685RXE	132
S81983	183	S82XKSL	171	S84810XE	140	S85715	134	S8601XKSL	156	S8685RXJ	132
S82	173	S82XN	170	S84810XESL	140	S85715XC	131	S8601XNSL	156	S8685RXK	132
S820	149	S82XNSL	171	S84810XJ	140	S85715XE	131	S8601XRS	156	S8685RXN	132
S82020	210	S82XKR	170	S84810XJS	140	S85715XJ	131	S8602	202	S8685RXR	132
S82021	210	S82XRS	171	S84810XN	140	S85715XK	131	S86021	195	S8691	135
S82025L	174	S830	195	S84810XNSL	140	S85715XN	131	S86021X	190	S8691XC	131
S8204SL	174	S830XC	190	S84810XR	140	S85715XR	131	S86021XE	190	S8691XE	131
S8207SL	174	S830XE	190	S84810XRS	140	S85720	135	S86021XJ	190	S8691XJ	131
S821	148	S830XJ	190	S84812	141	S85720SL	135	S86021XX	190	S8691XK	131
S82103	137	S830XK	190	S84812SL	141	S85720XC	131	S86021XN	190	S8691XN	131
S82103XC	136	S830XN	190	S84812X	140	S85720XCSL	132	S86021XR	190	S8691XR	131
S82103XR	136	S830XR	190	S84812XCSL	140	S85720XDE	131	S86022XC	189	S86975	203
S82103XJ	136	S831	210	S84812XE	140	S85720XESL	132	S86022XE	189	S8704	206
S82103XK	136	S8310	174	S84812XESL	140	S85720XJ	131	S86022XJ	189	S8707	205
S82103XN	136	S8310SL	174	S84812XJ	140	S85720XJS	132	S86022XX	189	S8708	206
S82103XR	136	S8311	173	S84812XJS	140	S85720XK	131	S86022XN	189	S8721	205
S82104	137	S8311SL	174	S84812XN	140	S85720XKS	132	S86022XR	189	S8735	206
S82105	137	S83120	201	S84812XNSL	140	S85720XN	131	S86025	180	S8736	205
S82105XC	136	S831203	201	S84812XR	140	S85720XNSL	132	S86026	185	S8745	206
S82105XE	136	S831203XC	200	S84812XRS	140	S85720XR	131	S86027	180	S8752	206
S82105XJ	136	S831203X	200	S84813	141	S85720XRS	132	S86029	182	S880	175
S82105XK	136	S831203XJ	200	S84813XC	140	S85725	134	S8602SL	146	S880SL	175
S82105XN	136	S831203XK	200	S84813XE	140	S85725XC	131	S86030	184	S880XC	171
S82105XR	136	S831203XN	200	S84813XJ	140	S85725XE	131	S86031	181	S880XCSL	171
S82106	137	S831203XR	200	S84813XN	140	S85725XJ	131	S86032	179	S880XE	171
S82106XC	136	S83120XC	201	S84813XR	140	S85725XK	131	S86035	191	S880XESL	171
S82106XE	136	S83120XE	201	S84814	141	S85725XN	131	S86036	186	S880XJ	171
S82106XJ	136	S83120XJ	201	S84814XC	140	S85725XR	131	S8604	202	S880XJSL	171
S82106GX	136	S83120XK	201	S84814XE	140	S85725X	149	S8605	204	S880XK	171
S82106XN	136	S83120XN	201	S84814XJ	140	S8573SL	149	S8605SL	161	S880XKSL	171
S82106XR	136	S83120XR	201	S84814XN	140	S8574	148	S8605XC	203	S880XN	171
S82107	137	S8313	174	S84814XR	140	S8575	184	S8605XE	203	S880XNSL	171
S82107X	136	S8313SL	174	S84816	141	S8579	185	S8605XJ	203	S880XR	171
S82107XE	136	S83142	200	S84816XC	140	S8581	184	S8605XN	203	S880XRS	171

S881	174	S9355	199	100	235	104XE	230	19730T	241	374HD	228
S881SL	174	S95	164	104	231	104XJ	230	19740T	241	391HD	227
S881XC	170	S960	210	105	231	104XK	230	19750T	241	391SLHD	227
S881XCSL	171	S97	167	108	225	104XN	230	198SL	225	395HD	230
S881XE	170	S971	191	118	225	104XR	230	198SL	237	395SLHD	230
S881XESL	171	S972	179	128	225	1089SLHD	227	203HD	235	396HD	232
S881XJ	170	S973	181	130	225	108XC	224	205HD	235	397HD	230
S881XJSL	171	S975	163	131	231	108XE	224	206HD	231	416SL	224
S881XK	170	S975SL	163	137	231	108XJ	224	206HDXC	230	426HD	229
S881XKSL	171	S977	164	139	223	108XK	224	206HDXE	230	430HD	232
S881XN	170	S979	163	198	225	108XN	224	206HDXJ	230	430SLHD	229
S881XNSL	171	S981	164	310	223	108XR	224	206HDXK	230	454HD	234
S881XR	170	S982	165	369	223	1101HD	231	206HDXN	230	4572SLHD	227
S881XRSL	171	S983	166	571	223	1101XCHD	230	206HDXR	230	469HD	227
S882	174	S992	178	610	223	1101XEHD	230	2109HD	227	469SLHD	227
S887	164	S997	176	620	223	1101XJHD	230	210HD	235	508HD	233
S887SL	164	S999	177	626	224	1101XKHD	230	210SLHD	231	5425SL	227
S888	164	SART	211	800	240	1101XNHD	230	210SLHDXC	230	544HD	226
S888SL	164			808	236	1101XRHD	230	210SLHDXE	230	546SLHD	226
S891	165			810	240	1102HD	231	210SLHDXJ	230	576HD	229
S891SL	165			818	237	1111HD	229	210SLHDXK	230	578HD	229
S892	166			828	236	1112HD	229	210SLHDXN	230	582HD	229
S892SL	166			829	236	1113HD	229	210SLHDXR	230	584SLHD	229
S893	181			896	240	1114HD	228	2110HD	227	588HD	232
S894	163			916	223	1115HD	228	2111HD	227	601HD	234
S894SL	163			1006	223	1116HD	228	211HD	228	601XCHD	234
S895	165			1028	224	1117HD	228	236HD	235	601XEHD	234
S895SL	165			1029	223	1118HD	229	237HD	235	601XJHD	234
S896	208			1200	225	1120HD	229	2382SL	224	601XNHD	234
S896XC	208			1201	225	1121HD	231	2385HD	224	601XRHD	234
S896XE	208			1202	225	1123HD	231	2385SL	224	602HD	233
S896XJ	208			1203	225	1123HDXC	230	2389HD	224	604HD	233
S896XK	208			5425	227	1123HDXE	230	2389SL	224	605HD	234
S896XN	208			8132	238	1123HDXJ	230	243HD	231	605HDXC	233
S896XR	208			8145	238	1123HDXK	230	255HD	235	605HDXE	233
S897	210			8206	238	1123HDXN	230	256HD	235	605HDXJ	233
S89701	186			8317	240	1123HDXR	230	262HD	231	605HDXN	233
S8971	191			8321	238	115HD	231	262HDXC	230	605HDXR	233
S8972	201			8322	238	118XC	225	262HDXE	230	606HD	234
S898	174			8323	238	118XE	225	262HDXJ	230	606HDXC	233
S898SL	174			8324	238	118XJ	225	262HDXK	230	606HDXE	233
S90	175			8704	239	118XK	225	262HDXN	230	606HDXJ	233
S902	168			8708	239	118XN	225	262HDXR	230	606HDXN	233
S902SL	168			8752	239	118XR	225	263HD	233	606HDXR	233
S90SL	137			03142HD	226	1200SL	225	263HDXC	232	607HD	234
S90XC	171			1001HD	228	1200SL	236	263HDXE	232	607HDXC	233
S90XE	171			1002HD	228	1201SL	225	263HDXJ	232	607HDXE	233
S90XJ	171			1004HD	231	1201SL	236	263HDXK	232	607HDXJ	233
S90XK	171			1005HD	235	1202SL	225	263HDXN	232	607HDXN	233
S90XN	171			1006SL	223	1202SL	236	263HDXR	232	607HDXR	233
S90XR	171			1007HD	228	128XC	224	263SLHD	231	608HD	234
S91	164			1007SLHD	228	128XE	224	263SLHDXC	230	608HDXC	233
S912	167			1008HD	232	128XJ	224	263SLHDXE	230	608HDXE	233
S916	144			1009HD	226	128KK	224	263SLHDXJ	230	608HDXJ	233
S916SL	144			1009SLHD	226	128XN	224	263SLHDXK	230	608HDXN	233
S91SL	164			100SL	225	128XR	224	263SLHDXN	230	608HDXR	233
S92	174			100SL	237	130SL	225	263SLHDXR	230	609HD	233
S925	201			100XCSL	225	130SL	236	289HD	233	610SL	223
S92SL	137			100XCSL	236	132HD	230	289HDXC	232	613HD	229
S92XC	170			100XESL	225	132SLHD	231	289HDXE	232	615HD	232
S92XE	170			100XESL	236	139SL	223	289HDXJ	232	615SLHD	229
S92XJ	170			100XJSL	225	1400SLHD	227	289HDXK	232	6184SL	225
S92XK	170			100XJSL	236	1403HD	227	289HDXN	232	6184SL	237
S92XN	170			100XKSL	225	1405HD	231	289HDXR	232	6184XCSL	224
S92XR	170			100XKSL	236	1405SLHD	231	294HD	232	6184XCSL	236
S93	210			100XNSL	225	1406HD	231	294SLHD	228	6184XESL	224
S9320	201			100XNSL	236	1408HD	231	296HD	235	6184XESL	236
S93203	201			100XRSL	225	1411HD	233	296HDXC	235	6184XJSL	224
S93203XC	200			100XRSL	236	1643HD	235	296HDXE	235	6184XJSL	236
S93203XE	200			1011HD	228	1643SLHD	235	296HDXJ	235	6184XNSL	224
S93203XJ	200			1020HD	228	1644HD	227	296HDXK	235	6184XNSL	236
S93203XK	200			1022HD	228	1644SLHD	227	296HDXN	235	6184XRSL	224
S93203XN	200			1024HD	228	1650HD	233	296HDXR	235	6184XRSL	236
S93203XR	200			1025HD	228	1651HD	224	296SLHD	235	6185SL	225
S9320XC	201			1029SL	223	1651SL	224	296SLHDXC	235	6185SL	237
S9320XE	201			1032HD	229	1657HD	230	296SLHDXE	235	6185XCSL	224
S9320XJ	201			1035HD	229	1657SLHD	230	296SLHDXJ	235	6185XCSL	236
S9320XK	201			1037HD	226	1659HD	230	296SLHDXK	235	6185XESL	224
S9320XN	201			1037SLHD	226	1660HD	230	296SLHDXN	235	6185XESL	236
S9320XR	201			1039HD	226	1662HD	232	296SLHDXR	235	6185XJSL	224
S9342	200			1039SLHD	226	19020T	241	309HD	228	6185XJSL	236
S9343	198			1040HD	226	19055T	241	310SL	223	6185XNSL	224
S9347	199			1040SLHD	226	19200T	241	311HD	232	6185XNSL	236
S9349	199			1041HD	226	19210T	241	311SLHD	228	6185XRS	224
S9352	198			1041SLHD	226	19220T	241	369SL	223	6185XRS	236
S9353	198			1042HD	226	19520T	241	371HD	232	6186SL	225
S9354	199			104XC	230	19720T	241	371SLHD	228	6186SL	237

6186XCSL	224	8321XK	237	TS108	236	TS296XCSL	240	DRS2131SL	257	S4LAX	254
6186XCSL	236	8321XN	237	TS108XC	236	TS296XE	240	DRS82131SL	257	S4LCL	255
6186XESL	224	8321XR	237	TS108XE	236	TS296XESL	240	S10AXSL	258	S4LPB	253
6186XESL	236	835HD	230	TS108XJ	236	TS296XJ	240	S10CLSL	258	S4LXC	255
6186XJSL	224	86184SL	237	TS108XK	236	TS296XJSL	240	S10PBL	257	S4LXE	255
6186XJSL	236	86185SL	237	TS108XN	236	TS296XK	240	S10XCSL	258	S4LXJ	255
6186XNSL	224	86186SL	237	TS108XR	236	TS296XKSL	240	S10XESL	258	S4LK	255
6186XNSL	236	896XC	240	TS115	238	TS296XN	240	S10XJSL	258	S4LXN	255
6186XRSL	224	896XE	240	TS118	237	TS296XNSL	240	S10XKSL	258	S4LXR	255
6186XRSL	236	896XJ	240	TS118XC	236	TS296XR	240	S10XNSL	258	S4PB	253
6202SL	223	896KK	240	TS118XE	236	TS296XRS	240	S10XRSL	258	S4PBL	257
623HD	229	896XN	240	TS118XJ	236	TS572SL	223	S1651SL	257	S4RAX	254
625HD	232	896XR	240	TS118XK	236	TS704	239	S1AX	252	S4RCL	255
625SLHD	229	916SL	223	TS118XN	236	TS708	239	S1BL	250	S4RPB	253
626SL	224	956SLHD	226	TS118XR	236	TS752	239	S1BS	250	S4RXC	255
627HD	229	959HD	227	TS1200	236			S1CL	252	S4RXE	255
628HD	232	959HDXC	227	TS1201	236			S1CX	252	S4RXJ	255
628SLHD	229	959HDXCSL	227	TS1202	236			S1EC	252	S4RXK	255
630HD	228	959HDXE	227	TS1203	236			S1LAX	252	S4RXN	255
631HD	229	959HDXESL	227	TS128	236			S1LBL	250	S4RXR	255
632SL	225	959HDXJ	227	TS128XC	236			S1LBS	250	S4XC	255
632SL	237	959HDXJSL	227	TS128XE	236			S1LCL	252	S4XCSL	258
632XCSL	224	959HDXK	227	TS128XJ	236			S1LCX	252	S4XE	255
632XCSL	236	959HDXKSL	227	TS128KK	236			S1LEC	252	S4XESL	258
632XESL	224	959HDXN	227	TS128XN	236			S1LLT	252	S4XJ	255
632XESL	236	959HDXNSL	227	TS128XR	236			S1LPB	251	S4XJSL	258
632XJSL	224	959HDXR	227	TS130	236			S1LRS	251	S4XK	255
632XJSL	236	959HDXRS	227	TS131	238			S1LSA	251	S4XKSL	258
632XKSL	224	959SLHD	227	TS132	238			S1LSG	251	S4XN	255
632XKSL	236	961HD	227	TS132SL	238			S1LSN	251	S4XNSL	258
632XNSL	224	961HDXC	227	TS137	238			S1LT	252	S4XR	255
632XNSL	236	961HDXE	227	TS1405SL	238			S1LXC	252	S4XRS	258
632XRSL	224	961HDXJ	227	TS1408	238			S1LXE	252	S572SL	257
632XRSL	236	961HDXX	227	TS1411	239			S1LXJ	252	S5AX	254
6500HD	224	961HDXN	227	TS198	237			S1LXK	252	S5AXSL	258
6500SL	224	961HDXR	227	TS206	238			S1LXN	252	S5CL	256
6520HD	233	965HD	226	TS206XC	237			S1LXR	252	S5CLSL	258
6560HD	230	965SLHD	226	TS206XE	237			S1PB	251	S5LAX	254
6565HD	230	966SLHD	226	TS206XJ	237			S1RAX	252	S5LCL	255
6565SLHD	230	967HD	226	TS206XK	237			S1RBL	251	S5LPB	253
6568HD	230	967SLHD	226	TS206XN	237			S1RBS	250	S5LXC	255
6570HD	235	968HD	226	TS206XR	237			S1RCL	252	S5LXE	255
6570SLHD	235	969HD	235	TS210	240			S1RCX	252	S5LXJ	255
6572HD	232	971SLHD	226	TS210SL	238			S1REC	252	S5LXK	255
6578HD	228	978HD	235	TS210XCSL	237			S1RLT	252	S5LXN	255
6580SLHD	226	980HD	231	TS210XESL	237			S1RPB	251	S5LXR	255
6582HD	226	980HDXC	230	TS210XJSL	237			S1RRS	251	S5PB	253
6720HDXCSL	227	980HDXE	230	TS210XKSL	237			S1RS	251	S5PBL	257
6720HDXESL	227	980HDXJ	230	TS210XNSL	237			S1RSA	251	S5RAX	254
6720HDXJSL	227	980HDXX	230	TS210XRS	237			S1RSG	251	S5RCL	256
6720HDXKSL	227	980HDXN	230	TS236	240	TS100	245	S1RSN	251	S5RPB	253
6720HDXNSL	227	980HDXR	230	TS237	240	TS210	245	S1RXC	252	S5RXC	256
6720HDXRSL	227	982HD	231	TS2382	224			S1RXE	252	S5RXE	256
6720SLHD	227	982HDXC	230	TS243	238			S1RJX	252	S5RJ	256
6975HD	233	982HDXE	230	TS255	239			S1RXK	252	S5RXK	256
704HD	234	982HDXJ	230	TS256	239			S1RXN	252	S5RXN	256
707HD	234	982HDXX	230	TS262	238			S1RXR	252	S5RR	256
708HD	234	982HDXN	230	TS262XC	237			S1SA	251	S5XC	256
721HD	234	982HDXR	230	TS262XE	237			S1SG	251	S5XCSL	258
735HD	234	984HD	230	TS262XJ	237			S1SN	251	S5XE	256
736HD	234	988HD	229	TS262XK	237			S1XC	252	S5XESL	258
745HD	234	989HD	229	TS262XN	237			S1XE	252	S5XJ	256
752HD	234	996HD	228	TS262XR	237			S1XJ	252	S5XJSL	258
818SL	237	999HD	229	TS263	239			S1XX	252	S5XX	256
818XC	236	AXRT	241	TS263SL	238			S1XN	252	S5XKSL	258
818XCSL	236	BSRT	241	TS263XC	239			S1XR	252	S5XN	256
818XE	236	CNRT	241	TS263XCSL	237			S2382SL	257	S5XNSL	258
818XESL	236	CX30T	241	TS263XE	239			S2385SL	257	S5XR	256
818XJ	236	CXR	241	TS263XESL	237			S2389SL	257	S5XRS	258
818XJSL	236	EC30T	241	TS263XJ	239			S2AX	250	S601SL	257
818XK	236	ECRT	241	TS263XJSL	237			S2CL	250	S601XCSL	257
818XKSL	236	FWRT	241	TS263XK	239			S2CX	250	S601XESL	257
818XN	236	KNRT	241	TS263XSL	237			S2EC	250	S601XJSL	257
818XNSL	236	LT30T	241	TS263XN	239			S2PB	250	S601XKSL	257
818XR	236	LTR	241	TS263XNSL	237			S2RS	250	S601XNSL	257
818XRSL	236	PBRT	241	TS263XR	239			S2SG	250	S601XRS	257
8206XC	237	RSRT	241	TS263XRS	237			S2SN	250	S602SL	257
8206XE	237	SART	241	TS289	239			S2XC	250	S604SL	257
8206XJ	237	TS100	240	TS289XC	239			S2XE	250	S6130SL	257
8206XK	237	TS104	238	TS289XE	239			S2XJ	250	S6134SL	257
8206XN	237	TS104XC	237	TS289XJ	239			S2XX	250	S6500SL	257
8206XR	237	TS104XE	237	TS289XK	239			S2XN	250	S810865SL	257
828SL	237	TS104XJ	237	TS289XN	239			S2XR	250	S81086XCSL	257
829SL	236	TS104XK	237	TS289XR	239			S4570SL	257	S81086XESL	257
8321XC	237	TS104XN	237	TS296	240			S4AX	254	S81086XJSL	257
8321KE	237	TS104XR	237	TS296SL	240			S4AXSL	258	S81086XKSL	257
8321XJ	237	TS105	238	TS296XC	240			S4CL	255	S81086XNSL	257
								S4CLSL	258	S81086XRS	257

Fire

S810AX	255	S81LPB	251	S84XK	255	S8LCL	256
S810AXSL	258	S81LRS	251	S84XKSL	258	S8LPB	253
S810CL	256	S81LSA	251	S84XN	255	S8LXC	256
S810CLSL	258	S81LSG	251	S84XNSL	258	S8LXE	256
S810LAX	255	S81LT	252	S84XR	255	S8LXJ	256
S810LCL	256	S81LXC	252	S84XSL	258	S8LXK	256
S810LPB	254	S81LXE	252	S8572SL	257	S8LXN	256
S810LXC	256	S81LXJ	252	S85927SL	257	S8LXR	256
S810LXE	256	S81LXK	252	S85931SL	257	S8PB	253
S810LXJ	256	S81LXN	252	S85932SL	257	S8RAX	255
S810LXK	256	S81LXR	252	S85AX	254	S8RCL	256
S810LXN	256	S81PB	251	S85AXSL	258	S8RPB	253
S810LXR	256	S81RAX	252	S85CL	256	S8RXC	256
S810PB	254	S81RBL	251	S85CLSL	258	S8RXE	256
S810PBL	257	S81RBS	250	S85LAX	254	S8RXJ	256
S810RAX	255	S81RCL	252	S85LCL	255	S8RXK	256
S810RCL	256	S81RCX	252	S85LPB	253	S8RXN	256
S810RPB	254	S81REC	252	S85LXC	255	S8RXR	256
S810RXC	256	S81RLT	252	S85LXE	255	S8XC	256
S810RXE	256	S81RPB	251	S85LXJ	255	S8XE	256
S810RXJ	256	S81RRS	251	S85LXK	255	S8XJ	256
S810RXK	256	S81RS	251	S85LXN	255	S8XK	256
S810RXN	256	S81RSA	251	S85LXR	255	S8XN	256
S810RXR	256	S81RSG	251	S85PB	253	S8XR	256
S810XC	256	S81RXC	252	S85PBL	257	S9AX	255
S810XCSL	258	S81RXE	252	S85RAX	254	S9AXSL	258
S810XE	256	S81RXJ	252	S85RCL	256	S9CL	256
S810XESL	258	S81RXK	252	S85RPB	253	S9CLSL	258
S810XJ	256	S81RXN	252	S85RC	256	S9LAX	255
S810XJSL	258	S81RXR	252	S85RXE	256	S9LCL	256
S810XK	256	S81SA	251	S85RXJ	256	S9LPB	253
S810XKSL	258	S81SG	251	S85RXK	256	S9LXC	256
S810XN	256	S81XC	252	S85RXN	256	S9LXE	256
S810XNSL	258	S81XE	252	S85RXR	256	S9LXJ	256
S810XR	256	S81XJ	252	S85XC	256	S9LXK	256
S810XSL	258	S81XK	252	S85XCSL	258	S9LXN	256
S811AX	255	S81XN	252	S85XE	256	S9LXR	256
S811AXSL	258	S81XR	252	S85XESL	258	S9PB	253
S811CL	256	S82382SL	257	S85XJ	256	S9PBSL	257
S811CLSL	258	S82385SL	257	S85XJSL	258	S9RAX	255
S811LAX	255	S82389SL	257	S85XK	256	S9RCL	256
S811LCL	256	S83AX	250	S85XKSL	258	S9RPB	253
S811LPB	254	S83CL	250	S85XN	256	S9RXC	256
S811LXC	256	S83CX	250	S85XNSL	258	S9RXE	256
S811LXE	256	S83EC	250	S85XR	256	S9RXJ	256
S811LXJ	256	S83PB	250	S85XSL	258	S9RXK	256
S811LXK	256	S83RS	250	S86500SL	257	S9RXN	256
S811LXN	256	S83SG	250	S86AX	254	S9RXR	256
S811LXR	256	S83SN	250	S86AXSL	258	S9XC	256
S811PB	254	S83XC	250	S86CL	256	S9XCSL	258
S811PBSL	257	S83XE	250	S86CLSL	258	S9XE	256
S811RAX	255	S83XJ	250	S86LAX	254	S9XESL	258
S811RCL	256	S83XK	250	S86LCL	256	S9XJ	256
S811RPB	254	S83XN	250	S86LPB	253	S9XJSL	258
S811RXC	256	S83XR	250	S86LXC	256	S9KK	256
S811RXE	256	S84586SL	257	S86LXE	256	S9XKSL	258
S811RXJ	256	S84AX	254	S86LXJ	256	S9XN	256
S811RXK	256	S84AXSL	258	S86LXK	256	S9XNSL	258
S811RXN	256	S84CL	255	S86LXN	256	S9XR	256
S811RXR	256	S84CLSL	258	S86LXR	256	S9XRS	258
S811XC	256	S84LAX	254	S86PB	253		
S811XCSL	258	S84LCL	255	S86PBSL	257		
S811XE	256	S84LPB	253	S86RAX	254		
S811XESL	258	S84LXC	255	S86RCL	256		
S811XJ	256	S84LXE	255	S86RPB	253		
S811XJSL	258	S84LXJ	255	S86RC	256		
S811XK	256	S84LXK	255	S86RXE	256		
S811XKSL	258	S84LXN	255	S86RXJ	256		
S811XN	256	S84LXR	255	S86RXK	256		
S811XNSL	258	S84PB	253	S86RXN	256		
S811XR	256	S84PBSL	257	S86RXR	256		
S811XRS	258	S84RAX	254	S86XC	256		
S81651SL	257	S84RCL	255	S86XCSL	258		
S81AX	252	S84RPB	253	S86XE	256		
S81BL	250	S84RXC	255	S86XESL	258		
S81BS	250	S84RXE	255	S86XJ	256		
S81CL	252	S84RXJ	255	S86XJSL	258		
S81CX	252	S84RXK	255	S86XK	256		
S81EC	252	S84RXN	255	S86XKSL	258		
S81LAX	252	S84RXR	255	S86XN	256		
S81LBL	250	S84XC	255	S86XNSL	258		
S81LBS	250	S84XCSL	258	S86XR	256		
S81LCL	252	S84XE	255	S86XRS	258		
S81LCX	252	S84XESL	258	S8AX	255		
S81LEC	252	S84XJ	255	S8CL	256		
S81LLT	252	S84XJSL	258	S8LAX	255		

Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles at thermatru.com/inspiration.




Certified Door System Installation Program

Build your knowledge, skills and confidence with comprehensive door system installer training from Therma-Tru – the expert in fiberglass door systems – and OSI® – the expert in construction sealants. Get started today at thermatru.com/installer.



Trade Professionals Online

Find everything from selling tools and training materials to technical information at thermatru.com/professionals.



Advancement Center

Learn about Therma-Tru products and programs on our new online training platform at brainshark.com/thermatru.




Digital Vault

Explore the Digital Vault to find logos, images, literature and more to help you promote the Therma-Tru products you offer. Create an account today at thermatru.widencollective.com/login.



Design Your Door

Homeowners can research and design a door with their own personal touch – all from the convenience of home. To get started, visit thermatru.com/design-your-door.






Veris™

COLLECTION

THERMA-TRU
DOORS

The Veris™ collection embodies a reconnection between home and outdoors. Sleek, minimalist designs perfectly frame the view. Expansive glass welcomes an abundance of natural light.



Visit VerisCollection.com for details.



THERMA-TRU
DOORS®

Where Home Begins™

thermatru.com

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle
Maumee, OH 43537



#thermatru

Cover: Classic Craft Walnut Grain Door – CCW8901L; Low-E Glass Direct Set Sidelites – DRS82131SL, Finish – Tumbleweed
©2023 Therma-Tru Corp. All rights reserved. All trademarks and images featured are owned by their respective company and used with permission. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. and Larson Manufacturing Company are part of Fortune Brands Home & Security, Inc. – an industry-leading home and security products company. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency.

Part #MAFL2023 HESB / JAN 2023